



NSAI
Standards

Irish Standard
I.S. EN 61526:2013

Radiation protection instrumentation -
Measurement of personal dose
equivalents $H_p(10)$ and $H_p(0,07)$ for X,
gamma, neutron and beta radiations -
Direct reading personal dose equivalent
meters (IEC 61526:2010 (MOD))

I.S. EN 61526:2013

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 61526:2007	<i>This document is based on:</i> EN 61526:2013 EN 61526:2007	<i>Published:</i> 22 March, 2013 2 March, 2007
This document was published under the authority of the NSAI and comes into effect on: 22 April, 2013		ICS number: 13.280
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61526

March 2013

ICS 13.280

Supersedes EN 61526:2007

English version

**Radiation protection instrumentation -
Measurement of personal dose equivalents $H_p(10)$ and $H_p(0,07)$ for X,
gamma, neutron and beta radiations -
Direct reading personal dose equivalent meters
(IEC 61526:2010, modified)**

Instrumentation pour la radioprotection -
Mesure des équivalents de dose individuels
 $H_p(10)$ et $H_p(0,07)$ pour les rayonnements
X, gamma, neutron et bêta -
Appareils de mesure à lecture directe de
l'équivalent de dose individuel
(CEI 61526:2010, modifiée)

Strahlenschutz-Messgeräte -
Messung der Tiefen- und der
Oberflächen-Personendosis $H_p(10)$ und
 $H_p(0,07)$ für Röntgen-, Gamma-,
Neutronen- und Betaststrahlung -
Direkt ablesbare Personendosimeter
(IEC 61526:2010, modifiziert)

This European Standard was approved by CENELEC on 2012-12-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

This document (EN 61526:2013) consists of the text of IEC 61526:2010 prepared by IEC/SC 45B "Radiation protection instrumentation" of IEC/TC 45 "Nuclear instrumentation", together with the common modifications prepared by CLC/TC 45B "Radiation protection instrumentation".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-12-24
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2015-12-24

This document supersedes EN 61526:2007.

EN 61526:2013 includes the following significant technical changes with regard to the previous edition:

- inclusion of terms and definitions of ISO/IEC Guide 99:2007 (VIM:2008);
- full consistency with IEC/TR 62461:2006 "*Radiation protection instrumentation – Determination of uncertainty in measurement*";
- improved determination of constancy of the dose response and statistical fluctuations;
- abolition of classes of personal doses equivalent meters in relation to retention of stored information;
- inclusion of usage categories of personal dosimeters in Annex C.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Clauses, subclauses, notes, tables, figures and annexes which are additional to those in IEC 61526:2010 are prefixed "Z".

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61526:2010 was approved by CENELEC as a European Standard with agreed common modifications.

COMMON MODIFICATIONS

Introduction

In the third paragraph, **add** “mean beta particle energy” after “0,8 MeV”.

1 Scope and object

Add “for the same radiations (for alarming purposes)” at the end of list item b).

3 Terms and definitions

In the term and in the definition of 3.31, **replace** 'assembly' by 'detector assembly'.

6 General characteristics

6.6 Effective range of measurement

In the first paragraph, **add** “at least” between “ $H_p(10)$ and” and “from 1 mSv”.

6.9 Indication due to instrument artefacts

Replace the title by “Indication due to the intrinsic background of the instrument”.

In the first paragraph, **replace** “ $H_p(10)$ ” by “ $H_p(10)$ and $H_p(0,07)$ ”.

9 Radiation performance requirements and tests

9.3.5 Method of test for photon dosimeters using natural radiation

In list item b), second sentence, **add** “mean” in front of “background dose rate” and **delete** “and “constant””.

9.3.6 Interpretation of the results of the test using natural radiation

In the first paragraph and in the note, **replace** “inequation” by “inequality” (this modification refers to the English version only).

9.5.1.2 Method of test

In the third paragraph, first line, **delete** “above” in front of “requirements” and **add** “with the above mentioned reference radiations” after “cannot be met”.

In the beginning of the list items a), b) and c), **add** “relative” between “If the” and “response for”.

9.9.1 General

In the first sentence, **replace** “performed separately for $H_p(10)$ or $\dot{H}_p(10)$ and for $H_p(0,07)$ or $\dot{H}_p(0,07)$ ” by “performed for $H_p(10)$, $\dot{H}_p(10)$, $H_p(0,07)$ and $\dot{H}_p(0,07)$ ”.

At the end of the first sentence, **delete** “category, see Annex C”.

Annexes

Add the following new annex.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-393	2003	International Electrotechnology Vocabulary - Part 393: Nuclear instrumentation - Physical phenomena and basic concepts	-	-
IEC 60050-394	2007	International Electrotechnical Vocabulary - Part 394: Nuclear instrumentation - Instruments, systems, equipment and detectors	-	-
IEC 60068-2-31	2008	Environmental testing - Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment-type specimens	EN 60068-2-31	2008
IEC 60086-1	2006	Primary batteries - Part 1: General	EN 60086-1 ¹⁾	2007
IEC 60086-2 + corr. April	2006 2007	Primary batteries - Part 2: Physical and electrical specifications	EN 60086-2 ²⁾	2007
IEC 60359	2001	Electrical and electronic measurement equipment - Expression of performance	EN 60359	2002
IEC 60529 + A1	1989 1999	Degrees of protection provided by enclosures (IP Code)	EN 60529 + corr. May + A1	1991 1993 2000
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	2009
IEC 61000-4-3 + A1	2006 2007	Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3 + A1	2006 2008
IEC 61000-4-4 + corr. June	2004 2007	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2004

1) EN 60086-1 is superseded by EN 60086-1:2011, which is based on IEC 60086-1:2011.

2) EN 60086-2 is superseded by EN 60086-2:2011, which is based on IEC 60086-2:2011.

I.S. EN 61526:2013

– 5 –

EN 61526:2013

IEC 61000-4-5 + corr. October	2005 2009	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2006
IEC 61000-4-6	2008	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN 61000-4-6	2009
IEC 61000-4-8	2009	Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test	EN 61000-4-8	2010
IEC 61000-4-11	2004	Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests	EN 61000-4-11	2004
IEC 61000-6-2	2005	Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity for industrial environments	EN 61000-6-2 + corr. September	2005 2005
IEC 61187 (mod)	1993	Electrical and electronic measuring equipment - Documentation	EN 61187 + corr. March	1994 1995
IEC/TR 62461	2006	Radiation protection instrumentation - Determination of uncertainty in measurement	-	-
ISO/IEC Guide 98-3	2008	Uncertainty of measurement - Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)	-	-
ISO/IEC Guide 98-3 Suppl.1	2008 2008	Propagation of distributions using a Monte Carlo method and Corr.1 (2009)	-	-
ISO 4037-1	1996	X and gamma reference radiation for calibrating dosimeters and doserate meters and for determining their response as a function of photon energy - Part 1: Radiation characteristics and production methods	-	-
ISO 4037-2	1997	X and gamma reference radiation for calibrating dosimeters and doserate meters and for determining their response as a function of photon energy - Part 2: Dosimetry for radiation protection over the energy ranges from 8 keV to 1,3 MeV and 4 MeV to 9 MeV	-	-
ISO 4037-3	1999	X and gamma reference radiation for calibrating dosimeters and doserate meters and for determining their response as a function of photon energy - Part 3: Calibration of area and personal dosimeters and the measurement of their response as a function of energy and angle of incidence	-	-

I.S. EN 61526:2013

EN 61526:2013

– 6 –

ISO 4037-4	2004	X and gamma reference radiation for calibrating dosimeters and doserate meters and for determining their response as a function of photon energy - Part 4: Calibration of area and personal dosimeters in low energy X reference radiation fields	-	-
ISO 6980-1	2006	Nuclear energy - Reference beta-particle radiation - Part 1: Methods of production	-	-
ISO 6980-2	2004	Nuclear energy - Reference beta-particle radiation - Part 2: Calibration fundamentals related to basic quantities characterizing the radiation field	-	-
ISO 6980-3	2006	Nuclear energy - Reference beta-particle radiation - Part 3: Calibration of area and personal dosimeters and the determination of their response as a function of beta radiation energy and angle of incidence	-	-
ISO 8529-1	2001	Reference neutron radiations - Part 1: Characteristics and methods of production	-	-
ISO 8529-2	2000	Reference neutron radiations - Part 2: Calibration fundamentals of radiation protection devices related to the basic quantities characterizing the radiation field	-	-
ISO 8529-3	1998	Reference neutron radiations - Part 3: Calibration of area and personal dosimeters and determination of response as a function of energy and angle of incidence	-	-
ISO 12789-1	2008	Reference radiation fields - Simulated workplace neutron fields - Part 1: Characteristics and methods of production	-	-
ISO 12789-2	2008	Reference radiation fields - Simulated workplace neutron fields - Part 2: Calibration fundamentals related to the basic quantities	-	-
ICRU Report 51	1993	Quantities and units in radiation protection dosimetry	-	-

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope and object.....	9
2 Normative references	10
3 Terms and definitions	11
4 Units and list of symbols.....	19
4.1 Units	19
4.2 List of symbols	19
5 Mechanical characteristics.....	21
5.1 Size.....	21
5.2 Mass	21
5.3 Case	21
5.4 Switches	21
6 General characteristics.....	21
6.1 Storage of dose information.....	21
6.2 Indication	21
6.3 Dosimeter markings	22
6.4 Retention of radioactive contamination	22
6.5 Ranges for dose equivalent and dose equivalent rate	22
6.6 Effective range of measurement	22
6.7 Rated range of an influence quantity	22
6.8 Use of more than one dosimeter.....	22
6.9 Indication due to instrument artefacts	23
6.10 Dose or dose rate alarms	23
6.10.1 General	23
6.10.2 Dose equivalent alarms	23
6.10.3 Dose equivalent rate alarms	23
6.10.4 Alarm output.....	23
6.11 Indication of malfunction.....	23
7 General test procedures	23
7.1 Nature of tests.....	23
7.2 Reference conditions and standard test conditions	24
7.3 Tests for influence quantities of type F	24
7.4 Tests for influence quantities of type S	24
7.5 Phantom for testing	24
7.6 Position of detector assembly for the purpose of testing	24
7.7 Position of dosimeter during use	25
7.8 Minimum rated range of influence quantity	25
7.9 Low dose equivalent rates.....	25
7.10 Statistical fluctuations	25
7.11 Production of reference radiation.....	25
8 Additivity of indicated value	25
8.1 Requirements.....	25
8.2 Method of test	26
8.3 Interpretation of the results	26
9 Radiation performance requirements and tests	26

9.1	General	26
9.2	Consideration of the uncertainty of the conventional quantity value	27
9.3	Constancy of the dose response, dose rate dependence and statistical fluctuations	27
9.3.1	General	27
9.3.2	Requirements	27
9.3.3	Method of test using sources	27
9.3.4	Interpretation of the results of the test using sources	28
9.3.5	Method of test for photon dosimeters using natural radiation	28
9.3.6	Interpretation of the results of the test using natural radiation	28
9.4	Variation of the response due to photon radiation energy and angle of incidence	29
9.4.1	Measurement quantity $H_p(0,07)$ or $\dot{H}_p(0,07)$	29
9.4.2	Measurement quantity $H_p(10)$ or $\dot{H}_p(10)$	29
9.5	Variation of the response due to neutron radiation energy and angle of incidence	30
9.5.1	Measurement quantity $H_p(10)$ or $\dot{H}_p(10)$	30
9.6	Variation of the response due to beta radiation energy and angle of incidence	31
9.6.1	Measurement quantity $H_p(0,07)$ or $\dot{H}_p(0,07)$	31
9.6.2	Measurement quantity $H_p(10)$ or $\dot{H}_p(10)$	32
9.7	Retention of dose equivalent reading	32
9.7.1	General	32
9.7.2	Requirements	33
9.7.3	Method of test and interpretation of the results	33
9.8	Overload characteristics	33
9.8.1	General	33
9.8.2	Requirements	33
9.8.3	Method of test and interpretation of the results	33
9.9	Alarm	34
9.9.1	General	34
9.9.2	Response time for dose equivalent rate indication and alarm	34
9.9.3	Accuracy of dose equivalent alarm	35
9.9.4	Accuracy of dose equivalent rate alarm	35
9.10	Model function	36
10	Electrical and environmental performance requirements and tests	36
10.1	General	36
10.2	Power supplies	36
10.2.1	General requirements	36
10.2.2	Specific primary batteries requirements	36
10.2.3	Specific secondary batteries requirements	37
10.2.4	Method of test and interpretation of the results (primary and secondary batteries)	37
10.3	Ambient temperature	38
10.3.1	Requirements	38
10.3.2	Method of test and interpretation of the results	39
10.4	Relative humidity	39
10.4.1	Requirements	39

10.4.2	Method of test and interpretation of the results	40
10.5	Atmospheric pressure.....	40
10.6	Sealing.....	40
10.7	Storage	40
11	Electromagnetic performance requirements and tests.....	40
11.1	General.....	40
11.2	Electrostatic discharge	41
11.2.1	Requirements	41
11.2.2	Test method and interpretation of the results	41
11.3	Radiated electromagnetic fields.....	41
11.3.1	Requirements	41
11.3.2	Test method and interpretation of the results	41
11.4	Conducted disturbances induced by fast transients or bursts.....	42
11.4.1	Requirements	42
11.4.2	Method of test and interpretation of the results	42
11.5	Conducted disturbances induced by surges.....	42
11.5.1	Requirements	42
11.5.2	Method of test and interpretation of the results	42
11.6	Conducted disturbances induced by radio-frequencies	42
11.6.1	Requirements	42
11.6.2	Method of test and interpretation of the results	42
11.7	50 Hz/60 Hz magnetic field.....	43
11.7.1	Requirements	43
11.7.2	Method of test and interpretation of the results	43
11.8	Voltage dips and short interruptions	43
11.8.1	Requirements	43
11.8.2	Method of test and interpretation of the results	43
12	Mechanical performance, requirements and tests	43
12.1	General.....	43
12.2	Drop test	43
12.2.1	Requirements	43
12.2.2	Method of test and interpretation of the results	43
12.3	Vibration test.....	44
12.3.1	Requirements	44
12.3.2	Method of test and interpretation of the results	44
12.4	Microphonics test	44
12.4.1	Requirements	44
12.4.2	Method of test and interpretation of the results	44
13	Uncertainty.....	44
14	Documentation	45
14.1	Type test report.....	45
14.2	Certificate	45
15	Operation and maintenance manual	45
Annex A	(normative) Statistical fluctuations	54
Annex B	(informative) Procedure to determine the variation of the relative response due to radiation energy and angle of radiation incidence.....	56
Annex C	(informative) Usage categories of personal dosimeters.....	58
Bibliography	59

I.S. EN 61526:2013

61526 © IEC:2010

– 5 –

Table 1 – Symbols (and abbreviated terms)	19
Table 2 – Values of c_1 and c_2 for w different dose values and n indications for each dose value	47
Table 3 – Reference conditions and standard test conditions	48
Table 4 – Radiation characteristics of $H_p(0,07)$ dosimeters for X, gamma and beta radiation	49
Table 5 – Radiation characteristics of $H_p(10)$ dosimeters for X and gamma radiation	50
Table 6 – Radiation characteristics of $H_p(10)$ dosimeters for neutron radiation.....	51
Table 7 – Electrical and environmental characteristics of dosimeters	52
Table 8 – Electromagnetic disturbance characteristics of dosimeters	53
Table 9 – Mechanical disturbances characteristics of dosimeters.....	53
Table A.1 – Number of instrument readings required to detect true differences (95 % confidence level) between two sets of instrument readings on the same instrument.....	55
Table C.1 – Usage categories of personal dosimeters	58

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIATION PROTECTION INSTRUMENTATION – MEASUREMENT OF PERSONAL DOSE EQUIVALENTS $H_p(10)$ AND $H_p(0,07)$ for X, GAMMA, NEUTRON AND BETA RADIATIONS – DIRECT READING PERSONAL DOSE EQUIVALENT METERS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61526 has been prepared by subcommittee 45B: Radiation protection instrumentation, of IEC technical committee 45: Nuclear instrumentation.

This third edition cancels and replaces the second edition published in 2005. This edition constitutes a technical revision. This edition includes the following significant technical changes with regard to the previous edition:

- Inclusion of terms and definitions from ISO/IEC Guide 99:2007 (VIM:2008).
- Full consistency with IEC/TR 62461:2006 "*Radiation protection instrumentation – Determination of uncertainty in measurement*".
- Improved determination of constancy of the dose response and statistical fluctuations.
- Abolition of classes of personal dose equivalent meters in relation to retention of stored information.
- Inclusion of usage categories of personal dosimeters in Annex C.

I.S. EN 61526:2013

61526 © IEC:2010

– 7 –

The text of this standard is based on the following documents:

FDIS	Report on voting
45B/648/FDIS	45B/666/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This International Standard applies to active, direct reading personal dose equivalent meters and monitors used for measuring the personal dose equivalents $H_p(10)$ and $H_p(0,07)$ for X, gamma, neutron and beta radiations.

For the personal dose equivalent $H_p(10)$ or the personal dose equivalent rate $\dot{H}_p(10)$ and for X and gamma radiations, two minimum rated ranges for the photon energy are given. The first from 20 keV to 150 keV is for workplaces where low energy X-rays are used, e.g., in medical diagnostic, the second from 80 keV to 1,5 MeV is for workplaces where high energy X-rays and/or gamma sources are used, e.g., in industry. For neutron radiation the minimum rated range of neutron energy is from 0,025 eV (thermal neutrons) to 5 MeV. The rated ranges can be extended to all energies covered by the respective standards for reference radiation fields.

For the personal dose equivalent $H_p(0,07)$ and for X and gamma radiations, a minimum rated range for the photon energy from 20 keV to 150 keV is given and for beta radiation, the minimal rated range is from 0,2 MeV to 0,8 MeV. The rated ranges can be extended to all energies covered by the respective standards for reference radiation fields.

Examples of extended rated ranges are given in Annex C.

In some applications, for example, at a nuclear reactor installation where 6 MeV photon radiation is present, measurement of personal dose equivalent (rate) $H_p(10)$ for photon energies up to 10 MeV should be required. In some other applications, measurement of $H_p(10)$ down to 10 keV should be required.

For personal dose equivalent meters, requirements for measuring the dose quantities $H_p(10)$ and $H_p(0,07)$ and for monitoring of the dose rate quantities $\dot{H}_p(10)$ and $\dot{H}_p(0,07)$ are given. The measurement of these dose rate quantities is an option for personal dose equivalent meters.

Establishments in some countries may wish to use this type of personal dose equivalent meter as the dosimeter to provide the dose of record by an approved dosimetry service.

RADIATION PROTECTION INSTRUMENTATION – MEASUREMENT OF PERSONAL DOSE EQUIVALENTS $H_p(10)$ AND $H_p(0,07)$ for X, GAMMA, NEUTRON AND BETA RADIATIONS – DIRECT READING PERSONAL DOSE EQUIVALENT METERS

1 Scope and object

This International Standard applies to personal dose equivalent meters with the following characteristics:

- a) They are worn on the trunk or the extremities of the body.
- b) They measure the personal dose equivalents $H_p(10)$ and $H_p(0,07)$ from external X and gamma, neutron and beta radiations, and may measure the personal dose equivalent rates $\dot{H}_p(10)$ and $\dot{H}_p(0,07)$.
- c) They have a digital indication.
- d) They may have alarm functions for the personal dose equivalents or personal dose equivalent rates.

This standard is therefore applicable to the measurement of the following combinations of dose quantities (including the respective dose rates) and radiation

- 1) $H_p(10)$ and $H_p(0,07)$ from X and gamma radiations;
- 2) $H_p(10)$ and $H_p(0,07)$ from X, gamma and beta radiations;
- 3) $H_p(10)$ from X and gamma radiations;
- 4) $H_p(10)$ from neutron radiations;
- 5) $H_p(10)$ from X, gamma and neutron radiations;
- 6) $H_p(0,07)$ from X, gamma and beta radiations.

NOTE 1 When reference is made in this standard to "dose", this is meant to indicate personal dose equivalent, unless otherwise stated.

NOTE 2 When reference is made in this standard to "dosemeter", this is meant to include all personal dose equivalent meters, unless otherwise stated.

This standard specifies requirements for the dosimeter and, if supplied, for its associated readout system.

This standard specifies, for the dosimeters described above, general characteristics, general test procedures, radiation characteristics as well as electrical, mechanical, safety and environmental characteristics. The only requirements specified for associated readout systems are those which affect its accuracy of readout of the personal dose equivalent and alarm settings and those which concern the influence of the reader on the dosimeter.

This standard also specifies in Annex C usage categories with respect to different measuring capabilities.

This standard does not cover special requirements for accident or emergency dosimetry although the dosimeters may be used for this purpose. The standard does not apply to dosimeters used for measurement of pulsed radiation, such as radiation emanating from most medical diagnostic X-ray facilities, linear accelerators or similar equipment.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-