This is a free page sample. Access the full version online.



Irish Standard I.S. EN 61753-059-2:2013

Fibre optic interconnecting devices and passive components - Performance standard -- Part 059-2: Single-mode fibre plug-receptacle style optical limiter for category C - Controlled environment (IEC 61753-059-2:2013 (EQV))

© CENELEC 2013 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	<i>This document is a</i> EN 61753-059-2:20		<i>Publish</i> 21 June	
This document was published under the authority of the NSAI and 10 July, 2013	comes into effect on:			ICS number: 33.180.20
NSAI T +353 1 807 3800 Sales: 1 Swift Square, F +353 1 807 3838 T +353 1 857 6730 Northwood, Santry E standards@nsai.ie F +353 1 857 6729 Dublin 9 W NSAI.ie W standards.ie				
Údarás um Chaighdeáin Náisiúnta na hÉireann				

EUROPEAN STANDARD

EN 61753-059-2

NORME EUROPÉENNE EUROPÄISCHE NORM

June 2013

ICS 33.180.20

English version

Fibre optic interconnecting devices and passive components -Performance standard -Part 059-2: Single-mode fibre plug-receptacle style optical limiter for category C -Controlled environment

(IEC 61753-059-2:2013)

Dispositifs d'interconnexion et composants passifs à fibres optiques -Norme de performance -Partie 059-2: Limiteur optique de type fiche-embase pour fibre unimodale pour catégorie C -Environnement contrôlé (CEI 61753-059-2:2013) Lichtwellenleiter -Verbindungselemente und passive Bauteile -Betriebsverhalten -Teil 059-2: Einmoden-LWL-Leistungsbegrenzer Bauform Stecker-Buchse-Buchse- Buchse für die Kategorie C -Kontrollierte Umgebung (IEC 61753-059-2:2013)

This European Standard was approved by CENELEC on 2013-04-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2013 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

EN 61753-059-2:2013

I.S. EN 61753-059-2:2013 - 2 -

Foreword

The text of document 86B/3553/FDIS, future edition 1 of IEC 61753-059-2, prepared by SC 86B, "Fibre optic interconnecting devices and passive components", of IEC TC 86, "Fibre optic" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61753-059-2:2013.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national	(dop)	2014-01-24
•	standard or by endorsement latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2016-04-24

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61753-059-2:2013 was approved by CENELEC as a European Standard without any modification.

I.S. EN 61753-059-2:2013 - 3 -

EN 61753-059-2:2013

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	Year	Title	EN/HD	Year
IEC 60793-2-50	-	Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single-mode fibres	EN 60793-2-50	-
IEC 60869-1	-	Fibre optic interconnecting devices and passive components - Fibre optic passive power control devices - Part 1: Generic specification	EN 60869-1	-
IEC 61300	Series	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures	EN 61300	Series
IEC 61300-1	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 1: General and guidance	EN 61300-1	-
IEC 61300-2-1	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-1: Tests - Vibration (sinusoidal)	EN 61300-2-1	-
IEC 61300-2-2	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-2: Tests - Mating durability	EN 61300-2-2	-
IEC 61300-2-6	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-6: Tests - Tensile strength of coupling mechanism	EN 61300-2-6	-
IEC 61300-2-9	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-9: Tests - Shock	EN 61300-2-9	-
IEC 61300-2-14	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-14: Tests - High optical power	EN 61300-2-14	-
IEC 61300-2-17	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-17: Tests - Cold	EN 61300-2-17	-

I.S. EN 61753-059-2:2013 - 4 -

EN 61753-059-2:2013

Publication IEC 61300-2-18	<u>Year</u> -	<u>Title</u> Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-18: Tests - Dry heat - High temperature endurance	<u>EN/HD</u> EN 61300-2-18 e	<u>Year</u> -
IEC 61300-2-19	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-19: Tests - Damp heat (steady state)	EN 61300-2-19	-
IEC 61300-2-22	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-22: Tests - Change of temperature	EN 61300-2-22	-
IEC 61300-3-2	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-2: Examinations and measurements - Polarization dependent loss in a single-mode fibre optic device	EN 61300-3-2	-
IEC 61300-3-3	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-3: Examinations and measurements - Active monitoring of changes in attenuation and return loss	EN 61300-3-3	-
IEC 61300-3-4	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-4: Examinations and measurements - Attenuation	EN 61300-3-4	-
IEC 61300-3-6	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-6: Examinations and measurements - Return loss	EN 61300-3-6	-
IEC 61300-3-7	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-7: Examinations and measurements - Wavelength dependence of attenuation and return loss of single mode components	EN 61300-3-7	-
IEC 61300-3-28	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-28: Examinations and measurements - Transient loss	EN 61300-3-28	-
IEC 61300-3-32	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-32: Examinations and measurements - Polarisation mode dispersion measurement for passive optical components	EN 61300-3-32	-
IEC 61754	Series	Fibre optic connector interfaces	EN 61754	Series
IEC 61755	Series	Fibre optic connector optical interfaces	EN 61755	Series

- 5 -

Publication	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	Year
IEC/TR 62627-02	2010	Fibre optic interconnecting devices and	-	-
		passive components -		
		Part 02: Report of round robin test results on		
		SC plug style fixed attenuators		

This page is intentionally left BLANK.

– 2 – 61753-059-2 © IEC:2013

CONTENTS

FOF	REWORD	.3
INT	RODUCTION	.5
1	Scope	.6
2	Normative references	.6
3	Tests	.7
4	Test reports	.8
5	Performance requirements	.8
	5.1 Sample size and sequencing	.8
	5.2 Dimensions	
	5.3 Test details and requirements	
Ann	ex A (normative) Sample size and product sourcing requirements	15
Ann	ex B (normative) Reference connector and adaptor	16
Ann	ex C (normative) P _{limit} definition	17
Ann	ex D (normative) Response time definition	18
Ann	ex E (normative) Maximum allowed power inputs for optical limiters, single-mode	19
Ann	ex F (informative) Example of style configuration for optical limiters	20
Ann	ex G (normative) Testing of optical power limiters	21
Bibl	iography	23
Figu	ure C.1 – Measurements of <i>P</i> out as a function of <i>P</i> in	17
Figu	re D.1 – Definition of response time	18
Figu	are F.1 – Optical limiter, plug-receptacle style configuration	20
Figu	ure G.1 – <i>P</i> limit Test set-up schematics	21
Figu	ure G.2 – Response time testing set-up	22
Tab	le 1 – Performance requirements for optical limiters (1 of 6)	.9
Tab	le A.1 – Sample size and product sourcing requirements	15
Tab	le B.1 – Requirements for reference connector and adaptor ^a	16
Tab	le E.1 – Maximum allowed power input for optical limiters, single-mode	19

61753-059-2 © IEC:2013

- 3 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – PERFORMANCE STANDARD –

Part 059-2: Single-mode fibre plug-receptacle style optical limiter for category C – Controlled environment

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 61753-059-2 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.

The text of this standard is based on the following documents:

FDIS	Report on voting
86B/3553/FDIS	86B/3596/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

- 4 -

61753-059-2 © IEC:2013

A list of all the parts in the IEC 61753 series, published under the general title *Fibre optic interconnecting devices and passive components – Performance standard*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

61753-059-2 © IEC:2013

- 5 -

INTRODUCTION

 The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning power limiters, registered as follows:

Country	Patent number
Israel	147554
European Union	EP 1467239 A2
USA	USP110/398'859
Japan	4587695
Canada	24649043

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

KiloLambda technologies, Ltd.

22a Wallenberg street,

Tel-Aviv 69719, Israel

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (http://patents.iec.ch) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult these data bases for the most up to date information concerning patents.

2) The optical power limiter is a passive device that regulates the optical power in fibres, producing a controlled, constant output power P_{limit} , as a result of varying input power higher than P_{limit} , and has no influence at powers below P_{limit} . Under normal operation, when the input power is low, the optical power limiter has no effect on the system. However, when the input power is high, the optical output power is limited to a predetermined level (P_{limit}). The optical limiter is wavelength independent over its entire specified spectral range. IEC 60869-1contains the generic information of the optical power limiter. The optical power limiter is used at the input of power-sensitive equipment and at the output of high power devices, such as amplifiers, or wherever power regulation is required. The optical power limiter can serve as an eye safety device. The optical power limiter has a maximum allowed power input $P_{\text{in max}}$. Above this power it is dysfunctional and can let light through. Numerical values for $P_{\text{in max}}$ are given in Annex E.

- 6 -

61753-059-2 © IEC:2013

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – PERFORMANCE STANDARD –

Part 059-2: Single-mode fibre plug-receptacle style optical limiter for category C – Controlled environment

1 Scope

This part of IEC 61753 contains the minimum initial test and measurement requirements and severities which an optical power limiter needs to satisfy in order to be categorized as meeting the requirements of single mode fibre plug-receptable style optical limiter used in controlled environments. IEC 60869-1, contains the generic specification of the optical limiter. Optical performances specified in this standard relate to plug-receptacle style configurations optical power limiters only.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2-50, Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres

IEC 60869-1, Fibre optic interconnecting devices and passive components – Fibre optic passive power control devices – Part 1: Generic specification

IEC 61300 (all parts), Fibre optic interconnecting devices and passive components – Basic test and measurement procedures

IEC 61300-1, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance

IEC 61300-2-1, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2:1: Tests – Vibration (sinusoidal)

IEC 61300-2-2, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-2: Tests – Mating durability

IEC 61300-2-6, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-6: Tests – Tensile strength of coupling mechanism

IEC 61300-2-9, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-9: Tests – Shock

IEC 61300-2-14, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures– Part 2-14: Tests – High optical power

IEC 61300-2-17, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-17: Tests – Cold



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation