



NSAI
Standards

Irish Standard
I.S. EN 13286-2:2010

Unbound and hydraulically bound mixtures - Part 2: Test methods for laboratory reference density and water content - Proctor compaction

I.S. EN 13286-2:2010

Incorporating amendments/corrigenda/National Annexes issued since publication:
EN 13286-2:2010/AC:2012

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 13286-2:2004	<i>This document is based on:</i> EN 13286-2:2010 EN 13286-2:2004	<i>Published:</i> 22 September, 2010 14 July, 2004
This document was published under the authority of the NSAI and comes into effect on: 23 September, 2010		ICS number: 93.080.20
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

English version
Version Française
Deutsche Fassung

Unbound and hydraulically bound mixtures - Part 2: Test methods for laboratory reference density and water content - Proctor compaction

Mélanges traités et mélanges non traités
aux liants hydrauliques - Partie 2:
Méthodes d'essai de détermination en
laboratoire de la masse volumique de
référence et de la teneur en eau -
Compactage Proctor

Ungebundene und hydraulisch gebundene
Gemische - Teil 2: Laborprüfverfahren zur
Bestimmung der Referenz-Trockendichte
und des Wassergehaltes - Proctorversuch

This corrigendum becomes effective on 28 November 2012 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 28 novembre 2012 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 28. November 2012 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

1 Modification to B.5.4

Replace:

"

B.5.4 The calculated Proctor density ρ_d shall be corrected from the equation:

$$\rho_{d'} = \rho_s \times (U/100) + \rho_d \times (100-U/100). \quad (\text{B.4})''$$

with:

"

B.5.4 The calculated Proctor density $\rho_{d'}$ shall be corrected from the equation:

$$\rho_{d'} = \rho_s \times (U/100) + \rho_d \times (100-U)/100 \quad (\text{B.4})'.$$

English Version

Unbound and hydraulically bound mixtures - Part 2: Test methods for laboratory reference density and water content - Proctor compaction

Mélanges traités et mélanges non traités - Partie 2:
Méthodes d'essai de détermination en laboratoire de la
masse volumique de référence et de la teneur en eau -
Compactage Proctor

Ungebundene und hydraulisch gebundene Gemische - Teil
2: Laborprüfverfahren zur Bestimmung der Dichte und des
Wassergehaltes - Proctorversuch

This European Standard was approved by CEN on 22 July 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	page
Foreword.....	3
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Principle.....	6
5 Apparatus	6
6 Preparation	10
6.1 General.....	10
6.2 Samples for compaction tests.....	11
6.3 Preliminary assessment.....	11
6.4 Mixtures totally passing the 16 mm test sieve	11
6.5 Mixtures not totally passing the 16 mm test sieve.....	11
6.5.1 Mixtures totally passing the 31,5 mm test sieve	11
6.5.2 Mixtures 75 % to 100 % passing the 31,5 mm test sieve and totally passing the 63 mm test sieve	12
6.5.3 Mixtures with an oversize > 25 % by mass on the 31,5 mm test sieve and 75 % to 100 % passing the 63 mm test sieve	12
7 Procedure	12
7.1 Proctor test for mixtures compacted with a 2,5 kg rammer (A) in the Proctor mould (A)	12
7.2 Proctor test for mixtures compacted with a 2,5 kg rammer (A) in the large Proctor mould (B)	13
7.3 Proctor test for mixtures compacted with a 15,0 kg rammer (C) in the extra large Proctor mould (C)	14
7.4 Modified Proctor test for mixtures compacted with a 4,5 kg rammer (B) in the Proctor mould (A)	14
7.5 Modified Proctor test for mixtures compacted with a 4,5 kg rammer (B) in the large Proctor mould (B)	15
7.6 Modified Proctor test for mixtures compacted with a 15,0 kg rammer (C) in the extra large Proctor mould (C)	16
8 Calculations, plotting and expression of results	17
8.1 Calculations.....	17
8.2 Plotting.....	17
9 Test report	18
Annex A (informative) Dimensions of alternative apparatus	19
Annex B (normative) One point Proctor test	22
Annex C (informative) Correction for oversize (material retained on the 16 mm, 31,5 mm and 63 mm test sieves).....	26
Annex D (informative) Proctor test for self-draining mixtures.....	27

Foreword

This document (EN 13286-2:2010) has been prepared by Technical Committee CEN/TC 227 “Road Materials”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2011, and conflicting national standards shall be withdrawn at the latest by March 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13286-2:2004.

This document is one of a series of standards as listed below.

EN 13286-1, *Unbound and hydraulically bound mixtures — Part 1: Test methods for laboratory reference density and water content — Introduction, general requirements and sampling*

EN 13286-2, *Unbound and hydraulically bound mixtures — Part 2: Test methods for laboratory reference density and water content — Proctor compaction*

EN 13286-3, *Unbound and hydraulically bound mixtures — Part 3: Test methods for laboratory reference density and water content — Vibrocompression with controlled parameters*

EN 13286-4, *Unbound and hydraulically bound mixtures — Part 4: Test methods for laboratory reference density and water content — Vibrating hammer*

EN 13286-5, *Unbound and hydraulically bound mixtures — Part 5: Test methods for laboratory reference density and water content — Vibrating table*

EN 13286-7, *Unbound and hydraulically bound mixtures — Part 7: Cyclic load triaxial test for unbound mixtures*

EN 13286-40, *Unbound and hydraulically bound mixtures — Part 40: Test method for the determination of the direct tensile strength of hydraulically bound mixtures*

EN 13286-41, *Unbound and hydraulically bound mixtures — Part 41: Test method for the determination of the compressive strength of hydraulically bound mixtures*

EN 13286-42, *Unbound and hydraulically bound mixtures — Part 42: Test method for the determination of the indirect tensile strength of hydraulically bound mixtures*

EN 13286-43, *Unbound and hydraulically bound mixtures — Part 43: Test method for the determination of the modulus of elasticity of hydraulically bound mixtures*

EN 13286-44, *Unbound and hydraulically bound mixtures — Part 44: Test method for the determination of the alpha coefficient of vitrified blast furnace slag*

EN 13286-45, *Unbound and hydraulically bound mixtures — Part 45: Test method for the determination of the workability period of hydraulically bound mixtures*

I.S. EN 13286-2:2010

EN 13286-2:2010 (E)

EN 13286-46, *Unbound and hydraulically bound mixtures — Part 46: Test method for the determination of the moisture condition value*

EN 13286-47, *Unbound and hydraulically bound mixtures — Part 47: Test methods for the determination of California bearing ratio, immediate bearing index and linear swelling*

EN 13286-48, *Unbound and hydraulically bound mixtures — Part 48: Test method for the determination of degrees of pulverisation*

EN 13286-49, *Unbound and hydraulically bound mixtures — Part 49: Accelerated swelling test for soil treated by lime and/or hydraulic binder*

EN 13286-50, *Unbound and hydraulically bound mixtures — Part 50: Method for the manufacture of test specimens of hydraulically bound mixtures using Proctor equipment or vibrating table compaction*

EN 13286-51, *Unbound and hydraulically bound mixtures — Part 51: Method for the manufacture of test specimens of hydraulically bound mixtures using vibrating hammer compaction*

EN 13286-52, *Unbound and hydraulically bound mixtures — Part 52: Method for the manufacture of test specimens of hydraulically bound mixtures using vibrocompression*

EN 13286-53, *Unbound and hydraulically bound mixtures — Part 53: Methods for the manufacture of test specimens of hydraulically bound mixtures using axial compression*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard specifies test methods for the determination of the relationship between the water content and the dry density of hydraulically bound or unbound mixtures after compaction under specified test conditions using Proctor compaction. It allows an estimate of the mixture density that can be achieved on construction sites and provides a reference parameter for assessing the density of the compacted layer of the mixture.

This European Standard applies only to unbound and hydraulically bound mixtures of aggregates used in road construction and civil engineering work. It is not applicable to soils for earthworks. The results of this test method can be used as a basis for comparing mixtures before use in road construction. The test results also allow a conclusion to be drawn as to the water content at which mixtures can be satisfactorily compacted in order to achieve a given dry density.

This test is suitable for mixtures with different values of upper sieve (D) size up to 63 mm and an oversize up to 25 % by mass.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 933-1, *Tests for geometrical properties of aggregates — Part 1: Determination of particle size distribution — Sieving method*

EN 933-2, *Tests for geometrical properties of aggregates — Part 2: Determination of particle size distribution — Test sieves, nominal size of apertures*

EN 1097-5, *Tests for mechanical and physical properties of aggregates — Part 5: Determination of the water content by drying in a ventilated oven*

EN 1097-6, *Tests for mechanical and physical properties of aggregates — Part 6: Determination of particle density and water absorption*

EN 13286-1:2003, *Unbound and hydraulically bound mixtures — Part 1: Test methods for laboratory reference density and water content — Introduction, general requirements and sampling*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 13286-1:2003 and the following apply.

3.1

Proctor density

laboratory reference density determined from the dry density/water content relationship obtained by the Proctor test with a specific energy of approximately $0,6 \text{ MJ/m}^3$

3.2

modified Proctor density

laboratory reference density determined from the dry density/water content relationship obtained by the modified Proctor test with a specific energy of about $2,7 \text{ MJ/m}^3$

3.3

initial water content w_{0i}

water content of a given mixture sample i before compaction

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-