



NSAI
Standards

Irish Standard
I.S. EN 61982:2012

Secondary batteries (except lithium) for the propulsion of electric road vehicles - Performance and endurance tests (IEC 61982:2012 (EQV))

I.S. EN 61982:2012

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<p><i>This document replaces:</i></p> <p>EN 61982-1:2006 EN 61982-2:2002 + corr Dec 2002 EN 61982-3:2001</p>	<p><i>This document is based on:</i></p> <p>EN 61982:2012 EN 61982-3:2001</p>	<p><i>Published:</i></p> <p>19 October, 2012 1 October, 2001</p>
<p>This document was published under the authority of the NSAI and comes into effect on:</p> <p>30 October, 2012</p>		<p>ICS number:</p> <p>29.220.20</p>
<p>NSAI 1 Swift Square, Northwood, Santry Dublin 9</p>	<p>T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie</p>	<p>Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie</p>
<p>Údarás um Chaighdeáin Náisiúnta na hÉireann</p>		

I.S. EN 61982:2012

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61982

October 2012

ICS 29.220.20

Supersedes EN 61982-1:2006, EN 61982-2:2002 + corr. Dec.2002, EN 61982-3:2001

English version

**Secondary batteries (except lithium) for the propulsion
of electric road vehicles -
Performance and endurance tests
(IEC 61982:2012)**

Accumulateurs (excepté lithium)
pour la propulsion des véhicules
routiers électriques -
Essais de performance et d'endurance
(CEI 61982:2012)

Sekundärbatterien (ausgenommen
Lithium-Batterien) für den Antrieb
von Elektrostraßenfahrzeugen -
Kapazitäts- und Lebensdauerprüfungen
(IEC 61982:2012)

This European Standard was approved by CENELEC on 2012-06-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 21/775/FDIS, future edition 1 of IEC 61982, prepared by IEC/TC 21 "Secondary cells and batteries" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61982:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-04-19
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-06-01

This document supersedes EN 61982-1:2006, EN 61982-2:2002 + corrigendum December 2002 and EN 61982-3:2001.

EN 61982:2012 includes the following significant technical changes with respect to EN 61982-1:2006, EN 61982-2:2002 and EN 61982-3:2001:

- clarification of the scope;
- update of some tests, and
- addition of the Annex A dealing with NiMh batteries for the propulsion of hybrid electric vehicles.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61982:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60051 series	NOTE	Harmonized as EN 60051 series (not modified).
IEC 60254-1:2005	NOTE	Harmonized as EN 60254-1:2005 (not modified).
IEC 60359	NOTE	Harmonized as EN 60359.
IEC 62660-1:2010	NOTE	Harmonized as EN 62660-1:2011 (not modified).
IEC 62660-2:2010	NOTE	Harmonized as EN 62660-2:2011 (not modified).

Annex ZA
(normative)**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-482	2004	International Electrotechnical Vocabulary (IEV) - Part 482: Primary and secondary cells and batteries	-	-
IEC 61434	-	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Guide to the designation of current in alkaline secondary cell and battery standards	EN 61434	-

This page is intentionally left BLANK.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	8
4 General test requirements	9
4.1 Accuracy of measuring instruments	9
4.1.1 Electrical measuring instruments	9
4.1.2 Temperature measurement.....	10
4.1.3 Electrolyte density measurement of vented lead-acid batteries	10
4.1.4 Tolerance	10
4.2 General provisions	10
4.2.1 Current slew rate	10
4.2.2 Temperature – electrolyte accessible.....	10
4.2.3 Temperature – electrolyte not accessible.....	11
4.2.4 Electrolyte density readings of vented lead-acid batteries.....	11
4.2.5 Mechanical support	11
4.3 Test samples	11
4.4 Test temperature	11
4.4.1 Test temperature for type testing	11
4.4.2 Operation of BMS	12
4.5 Charging and rest after charge	12
4.6 Conditioning	12
4.7 Test sequence.....	12
4.8 Data recording.....	12
4.8.1 General	12
4.8.2 Sampling frequency.....	12
5 Rated capacity	12
5.1 General.....	12
5.2 Additional test temperatures	13
6 Dynamic discharge performance test	13
6.1 Basic considerations	13
6.2 Test cycle definition without regenerative charging	13
6.3 Test cycle definition with regenerative charging.....	13
6.4 Definition of dynamic discharge performance	14
6.4.1 Test cycle without regenerative charging	14
6.4.2 Test cycle with regenerative charging	14
7 Dynamic endurance test	14
7.1 Basic considerations	14
7.2 Test conditions	14
7.3 Test cycle without regenerative charging	14
7.4 Test cycle with regenerative charging.....	14
7.5 Endurance test	14
7.5.1 Charge conditions.....	14
7.5.2 Rest after charge.....	15

7.5.3	Discharge	15
7.5.4	Cycling frequency	15
7.5.5	Capacity check	15
7.5.6	Reconditioning.....	15
7.5.7	End-of-life criterion	15
7.5.8	Recording.....	15
8	Performance testing for battery systems.....	15
8.1	General	15
8.2	Initial assumptions.....	15
8.3	Reference test cycle.....	16
8.3.1	Basic current discharge micro-cycle	16
8.3.2	Adjustment for vehicle performance, if required	16
8.3.3	Battery selection and preparation for test	16
8.4	General test conditions.....	17
8.4.1	General	17
8.4.2	Determination of battery energy content	17
8.4.3	Benchmark energy content	17
8.5	Life testing	17
8.6	Determination of maximum power and battery resistance	18
8.7	Charging tests.....	19
8.7.1	Charge efficiency.....	19
8.7.2	Partial discharge testing	19
8.7.3	Measurement of self discharge	20
8.8	Operational extremes of use.....	20
8.8.1	Continuous discharge at maximum vehicle system power	20
8.8.2	Recharge at maximum regenerative power as a function of state of charge	20
Annex A (normative)	Test procedures for Ni-MH batteries used for the propulsion of hybrid electric vehicles	24
Bibliography.....		39
Figure 1	– Test profile without regenerative charging	21
Figure 2	– Test profile with regenerative charging.....	21
Figure A.1	– Example of temperature measurement of cell	25
Figure A.2	– Examples of maximum dimension of cell.....	26
Figure A.3	– Test order of the current-voltage characteristic test (test example with batteries of rated capacity less than 20 Ah)	30
Figure A.4	– The method to obtain discharge current I_d while calculating the power density.....	31
Figure A.5	– Method to obtain charge current I_c while calculating regenerative power density.....	32
Figure A.6	– Method to obtain the internal resistance on the output side.....	34
Figure A.7	– Method to obtain the internal resistance on the input side.....	34
Figure A.8	– Current profile for HEV cycle test.....	36
Figure A.9	– Power profile for HEV cycle test.....	36
Table 1	– List of parameters for test conditions.....	22
Table 2	– List of charge/discharge parameters.....	22

Table 3 – List of DST values for one micro-cycle, where the peak power is 24 kW	22
Table 4 – List of DST values for one micro-cycle, adapted for a high performance vehicle	23
Table A.1 – Battery temperature and rest period prior to the test	24
Table A.2 – Discharge current at the battery temperature 25 °C.....	27
Table A.3 – Discharge current at the battery temperatures –20 °C, 0 °C and 45 °C	27
Table A.4 – End-of-discharge voltage	27
Table A.5 – Charge and discharge current at the battery temperatures 0 °C, 25 °C, and 45 °C	30
Table A.6 – Charge and discharge current at the battery temperature – 20 °C	30
Table A.7 – Current profile for HEV cycle test.....	37
Table A.8 – Power profile for HEV cycle test.....	38

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SECONDARY BATTERIES (EXCEPT LITHIUM) FOR THE PROPULSION OF ELECTRIC ROAD VEHICLES –

Performance and endurance tests

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61982 has been prepared by IEC technical committee 21: Secondary cells and batteries.

This first edition cancels and replaces the IEC 61982-1:2006, the IEC 61982-2:2002 and the IEC 61982-3: 2001. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 61982-1, IEC 61982-2 and IEC 61982-3:

- clarification of the scope;
- update of some tests, and
- addition of the Annex A dealing with NiMh batteries for the propulsion of hybrid electric vehicles.

I.S. EN 61982:2012

– 6 –

61982 © IEC:2012

The text of this standard is based on the following documents:

FDIS	Report on voting
21/775/FDIS	21/782/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

I.S. EN 61982:2012

61982 © IEC:2012

– 7 –

INTRODUCTION

The first edition of IEC 61982 series was composed of the following three parts:

IEC 61982-1:2006, *Secondary batteries for the propulsion of electric road vehicles – Part 1: Test parameters*

IEC 61982-2:2002, *Secondary batteries for the propulsion of electric road vehicles – Part 2: Dynamic discharge performance test and dynamic endurance test*

IEC 61982-3:2001, *Secondary batteries for the propulsion of electric road vehicles – Part 3: Performance and life testing (traffic compatible, urban use vehicles)*

The current standard IEC 61982:2012 replaces the former IEC 61982 series above.

In terms of lithium ion batteries for automobile application, the following standards are applicable:

IEC 62660-1:2010, *Secondary lithium-ion cells for the propulsion of electric road vehicles – Part 1: Performance testing*

IEC 62660-2:2010, *Secondary lithium-ion cells for the propulsion of electric road vehicles – Part 2: Reliability and abuse testing*

ISO 12405-1:2011, *Electrically propelled road vehicles – Test specification for lithium-ion traction battery packs and systems – Part 1: High-power applications*

ISO 12405-2:2011, *Electrically propelled road vehicles – Test specification for lithium-ion traction battery systems – Part 2: High energy applications (to be published)*

SECONDARY BATTERIES (EXCEPT LITHIUM) FOR THE PROPULSION OF ELECTRIC ROAD VEHICLES –

Performance and endurance tests

1 Scope

This International Standard is applicable to performance and endurance tests for secondary batteries used for vehicle propulsion applications. Its objective is to specify certain essential characteristics of cells, batteries, monoblocks, modules and battery systems used for propulsion of electric road vehicles, including hybrid electric vehicles, together with the relevant test methods for their specification.

The tests may be used specifically to test batteries developed for use in vehicles such as passenger vehicles, motor cycles, commercial vehicles, etc. This standard is not applicable to battery systems for specialist vehicles such as public transport vehicles, refuse collection vehicles or heavy duty vehicles, where the battery is used in the similar way to the industrial vehicles.

The test procedures are defined as a function of the vehicle requirements of performance.

This standard is applicable to lead-acid batteries, Ni/Cd batteries, Ni/MH batteries and sodium based batteries used in electric road vehicles.

Annex A specifies performance and cycle life test procedures of Ni/MH batteries used for the propulsion of hybrid electric vehicle (HEV).

NOTE This standard is not applicable to lithium-ion batteries for automobile application that are specified in IEC 62660-1, IEC 62660-2, ISO 12405-1 and ISO 12405-2 (to be published).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-482:2004, *International Electrotechnical Vocabulary (IEV) – Part 482: Primary and secondary cells and batteries*

IEC 61434, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Guide to designation of current in alkaline secondary cell and battery standards*

3 Terms and definitions

For the purposes of this document, the terms and definitions and those given in IEC 60050-482, as well as the following apply.

3.1

battery system

energy storage device that includes cells or cell assemblies or battery pack(s) as well as electrical circuits and electronics

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-