



NSAI
Standards

Irish Standard
I.S. EN 12016:2013

Electromagnetic compatibility - Product family standard for lifts, escalators and moving walks - Immunity

I.S. EN 12016:2013

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:
EN 12016:2004+A1:2008

This document is based on: EN 12016:2013
Published: 27 August, 2013

This document was published under the authority of the NSAI and comes into effect on:
27 August, 2013

ICS number:

33.100.20
91.140.90

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

English Version

Electromagnetic compatibility - Product family standard for lifts, escalators and moving walks - Immunity

Compatibilité électromagnétique - Norme de la famille de
produits ascenseurs, escaliers mécaniques et trottoirs
roulants - Immunité

Elektromagnetische Verträglichkeit - Produktfamilien-Norm
für Aufzüge, Fahrtreppen und Fahrsteige - Störfestigkeit

This European Standard was approved by CEN on 22 June 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword	3
Introduction	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Test procedure	10
5 Applicability of tests	11
6 Evaluation of tests results	11
6.1 Introduction	11
6.2 Performance criteria	12
6.3 Enclosure ports of safety circuits	12
7 Documentation for the installer of the apparatus/assembly of apparatus	12
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2004/108/EC	21
Annex ZB (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	22
Annex ZC (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 95/16/EC	23
Bibliography	24

Foreword

This document (EN 12016:2013) has been prepared by Technical Committee CEN/TC 10 “Lifts, escalators and moving walks”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2014, and conflicting national standards shall be withdrawn at the latest by February 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12016:2004+A1:2008.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annexes ZA, ZB and ZC, which are an integral part of this document.

The test levels and the performance criteria which are given in this European Standard reflect the fact that lifts, escalators and moving walks when in use, consist generally of self-contained apparatus (e.g. machine room, car, etc.).

The related EMC product family standard for emission is:

— EN 12015, *Electromagnetic compatibility — Product family standard for lifts, escalators and moving walks — Emission*

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard is a Type C standard as stated in EN ISO 12100.

This European Standard has been prepared to provide one means of conforming to the requirements of the Electromagnetic Compatibility (EMC) Directive, the Lifts Directive and the Machinery Directive. The requirements of this European Standard have been specified so as to ensure an adequate level of electromagnetic immunity for most cases.

The apparatus concerned and the extent to which hazardous situations and events are covered are indicated in the scope of this document.

Where the provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for apparatus that have been designed and built according to the provisions of this type C standard.

Test levels and immunity performance criteria are defined for:

- apparatus which are safety components or are used in conjunction with safety components, (safety circuits);
- apparatus used in general function circuits.

The test levels and requirements are given on the basis that the apparatus, generally, is connected to a low voltage system.

The requirements for safety circuits provide one means of demonstrating conformity with the essential health and safety requirements of the Lifts Directive and the Machinery Directive with regard to immunity against electromagnetic phenomena.

Due to the size of an installed lift, it becomes impracticable to test the total assembly either in a test laboratory or *in situ* where the uncontrolled environment may also influence the test procedures and results. This applies also to measurements within the car. Similar considerations regarding dimensions apply equally to the testing of escalators and moving walks.

Rational to the revision of the standard EN 12016:1998

a) Important changes

The Scope excludes severe electromagnetic environments and apparatus already proven to be in conformity with the Electromagnetic Compatibility Directive.

The term "installation" has been changed to "system". This is due to the fact that official interpretation defines that fixed installations are not covered by the conformity assessment procedures for CE marking and declaration of conformity according to the EMC Directive. The scope of the standard is applicable to the apparatus and assembly of apparatus of lifts and escalators and assembly into systems.

New requirements on radio frequency electromagnetic field above 500 MHz, these are extended to cover the digital mobile telephone services up to 1960 MHz.

New requirements for surge testing on safety circuits.

New requirements on radio frequency electromagnetic field regarding safety devices as defined by the Lifts Directive and mobile telephones or radio-transmitters as a result of a risk assessment. It is assumed that

mobile telephones and radio-transmitters are not used at frequencies up to 166 MHz near safety circuits of equipment covered by the scope of this standard.

Higher requirements on several environmental phenomena considering the progress on EMC technology and the results of the risk assessment.

New requirements have been introduced for immunity to mains power supply voltage interruptions and voltage dips.

b) Environmental issues

Lifts, escalators and moving walks are systems whose component apparatus/assembly of apparatus are distributed (and some of which move) throughout the building. The definition in EMC terms of the use of the building (residential or industrial) cannot be predetermined or assumed to be fixed. Therefore, to cover requirements in all cases, no differentiation between environments has been made and a single set of limits has been maintained.

Severe electromagnetic environments have not been considered. Examples of these are: radio-transmitter stations, railways and metros, heavy industrial plant, electricity power stations. Additional tests and immunity measures may need to be taken on apparatus to be used in these environments.

It is assumed that no ports connected to safety circuit only are rated at currents greater than 100 A.

Rational to the revision of the standard EN 12016:2004+A1:2008

New requirements on radio frequency electromagnetic field to cover the digital mobile telephone services and wireless communication systems up to 2 655 MHz.

Performance criteria requirements for radio equipment and telecommunications terminal equipment as defined by Directive 1999/5/EC used in combined apparatus/assembly of apparatus.

1 Scope

1.1 This European Standard specifies the immunity performance criteria and test levels for apparatus used in lifts, escalators and moving walks which are intended to be permanently installed in buildings including the basic safety requirements in regard to their electromagnetic environment. These levels represent essential EMC requirements.

The standard refers to EM conditions as existing in residential, office and industrial buildings.

This standard addresses commonly known EMC related hazards and hazardous situations relevant to lifts, escalators and moving walks when they are used as intended and under the conditions foreseen by the lift installer or escalator and/or moving walk manufacturer.

However:

- performance criteria and test levels for apparatus/assembly of apparatus used in general function circuits do not cover situations with an extremely low probability of occurrence;
- this standard does not apply to other apparatus already proven to be in conformity to the EMC Directive, and not related to the safety of the lift, escalator or moving walk, such as lighting apparatus, communication apparatus, etc.

1.2 This European Standard does not apply to electromagnetic environments such as:

- radio-transmitter stations,
- railways and metros,
- heavy industrial plant,
- electricity power station,

which need additional investigations.

1.3 This standard is not applicable to apparatus which were manufactured before the date of its publication as EN 12016.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 55022:2010, *Information technology equipment — Radio disturbance characteristics — Limits and methods of measurement (CISPR 22:2008, modified)*

EN 55024:2010, *Information technology equipment — Immunity characteristics — Limits and methods of measurement (CISPR 24:2010+corrigendum Jun. 2011)*

EN 61000-4-2:2009, *Electromagnetic Compatibility (EMC) — Part 4-2: Testing and measurement techniques — Electrostatic discharge immunity test (IEC 61000-4-2:2008)*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-