



NSAI
Standards

Irish Standard
I.S. EN ISO 12215-9:2012

Small craft - Hull construction and scantlings - Part 9: Sailing craft appendages (ISO 12215-9:2012)

I.S. EN ISO 12215-9:2012

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
EN ISO 12215-9:2012

Published:
25 June, 2012

This document was published
under the authority of the NSAI
and comes into effect on:
25 June, 2012

ICS number:

47.080

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

I.S. EN ISO 12215-9:2012

EUROPEAN STANDARD

EN ISO 12215-9

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2012

ICS 47.080

English Version

Small craft - Hull construction and scantlings - Part 9: Sailing craft appendages (ISO 12215-9:2012)

Petits navires - Construction de coques et échantillonnage -
Partie 9: Appendices des bateaux à voiles (ISO 12215-
9:2012)

Kleine Wasserfahrzeuge - Rumpfbauweise und
Dimensionierung - Teil 9: Anhänge von Segelbooten (ISO
12215-9:2012)

This European Standard was approved by CEN on 9 April 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 94/25/EC as amended by Directive 2003/44/EC	4

Foreword

This document (EN ISO 12215-9:2012) has been prepared by Technical Committee ISO/TC 188 "Small craft".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2012, and conflicting national standards shall be withdrawn at the latest by December 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive, see informative Annex ZA, which is an integral part of this document.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 12215-9:2012 has been approved by CEN as a EN ISO 12215-9:2012 without any modification.

Annex ZA (informative)

Relationship between this European Standard and the Essential Requirements of EU Directive 94/25/EC as amended by Directive 2003/44/EC

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide one means of conforming to Essential Requirements of the New Approach Directive 94/25/EC as amended by 2003/44/EC on Recreational Craft.

Once this standard is cited in the Official Journal of the European Union under that Directive and has been implemented as a national standard in at least one Member State, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the relevant Essential Requirements of that Directive and associated EFTA regulations.

Table ZA.1: Correspondence between this European Standard and Directive 94/25/EC as amended by Directive 2003/44/EC

Clauses/sub-clauses of this European Standard	Essential requirements (ERs) of EU Directive 94/25/EC as amended by Directive 2003/44/EC	Qualifying remarks/Notes
All clauses	Annex I, A, Clause 3.1	The standard provides requirements for strength of monohull sailing boat appendages with conventional keel configurations

WARNING: Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

I.S. EN ISO 12215-9:2012
**INTERNATIONAL
STANDARD**

**ISO
12215-9**

First edition
2012-06-15

**Small craft — Hull construction and
scantlings —**

Part 9:
Sailing craft appendages

*Petits navires — Construction de la coque et échantillonnage —
Partie 9: Appendices des bateaux à voiles*



Reference number
ISO 12215-9:2012(E)

© ISO 2012



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols	3
5 Design stresses	4
6 Structural components to be assessed	6
7 Load cases	6
7.1 General	6
7.2 Load case 1 — Fixed keel at 90° knockdown	7
7.3 Load case 2 — Canted keel steady load at 30° heel with dynamic overload factor	8
7.4 Load case 3 — Keelboat vertical pounding	9
7.5 Load case 4 — Keelboat longitudinal impact	10
7.6 Load case 5 — Centreboard on capsize recoverable dinghies	11
7.7 Load case 6 — Centreboard or dagger board upwind	11
7.8 Other load cases	12
8 Computational methods	15
8.1 General	15
8.2 General guidance for assessment by 3D numerical procedures	15
8.3 Assessment by strength of materials/non-computational-based methods	16
9 Compliance	16
Annex A (normative) Application declaration	18
Annex B (informative) Information on metal for appendages and fasteners and “established practice” for fastening and welding	19
Annex C (informative) “Established practice” structural arrangement for ballast keels	30
Annex D (informative) “Established practice” calculation of keel fin strength (fixed or canting) and fixed ballast keel connected by bolts	44
Annex E (informative) Geometrical properties of some typical appendage foil shapes	61
Annex F (informative) Simplified fatigue strength assessment	64
Bibliography	76

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 12215-9 was prepared by Technical Committee ISO/TC 188, *Small craft*.

ISO 12215 consists of the following parts, under the general title *Small craft — Hull construction and scantlings*:

- *Part 1: Materials: Thermosetting resins, glass-fibre reinforcement, reference laminate*
- *Part 2: Materials: Core materials for sandwich construction, embedded materials*
- *Part 3: Materials: Steel, aluminium alloys, wood, other materials*
- *Part 4: Workshop and manufacturing*
- *Part 5: Design pressures for monohulls, design stresses, scantlings determination*
- *Part 6: Structural arrangements and details*
- *Part 7: Scantling determination of multihulls*
- *Part 8: Rudders*
- *Part 9: Sailing craft appendages*

Introduction

The reason underlying the preparation of this part of ISO 12215 is that standards and recommended practices for loads on the hull and the dimensioning of small craft differ considerably, thus limiting the general worldwide acceptability of craft.

The loss of a keel leading to craft capsize is one of the major casualty hazards on sailing craft and therefore the structural efficiency of all elements of the keel and its connection to the craft is paramount.

This part of ISO 12215 specifies the design loads and their associated stress factors. The user then has a choice between one or the other of the following available options for assessing the structural arrangement.

- a) Use of advanced engineering methods which allow the structure to be modelled as three-dimensional: suitable methods include finite element analysis and subsets thereof such as matrix displacement or framework methods. General guidance is provided on modelling assumptions within this part of ISO 12215.
- b) Use of simplified, generally two-dimensional, “strength of materials”-based stress equations: These are presented in Annexes B to F and, if this option is chosen, use of the equations will be necessary to fulfil the requirements of this part of ISO 12215.

This part of ISO 12215 has been developed applying present practice and sound engineering principles. The design loads and criteria of this part of ISO 12215 may be used with the scantling determination equations of this part of ISO 12215 or using equivalent engineering methods as indicated in a), above.

The dimensioning according to this part of ISO 12215 is regarded as reflecting current practice, provided the craft is correctly handled in the sense of good seamanship and equipped and operated at a speed appropriate to the prevailing sea state.

During the latter stages of the development of the ISO 12215 series, and after publication of key parts, a number of authorities adopted this International Standard for the assessment of high-performance racing yachts. While, in theory, a category A blue-water cruising yacht could experience the same loads as a competitive racing yacht, the latter has not been the principal focus of ISO 12215. Consequently, designers are strongly cautioned against attempting to design high-performance racing craft such that nearly all structural components only just comply.

I.S. EN ISO 12215-9:2012

Small craft — Hull construction and scantlings —

Part 9: Sailing craft appendages

1 Scope

This part of ISO 12215 defines the loads and specifies the scantlings of sailing craft appendages on monohull sailing craft with a length of hull, L_H , of up to 24 m, measured according to ISO 8666. It gives

- design stresses,
- the structural components to be assessed,
- load cases and design loads for keel, centreboard and their attachments,
- computational methods and modelling guidance, and
- the means for compliance with its provisions.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 898-1, *Mechanical properties of fasteners made of carbon steel and alloy steel — Part 1: Bolts, screws and studs with specified property classes — Coarse thread and fine pitch thread*

ISO 3506-1, *Mechanical properties of corrosion-resistant stainless steel fasteners — Part 1: Bolts, screws and studs*

ISO 8666, *Small craft — Principal data*

ISO 12215-3, *Small craft — Hull construction and scantlings — Part 3: Materials — Steel, aluminium alloys, wood, other materials*

ISO 12215-5:2008, *Small craft — Hull construction and scantlings — Part 5: Design pressures for monohulls, design stress, scantlings determination*

ISO 12215-6:2008, *Small craft — Hull construction and scantlings — Part 6: Structural arrangements and details*

ISO 12217-2, *Small craft — Stability and buoyancy assessment and categorization — Part 2: Sailing boats of hull length greater than or equal to 6 m*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-