



NSAI
Standards

Irish Standard
I.S. EN 60335-2-29:2004

Household and similar electrical appliances - Safety -- Part 2-29: Particular requirements for battery chargers (IEC 60335-2-29:2002 (EQV) + A1:2004 (EQV))

I.S. EN 60335-2-29:2004

Incorporating amendments/corrigenda issued since publication:

EN 60335-2-29:2004/A2:2010

This document replaces:
EN 60335-2-29:1996 + A11:1997

This document is based on:
EN 60335-2-29:2004

Published:
17 September, 2004

This document was published
under the authority of the NSAI and
comes into effect on:

3 November, 2004

ICS number:
29.200
97.180

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeán Náisiúnta na hÉireann

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60335-2-29/A2

February 2010

ICS 29.200; 97.180

English version

**Household and similar electrical appliances -
Safety -
Part 2-29: Particular requirements for battery chargers
(IEC 60335-2-29:2002/A2:2009)**

Appareils électrodomestiques
et analogues -
Sécurité -
Partie 2-29: Règles particulières
pour les chargeurs de batterie
(CEI 60335-2-29:2002/A2:2009)

Sicherheit elektrischer Geräte
für den Hausgebrauch
und ähnliche Zwecke -
Teil 2-29: Besondere Anforderungen
für Batterieladegeräte
(IEC 60335-2-29:2002/A2:2009)

This amendment A2 modifies the European Standard EN 60335-2-29:2004; it was approved by CENELEC on 2010-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 61/3914/FDIS, future amendment 2 to IEC 60335-2-29:2002, prepared by IEC Technical Committee 61, Safety of household and similar electrical appliances, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as amendment A2 to EN 60335-2-29:2004 on 2010-02-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates are applicable:

- latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2010-11-01
- date on which national standards conflicting with the amendment have to be withdrawn (dow) 2015-02-01

This amendment supplements or modifies the corresponding clauses of EN 60335-2-29:2004.

There are no special national conditions causing a deviation from this amendment.

There are no national deviations from this amendment.

p NOTE In this document, p is used in the margin to indicate instructions for preparing the printed version.

Endorsement notice

The text of amendment 2:2009 to the International Standard IEC 60335-2-29:2002 was approved by CENELEC as an amendment to the European Standard without any modification.

p In the Bibliography, add the following note to the standard mentioned:

IEC 60598-2-22 NOTE Harmonized as EN 60598-2-22.

ISO 13732-1 NOTE Harmonized as EN ISO 13732-1.

FOREWORD

This amendment has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this amendment is based on the following documents:

| FDIS | Report on voting |
|--------------|------------------|
| 61/3914/FDIS | 61/3970/RVD |

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

The committee has decided that the contents of this amendment and the base publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

INTRODUCTION

Replace the fifth paragraph by the following:

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

1 Scope

Replace the two dashed items in the fourth paragraph by the following:

- persons (including children) whose
 - physical, sensory or mental capabilities; or

EUROPEAN STANDARD

EN 60335-2-29

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2004

ICS 29.200;97.180

Supersedes EN 60335-2-29:1996 + A11:1997

English version

**Household and similar electrical appliances –
Safety**

**Part 2-29: Particular requirements for battery chargers
(IEC 60335-2-29:2002 + A1:2004)**

Appareils électrodomestiques et
analogues –
Sécurité
Partie 2-29: Règles particulières
pour les chargeurs de batterie
(CEI 60335-2-29:2002 + A1:2004)

Sicherheit elektrischer Geräte für den
Hausgebrauch und ähnliche Zwecke
Teil 2-29: Besondere Anforderungen
für Batterieladegeräte
(IEC 60335-2-29:2002 + A1:2004)

This European Standard was approved by CENELEC on 2004-07-06. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 61/2169/FDIS, future fourth edition of IEC 60335-2-29, and the text of document 61/2536/FDIS, future amendment to the International Standard, prepared by the IEC Technical Committee 61, were submitted to the IEC-CENELEC parallel vote.

The texts of IEC 60335-2-29:2002 and A1:2004 were approved by CENELEC as a new edition of EN 60335-2-29 on 2004-07-06.

This European Standard replaces EN 60335-2-29:1996 + corrigendum November 2001 + A11:1997.

The following dates are applicable:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2004-12-01
- date on which national standards conflicting with the EN have to be withdrawn (dow) 2007-06-01

This part 2 has to be used in conjunction with EN 60335-1, Household and similar electrical appliances – Safety – Part 1: General requirements. It was established on the basis of the 2002 edition of that standard. Amendments and revisions of Part 1 have also to be taken into account and the dates when such changes become applicable will be stated in the relevant amendment or revision of Part 1.

This part 2 supplements or modifies the corresponding clauses of EN 60335-1, so as to convert it into the European Standard: Safety requirements for electric battery chargers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

NOTE 1 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.;
- subclauses, notes and annexes that are additional to those in the IEC standard are prefixed with the letter Z.

NOTE 2 The following print types are used:

- requirements: in roman type;
- *test specifications*: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

Special national conditions causing a deviation from this European Standard are listed in annex ZA and are in addition to those in EN 60335-1.

There are no national deviations from this European Standard, other than those listed in Annex ZB to EN 60335-1.

p NOTE In this document, p is used in the margin to indicate instructions for preparing the printed version.

Introduction

p Add:

An investigation by CENELEC TC 61 has shown that all risks from products within the scope of this standard are fully covered by the Low Voltage Directive, 73/23/EEC. For products having mechanical moving parts, a risk assessment in accordance with the Machinery Directive, 98/37/EC, has shown that the risks are mainly of electrical origin and consequently this directive is not applicable. However, the relevant essential safety requirements of the Machinery Directive are covered by this standard together with the principal objectives of the Low Voltage Directive.

Endorsement notice

The text of the International Standard IEC 60335-2-29:2002 + A1:2004 was approved by CENELEC as a European Standard without any modification.

p Add:

Annex ZA (informative)

Special national conditions

Addition:

Clause Special national condition

25.7 Finland

Polyvinylchloride sheathed cords are not allowed for battery chargers for charging automobile batteries in outdoor use or in locations where the temperature is equal to the outdoor temperature.

Annex ZC (normative)

Normative references to international publications with their corresponding European publications

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|------------------------|---------------------------|---|--------------|--------------------|
| IEC 60068-2-6 | ^{–¹⁾} | Environmental testing - Part 2: Tests - Test Fc: Vibration (sinusoidal) | EN 60068-2-6 | 1995 ²⁾ |
| IEC 61558-2-7 (mod) | 1997 | Safety of power transformers, power supply units and similar - Part 2-7: Particular requirements for transformers for toys | EN 61558-2-7 | 1997 |

¹⁾ undated reference

²⁾ valid edition at date of issue

This page is intentionally left BLANK.

SOMMAIRE

| | |
|---|----|
| AVANT-PROPOS | 4 |
| INTRODUCTION | 8 |
| 1 Domaine d'application | 10 |
| 2 Références normatives | 12 |
| 3 Définitions | 12 |
| 4 Prescriptions générales | 14 |
| 5 Conditions générales d'essais | 14 |
| 6 Classification | 14 |
| 7 Marquage et indications | 14 |
| 8 Protection contre l'accès aux parties actives | 16 |
| 9 Démarrage des appareils à moteur | 18 |
| 10 Puissance et courant | 18 |
| 11 Echauffements | 18 |
| 12 Vacant | 18 |
| 13 Courant de fuite et rigidité diélectrique à la température de régime | 18 |
| 14 Surtensions transitoires | 18 |
| 15 Résistance à l'humidité | 20 |
| 16 Courant de fuite et rigidité diélectrique | 20 |
| 17 Protection contre les surcharges des transformateurs et des circuits associés | 20 |
| 18 Endurance | 20 |
| 19 Fonctionnement anormal | 20 |
| 20 Stabilité et dangers mécaniques | 22 |
| 21 Résistance mécanique | 22 |
| 22 Construction | 22 |
| 23 Conducteurs internes | 24 |
| 24 Composants | 24 |
| 25 Raccordement au réseau et câbles souples extérieurs | 24 |
| 26 Bornes pour conducteurs externes | 26 |
| 27 Dispositions en vue de la mise à la terre | 26 |
| 28 Vis et connexions | 26 |
| 29 Distances dans l'air, lignes de fuite et isolation solide | 26 |
| 30 Résistance à la chaleur et au feu | 26 |
| 31 Protection contre la rouille | 26 |
| 32 Rayonnement, toxicité et dangers analogues | 26 |
| Annexes | 30 |
| Annexe A (informative) Essais de série | 30 |
| Annexe AA (normative) Chargeurs de batterie destinés à être utilisés par les enfants | 32 |
| Bibliographie | 40 |
| Figure 101 – Circuit pour l'essai des chargeurs de batterie | 28 |

CONTENTS

| | |
|---|----|
| FOREWORD | 5 |
| INTRODUCTION | 9 |
| 1 Scope | 11 |
| 2 Normative references | 13 |
| 3 Definitions | 13 |
| 4 General requirement | 15 |
| 5 General conditions for the tests | 15 |
| 6 Classification | 15 |
| 7 Marking and instructions | 15 |
| 8 Protection against access to live parts | 17 |
| 9 Starting of motor-operated appliances | 19 |
| 10 Power input and current | 19 |
| 11 Heating | 19 |
| 12 Void | 19 |
| 13 Leakage current and electric strength at operating temperature | 19 |
| 14 Transient overvoltages | 19 |
| 15 Moisture resistance | 21 |
| 16 Leakage current and electric strength | 21 |
| 17 Overload protection of transformers and associated circuits | 21 |
| 18 Endurance | 21 |
| 19 Abnormal operation | 21 |
| 20 Stability and mechanical hazards | 23 |
| 21 Mechanical strength | 23 |
| 22 Construction | 23 |
| 23 Internal wiring | 25 |
| 24 Components | 25 |
| 25 Supply connection and external flexible cords | 25 |
| 26 Terminals for external conductors | 27 |
| 27 Provision for earthing | 27 |
| 28 Screws and connections | 27 |
| 29 Clearances, creepage distances and solid insulation | 27 |
| 30 Resistance to heat and fire | 27 |
| 31 Resistance to rusting | 27 |
| 32 Radiation, toxicity and similar hazards | 27 |
| Annexes | 31 |
| Annex A (informative) Routine tests | 31 |
| Annex AA (normative) Battery chargers for use by children | 33 |
| Bibliography | 41 |
| Figure 101 – Circuit for testing battery chargers | 29 |

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

APPAREILS ÉLECTRODOMESTIQUES ET ANALOGUES – SÉCURITÉ –

Partie 2-29: Règles particulières pour les chargeurs de batterie

AVANT-PROPOS

- 1) La Commission Electrotechnique Internationale (CEI) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de la CEI). La CEI a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. A cet effet, la CEI – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de la CEI"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec la CEI, participent également aux travaux. La CEI collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de la CEI concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de la CEI intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de la CEI se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de la CEI. Tous les efforts raisonnables sont entrepris afin que la CEI s'assure de l'exactitude du contenu technique de ses publications; la CEI ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de la CEI s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de la CEI dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de la CEI et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) La CEI n'a prévu aucune procédure de marquage valant indication d'approbation et n'engage pas sa responsabilité pour les équipements déclarés conformes à une de ses Publications.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à la CEI, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de la CEI, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de la CEI ou de toute autre Publication de la CEI, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'attention est attirée sur le fait que certains des éléments de la présente Publication de la CEI peuvent faire l'objet de droits de propriété intellectuelle ou de droits analogues. La CEI ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de propriété et de ne pas avoir signalé leur existence.

La présente partie de la Norme internationale CEI 60335 a été établie par le comité d'études 61 de la CEI: Sécurité des appareils électrodomestiques et analogues.

La présente version consolidée de la CEI 60335-2-29 comprend la quatrième édition (2002) [documents 61/2169/FDIS et 61/2250/RVD], son amendement 1 (2004) [documents 61/2536/FDIS et 61/2580/RVD] et son corrigendum de novembre 2004.

Le contenu technique de cette version consolidée est donc identique à celui de l'édition de base et à son amendement; cette version a été préparée par commodité pour l'utilisateur.

La version française de cette norme n'a pas été soumise au vote.

Elle porte le numéro d'édition 4.1.

Une ligne verticale dans la marge indique où la publication de base a été modifiée par l'amendement 1.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-29: Particular requirements for battery chargers

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60335-2-29 consists of the fourth edition (2002) [documents 61/2169/FDIS and 61/2250/RVD], its amendment 1 (2004) [documents 61/2536/FDIS and 61/2580/RVD] and its corrigendum of November 2004.

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 4.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

La présente partie 2 doit être utilisée conjointement avec la dernière édition de la CEI 60335-1 et ses amendements. Elle a été établie sur la base de la quatrième édition (2001) de cette norme.

NOTE 1 L'expression « Partie 1 » utilisée dans la présente norme fait référence à la CEI 60335-1.

La présente partie 2 complète ou modifie les articles correspondants de la CEI 60335-1 de façon à transformer cette publication en la norme CEI: Règles de sécurité pour les chargeurs de batterie électriques.

Lorsqu'un paragraphe particulier de la Partie 1 n'est pas mentionné dans cette partie 2, ce paragraphe s'applique pour autant qu'il soit raisonnable. Lorsque la présente norme spécifie «addition», «modification» ou «remplacement», le texte correspondant de la Partie 1 doit être adapté en conséquence.

NOTE 2 Le système de numérotation suivant est utilisé:

- paragraphes, tableaux et figures: ceux qui sont numérotés à partir de 101 sont complémentaires à ceux de la Partie 1;
- notes: à l'exception de celles qui sont dans un nouveau paragraphe ou de celles qui concernent des notes de la Partie 1, les notes sont numérotées à partir de 101, y compris celles des articles ou paragraphes qui sont modifiés ou remplacés;
- les annexes supplémentaires sont appelées AA, BB, etc.

NOTE 3 Les caractères d'imprimerie suivants sont utilisés:

- prescriptions: caractères romains;
- modalités d'essais: caractères italiques;
- notes: petits caractères romains.

Les termes figurant en caractères **gras** dans le texte sont définis à l'Article 3. Lorsqu'une définition concerne un adjectif, l'adjectif et le nom associé figurent également en gras.

Le comité a décidé que le contenu de la publication de base et de ses amendements ne sera pas modifié avant la date de maintenance indiquée sur le site web de la CEI sous "http://webstore.iec.ch" dans les données relatives à la publication recherchée. A cette date, la publication sera

- reconduite,
- supprimée,
- remplacée par une édition révisée, ou
- amendée.

Les différences suivantes existent dans les pays indiqués ci-après:

- 3.1.9: La charge artificielle peut ne pas être utilisée (USA).
- 6.1: Les limites de tension pour les appareils adaptés à une utilisation extérieure sont différentes (USA).
- 10.101: La tension de sortie en courant continu ne doit dépasser 30 V (USA).
- 11.2: L'appareil n'est pas placé dans un coin d'essai (USA).
- 21.101: L'essai de chute est effectué de façon différente sur les chargeurs de batterie d'une masse inférieure à 18 kg (USA).
- 21.102: L'essai est différent (USA).
- 22.26: Une isolation principale est permise entre des parties actives et les circuits alimentés en TBTS (USA).
- 25.7: Des câbles spéciaux isolés sous gaine de caoutchouc sont requis pour certains types de chargeurs de batterie (Finlande).
- Annexe AA, 11.8: Des échauffements supérieurs sont autorisés (USA).
- Annexe AA, Article 17: Des échauffements supérieurs sont autorisés (USA).
- Annexe AA, 19.13: Des échauffements supérieurs sont autorisés (USA).

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric battery chargers. When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification", or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications*: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The following differences exist in the countries indicated below.

- 3.1.9: The artificial load may not be used (USA). |
- 6.1: The voltage limits for appliances suitable for outdoor use are different (USA). |
- 10.101: The d.c. output voltage is not to exceed 30 V (USA).
- 11.2: The appliance is not placed in a test corner (USA).
- 21.101: The drop test is carried out differently on battery chargers with a mass less than 18 kg (USA).
- 21.102: The test is different (USA).
- 22.26: Basic insulation is allowed between live parts and SELV circuits (USA).
- 25.7: Special rubber insulated and sheathed cords are required for some types of battery chargers. (Finland). |
- Annex AA, 11.8: Higher temperature rises are allowed (USA).
- Annex AA, Clause 17: Higher temperature rises are allowed (USA). |
- Annex AA, 19.13: Higher temperature rises are allowed (USA). |

INTRODUCTION

Il a été considéré en établissant la présente Norme internationale que l'exécution de ses dispositions était confiée à des personnes expérimentées et ayant une qualification appropriée.

Cette norme reconnaît le niveau de protection internationalement accepté contre les risques électriques, mécaniques, thermiques, liés au feu et au rayonnement des appareils, lorsqu'ils fonctionnent comme en usage normal en tenant compte des instructions du fabricant. Elle couvre également les situations anormales auxquelles on peut s'attendre dans la pratique et prend en considération les phénomènes électromagnétiques qui peuvent affecter le fonctionnement en toute sécurité des appareils.

Cette norme tient compte autant que possible des prescriptions de la CEI 60364, de façon à rester compatible avec les règles d'installation quand l'appareil est raccordé au réseau d'alimentation. Cependant, des règles nationales d'installation peuvent être différentes.

Si un appareil compris dans le domaine d'application de cette norme comporte également des fonctions qui sont couvertes par une autre partie 2 de la CEI 60335, la partie 2 correspondante est appliquée à chaque fonction séparément, dans la limite du raisonnable. Si cela est applicable, on tient compte de l'influence d'une fonction sur les autres fonctions.

Cette norme est une norme de famille de produits traitant de la sécurité d'appareils et a préséance sur les normes horizontales et génériques couvrant le même sujet.

Un appareil conforme au texte de la présente norme ne sera pas nécessairement jugé conforme aux principes de sécurité de la norme si, lorsqu'il est examiné et soumis aux essais, il apparaît qu'il présente d'autres caractéristiques qui compromettent le niveau de sécurité visé par ces prescriptions.

Un appareil utilisant des matériaux ou présentant des modes de construction différents de ceux décrits dans les prescriptions de cette norme peut être examiné et essayé en fonction de l'objectif poursuivi par ces prescriptions et, s'il est jugé pratiquement équivalent, il peut être estimé conforme aux principes de sécurité de la norme.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

APPAREILS ÉLECTRODOMESTIQUES ET ANALOGUES – SÉCURITÉ –

Partie 2-29: Règles particulières pour les chargeurs de batterie

1 Domaine d'application

L'article de la Partie 1 est remplacé par l'article ci-après.

La présente Norme internationale traite de la sécurité des chargeurs de batterie électriques pour usages domestiques et analogues, dont la tension de sortie est la **très basse tension de sécurité** et dont la **tension assignée** n'est pas supérieure à 250 V.

Les chargeurs de batterie non destinés à un usage domestique normal, mais qui néanmoins peuvent constituer une source de danger pour le public, tels que les chargeurs de batterie destinés à être utilisés dans des garages, dans des magasins, chez des artisans et dans des fermes, sont compris dans le domaine d'application de la présente norme.

Dans la mesure du possible, la présente norme traite des risques ordinaires présentés par les appareils, encourus par tous les individus à l'intérieur et autour de l'habitation. Cependant, cette norme ne tient pas compte en général

- de l'utilisation des appareils par de jeunes enfants ou des personnes handicapées sans surveillance;
- de l'emploi de l'appareil comme jouet par de jeunes enfants.

NOTE 101 L'attention est attirée sur le fait que

- pour les appareils destinés à être utilisés dans des véhicules ou à bord de navires ou d'avions, des prescriptions supplémentaires peuvent être nécessaires;
- dans de nombreux pays, des prescriptions supplémentaires sont imposées par les organismes nationaux de la santé publique, par les organismes nationaux responsables de la protection des travailleurs et par des organismes similaires.

NOTE 102 La présente norme ne s'applique pas

- aux chargeurs de batterie encastrés, à l'exception de ceux destinés à être montés dans les caravanes ou véhicules analogues;
- aux chargeurs de batterie qui font partie d'un appareil dont la batterie n'est pas accessible à l'usager;
- aux chargeurs de batterie prévus exclusivement pour les usages industriels;
- aux chargeurs de batterie destinés à être utilisés dans des locaux présentant des conditions particulières, comme par exemple, des atmosphères corrosives ou explosives (poussières, vapeur ou gaz);
- aux chargeurs de batterie comportant plusieurs unités;
- aux modules d'alimentation pour les équipements électroniques;
- aux chargeurs de batterie et aux modules d'alimentation pour les appareils électroniques à éclairs pour la photographie (CEI 60491);
- aux chargeurs de batterie prévus pour être utilisés dans des véhicules électriques (CEI 61851).

NOTE 103 Les exigences applicables aux chargeurs de batterie destinés à être utilisés par des enfants âgés de huit ans au moins, sans surveillance, sont fournies dans l'Annexe AA.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-29: Particular requirements for battery chargers

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric battery chargers for household and similar use having an output at **safety extra-low voltage**, their **rated voltage** being not more than 250 V.

Battery chargers not intended for normal household use, but which nevertheless may be a source of danger to the public, such as battery chargers intended for use in garages, shops, light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 101 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 102 This standard does not apply to

- built-in battery chargers, except those for installing in caravans and similar vehicles;
- battery chargers that are part of an appliance, the battery of which is not accessible to the user;
- battery chargers intended exclusively for industrial purposes;
- battery chargers intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- battery chargers comprising more than one unit;
- supply units for electronic equipment;
- battery chargers and supply units for electronic flash apparatus for photographic purposes (IEC 60491);
- battery chargers intended for use in electric vehicles (IEC 61851).

NOTE 103 Requirements for battery chargers for use by children at least 8 years old without supervision are given in Annex AA.



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- Looking for additional Standards? Visit Intertek Inform Infostore
- Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation