This is a free page sample. Access the full version online.



Irish Standard I.S. EN 50382-1:2008

Railway applications - Railway rolling stock high temperature power cables having special fire performance -- Part 1: General requirements

Incorporating amendments/corrigenda issued since publication: EN 50382-1:2008/A1:2013

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based o</i> EN 50382-1:2008	<i>on: Publisi</i> 20 Ma	<i>hed:</i> rch, 2008
This document was published under the authority of the NSAI and comes into effect on: 22 May, 2008		ICS number: 13.220.40 29.060.20 45.060.01	
NSAI T +353 1 Swift Square, F +353 Northwood, Santry E stan Dublin 9 W N	3 1 807 3800 Sales 3 1 807 3838 T +3 dards@nsai.ie F +3 W st SAI.ie	s: 353 1 857 6730 353 1 857 6729 andards.ie	
Údarás um Chai	ghdeáin Náisiúnta na h	Éireann	

EUROPEAN STANDARD

EN 50382-1/A1

NORME EUROPÉENNE EUROPÄISCHE NORM

June 2013

ICS 13.220.40; 29.060.20; 45.060.01

English version

Railway applications -Railway rolling stock high temperature power cables having special fire performance -Part 1: General requirements

Applications ferroviaires -Câbles pour matériel roulant ferroviaire ayant des performances particulières de comportement au feu -Partie 1: Prescriptions générales Bahnanwendungen -Hochtemperaturkabel und -leitungen für Schienenfahrzeuge mit verbessertem Verhalten im Brandfall -Teil 1: Allgemeine Anforderungen

This amendment A1 modifies the European Standard EN 50382-1:2008; it was approved by CENELEC on 2013-04-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2013 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

I.S. EN 50382-1:2008 - 2 -

EN 50382-1:2008/A1:2013

Foreword

This document (EN 50382-1:2008/A1:2013) has been prepared by CLC/TC 20 "Electric cables".

The following dates are fixed:

•	latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2014-04-29
•	latest date by which the national standards conflicting with this document have to be withdrawn	(dow)	2016-04-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

- 3 -

1 Scope

Add the following text before the last paragraph:

The temperature limit for maximum operating of 120 $^{\circ}$ C for tinned conductors may be increased to 150 $^{\circ}$ C by agreement between the purchaser and the manufacturer.

This page is intentionally left BLANK.

EUROPEAN STANDARD

EN 50382-1

NORME EUROPÉENNE EUROPÄISCHE NORM

March 2008

ICS 13.220.40; 29.060.20; 45.060.01

English version

Railway applications -Railway rolling stock high temperature power cables having special fire performance -Part 1: General requirements

Applications ferroviaires -Câbles pour matériel roulant ferroviaire ayant des performances particulières de comportement au feu -Partie 1: Prescriptions générales Bahnanwendungen -Hochtemperaturkabel und -leitungen für Schienenfahrzeuge mit verbessertem Verhalten im Brandfall -Teil 1: Allgemeine Anforderungen

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2008 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

This European Standard was prepared for the Technical Committee CENELEC TC 20, Electric cables, by Working Group 12, Railway Cables, as part of the overall programme of work in the Technical Committee CENELEC TC 9X, Electrical and electronic applications for railways.

The text of the draft was submitted to the formal vote and was approved by CENELEC as EN 50382-1 on 2008-02-01.

The following dates were fixed:

_	latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2009-02-01
-	latest date by which the national standards conflicting with the EN have to be withdrawn	(dow)	2011-02-01

Contents

Intr	oduct	ion	4		
1	Scope				
2	Normative references				
3	Definitions				
4	Rated voltage				
5	Marking				
-	5 1	Indication of origin	8		
	5.2	Continuity of marks	8		
	5.3	Durability			
	5.4	Legibility			
	5.5	Additional marking			
	5.6	Use of the name CENELEC	9		
6	Gene	ral requirements for the construction of cables	9		
	6.1	Conductors	9		
	6.2	Insulation system	10		
	6.3	Tapes	10		
	6.4	Sheath	11		
	6.5	Overall diameter	11		
	6.6	Non-metallic components	11		
7	Elect	rical performance	12		
8	Reac	tion to fire – Cables	12		
	8.1	Flame propagation (flame spread) – Single vertical cable	12		
	8.2	Flame propagation (flame spread) – Bunched cables	12		
	8.3	Smoke emission	12		
9	Reac	tion to fire – Components	12		
	9.1	Assessment of halogens	12		
	9.2	Toxicity	12		
A		(normativa) Dequiremente for helegene	10		
AIII		(normative) Requirements for halogens			
Anr	IEX B	(normative) Determination of halogens – Elemental test			
Anr	iex C	(normative) Thickness and overall diameter – Selection of samples and	22		
_	_				
Anr	iex D	(informative) Guidance on selection of cables for type approval	24		
Bib	liogra	phy	25		
Fig	ures				
Figu	ure 1 –	Example of marking	8		
Tab	les				
Tah	le 1 _	Rated voltages	R		
Tab	- ۱ د. 2 ما	Requirements for the tests for halogen free insulating compounds for Part 2	0 10		
1 dU	Table 2 – Requirements for the tests for hole and for the tests for hole $2 - Requirements$ for the tests for hole and for the tests for hole $2 - Requirements$				
Table 3 – Requirements for the tests for halogen free sheathing compounds for Part 2					
Table A.1 – Type test					
Tab	Table A.2 – Sample test 19				
Tab	Table D.1 – Selection of cables for type approval 24				

Introduction

The railway industry is generally concerned with the movement of people as well as goods. It is therefore essential that a high level of safety is achieved, even when failures occur which may involve fire, howsoever caused, affecting railway rolling stock.

Hence it is necessary to provide cables for use in railway environments which minimise the hazard to people when a fire may damage the cable, irrespective of whether the fire is caused by an external source or from within the electrical system.

EN 50382 specifies cables for power and associated circuits which, in the event of fire, will limit the risk to people and improve the safety on railways in general. It covers cables, for use in railway rolling stock, and having standard wall thickness of insulation, based on materials that allow them to operate at high temperature and which are also halogen free. In the event of a fire affecting cables to EN 50382 they will have a limited flame spread and limited emission of toxic gases. In addition these cables when burnt produce limited amounts of smoke. This last characteristic will minimise loss of visibility in the event of a fire and will aid reduced evacuation times.

The objects of this standard are

- to standardise cables that are safe and reliable when properly used,
- to state the characteristics, performance, and construction requirements directly or indirectly bearing on safety,
- to specify methods for checking conformity with these requirements.

EN 50382, which covers a range of cables rated at up to 3,6/6 kV with conductor sizes 1,5 mm² up to 400 mm², is divided into 2 parts:

- Part 1: General requirements;
- Part 2: Single core silicone rubber insulated cables for 120 °C or 150 °C.

These cables are intended for a limited number of applications.

Information regarding selection and installation of cables including current ratings can be found in EN 50355 and EN 50343. The procedure for selection of cable cross-sectional area, including reduction factors for ambient temperature and installation type, are described in EN 50343.

NOTE Current ratings for inclusion in EN 50355 are under development for the next amendment.

Special test methods referred to in EN 50382 are given in EN 50305.

1 Scope

This Part 1 of EN 50382 specifies the general requirements applicable to the cables given in EN 50382-2. It includes the detailed requirements for the insulating and sheathing materials and other components called up in EN 50382-2. In particular EN 50382-1 specifies those requirements relating to fire safety.

Based on proven experience and reliability over many years these cables are rated for occasional thermal stresses causing ageing equivalent to continuous operational life at a conductor temperature of either 120 °C or 150 °C.

NOTE This rating is based upon the polymer defined in 3.1. Before this polymer had gained widespread acceptance in the cable industry, ageing performance had been assessed via long term thermal endurance testing and had been extrapolated to 20 000 h using techniques equivalent to those in EN 60216. Subsequent experience in service has demonstrated that the predicted performance levels were correct.

Where extrapolated data is used to predict lifetime in service it should be confirmed with the cable manufacturer, and should be based on a failure mode appropriate to the type of material or cable.

The maximum temperature for short circuit conditions for silicone rubber is 350 °C based on a duration of 5 s.

Although both of the insulating and one of the sheathing compounds specified in this standard are thermally capable of operating at 150 °C, where tinned conductors are used the maximum operating temperature is limited to 120 °C and for the same technical reason the maximum short circuit temperature, for tinned copper conductors, is limited to 250 °C. The choice of sheath may also limit the operating temperature to 120 °C.

This Part 1 should be used in conjunction with EN 50382-2.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10002-1	Metallic materials – Tensile testing – Part 1: Method of test (at ambient temperature)
EN 50266-2-4	Common test methods for cables under fire conditions – Test for vertical flame spread of vertically-mounted bunched wires or cables – Part 2-4: Procedures – Category C
EN 50266-2-5	Common test methods for cables under fire conditions – Test for vertical flame spread of vertically-mounted bunched wires or cables – Part 2-5: Procedures – Small cables – Category D
EN 50267-2-1	Common test methods for cables under fire conditions – Tests on gases evolved during combustion of materials from cables – Part 2–1: Procedures – Determination of the amount of halogen acid gas
EN 50267-2-2	Common test methods for cables under fire conditions – Tests on gases evolved during combustion of materials from cables – Part 2–2: Procedures – Determination of degree of acidity of gases for materials by measuring pH and conductivity
EN 50305:2002	Railway applications – Railway rolling stock cables having special fire performance – Test methods
EN 50382-2	Railway applications – Railway rolling stock high temperature power cables having special fire performance – Part 2: Single core silicone rubber insulated cables for 120 °C or 150 °C



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation