



**NSAI**  
Standards

Irish Standard  
I.S. EN 61753-111-7:2010

Fibre optic interconnecting devices and passive components performance standard - Part 111-7: Sealed closures for category A - Aerial (IEC 61753-111-7:2009 (EQV))

## I.S. EN 61753-111-7:2010

*Incorporating amendments/corrigenda issued since publication:*

<i>This document replaces:</i>	<i>This document is based on:</i> EN 61753-111-7:2010	<i>Published:</i> 19 February, 2010
This document was published under the authority of the NSAI and comes into effect on:  10 March, 2010		ICS number: 33.180.20
<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	<b>Sales:</b> T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 61753-111-7**

February 2010

ICS 33.180.20

English version

**Fibre optic interconnecting devices  
and passive components performance standard -  
Part 111-7: Sealed closures for category A -  
Aerial  
(IEC 61753-111-7:2009)**

Dispositifs d'interconnexion et composants  
passifs à fibres optiques norme  
de qualité de fonctionnement -  
Partie 111-7: Boîtiers scellés  
pour catégorie A -  
Aériens  
(CEI 61753-111-7:2009)

Lichtwellenleiter -  
Verbindungselemente und passive  
Bauteile -  
Betriebsverhalten -  
Teil 111-7: Druckdichte Muffen  
für die Kategorie A -  
oberirdische Verlegung  
(IEC 61753-111-7:2009)

This European Standard was approved by CENELEC on 2010-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 86B/2904/FDIS, future edition 1 of IEC 61753-111-7, prepared by SC 86B, Fibre optic interconnecting devices and passive components, of IEC TC 86, Fibre optics, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61753-111-7 on 2010-02-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2010-11-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2013-02-01

Annex ZA has been added by CENELEC.

---

## Endorsement notice

The text of the International Standard IEC 61753-111-7:2009 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-1	NOTE	Harmonized as EN 60068-1.
IEC 60068-2	NOTE	Harmonized in EN 60068-2 series (not modified).
IEC 60721-3-1	NOTE	Harmonized as EN 60721-3-1.
IEC 60793-2	NOTE	Harmonized as EN 60793-2.
IEC 60794-1-2	NOTE	Harmonized as EN 60794-1-2.
IEC 60794-2	NOTE	Harmonized as EN 60794-2.
IEC 60794-3	NOTE	Harmonized as EN 60794-3.
IEC 61300	NOTE	Harmonized in EN 61300 series (not modified).
IEC 62005	NOTE	Harmonized in EN 62005 series (not modified).

---

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-10	-	Environmental testing - Part 2-10: Tests - Test J and guidance: Mould growth	EN 60068-2-10	-
IEC 60721-3-2	-	Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 2: Transportation	EN 60721-3-2	-
IEC 60793-2-50	2008	Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single-mode fibres	EN 60793-2-50	2008
IEC 61300-1	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 1: General and guidance	EN 61300-1	-
IEC 61300-2-1	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-1: Tests - Vibration (sinusoidal)	EN 61300-2-1	-
IEC 61300-2-4	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-4: Tests - Fibre/cable retention	EN 61300-2-4	-
IEC 61300-2-5	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-5: Tests - Torsion	EN 61300-2-5	-
IEC 61300-2-9	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-9: Tests - Shock	EN 61300-2-9	-
IEC 61300-2-11	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-11: Tests - Axial compression	EN 61300-2-11	-
IEC 61300-2-12	2009	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-12: Tests - Impact	EN 61300-2-12	2009
IEC 61300-2-22	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-22: Tests - Change of temperature	EN 61300-2-22	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61300-2-26	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-26: Tests - Salt mist	EN 61300-2-26	-
IEC 61300-2-33	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-33: Tests - Assembly and disassembly of fibre optic closures	EN 61300-2-33	-
IEC 61300-2-37	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-37: Tests - Cable bending for fibre optic closures	EN 61300-2-37	-
IEC 61300-2-38	2006	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-38: Tests - Sealing for pressurized fibre optic closures	EN 61300-2-38	2006
IEC 61300-3-1	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-1: Examinations and measurements - Visual examination	EN 61300-3-1	-
IEC 61300-3-3	2009	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-3: Examinations and measurements - Active monitoring of changes in attenuation and return loss	EN 61300-3-3	2009
IEC 61300-3-28	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-28: Examinations and measurements - Transient loss	EN 61300-3-28	-
IEC 61753-1	2007	Fibre optic interconnecting devices and passive components performance standard - Part 1: General and guidance for performance standards	EN 61753-1	2007
IEC 62134-1	-	Fibre optic interconnecting devices and passive components - Fibre optic closures - Part 1: Generic specification	EN 62134-1	-
ISO 4892-3	2006	Plastics - Methods of exposure to laboratory light sources - Part 3: Fluorescent UV lamps	EN ISO 4892-3	2006

## CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms, definitions and abbreviations.....	7
3.1 Terms and definitions.....	7
3.2 Abbreviations.....	8
4 General requirements.....	9
4.1 Storage, transportation and packaging.....	9
4.2 Marking and identification.....	9
4.3 Materials.....	9
4.4 Closure overpressure safety.....	10
4.5 Test report.....	10
5 Test.....	10
5.1 General.....	10
5.2 Test specimen preparation.....	10
5.3 Test and measurement methods.....	11
5.4 Installation or intervention.....	11
5.5 Pass/fail criteria.....	11
6 Performance requirements.....	12
6.1 Sample size.....	12
6.2 Sealing, optical and appearance performance criteria.....	12
6.3 Mechanical sealing performance requirements.....	13
6.4 Environmental sealing performance requirements.....	15
6.5 Mechanical optical performance requirements.....	15
6.6 Environmental optical performance requirements.....	17
Annex A (normative) Sample definition.....	18
Annex B (normative) Sample size.....	20
Annex C (normative) Intervention and reconfiguration/resplicing.....	21
Bibliography.....	23
Figure A.1 – Track joint configuration sample.....	18
Figure A.2 – Distribution joint configuration sample.....	19
Table 1 – Tightness, optical and appearance performance criteria.....	12
Table 2 – Mechanical sealing performance requirements.....	13
Table 3 – Environmental sealing performance requirements.....	15
Table 4 – Mechanical optical performance requirements.....	15
Table 5 – Environmental optical performance requirements.....	17
Table A.1 – Fibre type for testing.....	18
Table B.1 – Sample size.....	20

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC INTERCONNECTING DEVICES  
AND PASSIVE COMPONENTS  
PERFORMANCE STANDARD –**

**Part 111-7: Sealed closures for category A –  
Aerial**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61753-111-7 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.

The text of this standard is based on the following documents:

FDIS	Report on voting
86B/2904/FDIS	86B/2934/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.



A list of all parts of IEC 61753 series, published under the general title *Fibre optic interconnecting devices and passive components – Performance standard*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

Performance standards for sealed closures define the requirements for standard optical performance under a set of specified conditions. This part of IEC 61753 contains a series or a set of tests and measurements with clearly stated conditions, severities and pass/fail criteria. The set of tests is intended to be a basis to prove the product's ability to satisfy the requirements of a specific application, market sector or user group.

A product that has been shown to meet all the requirements of this performance standard may be declared as complying with this performance standard. Products having the same classification from one manufacturer that satisfy this performance standard will operate within the boundaries set by the performance standard. There is no guarantee that products from different manufacturers, having the same classification and which conform to the same performance standard, will provide an equivalent level of performance when they are used together.

Conformance with IEC environmental policy according to IEC Guide 109 and concerning the need to reduce the impact on the natural environment of fibre optic closures during all phases of their life – from acquiring materials to manufacturing, distribution, use, and end-of-life treatment (i.e. re-use, recycling (recovery and disposal)) are not part of this standard, but will be covered in the generic specification.

Conformance to a performance standard demonstrates that a product has passed a design verification test. It is not a guarantee of lifetime assured performance or reliability. Reliability testing must be the subject of a separate test schedule, where the tests and severities selected are such that they are truly representative of the requirements of this reliability test programme. Consistency of manufacture should be maintained using a recognised Quality Assurance programme whilst the reliability of the product should be evaluated using the procedures recommended in IEC 62005 series.

Tests and measurements are selected from the IEC 61300 series.

# FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS PERFORMANCE STANDARD –

## Part 111-7: Sealed closures for category A – Aerial

### 1 Scope

This part of IEC 61753 contains the minimum test and measurement requirements and severities which a sealed fibre optic closure must satisfy in order to be categorised as meeting the IEC standard for category A – aerial, as defined in Annex A of IEC 61753-1. Free breathing closures are not covered in this standard.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-10, *Environmental testing – Part 2-10: Tests – Test J and guidance: Mould growth*

IEC 60721-3-2, *Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 2: Transportation*

IEC 60793-2-50:2008, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 61300-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance*

IEC 61300-2-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-1: Tests – Vibration (sinusoidal)*

IEC 61300-2-4, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-4: Tests – Fibre/cable retention*

IEC 61300-2-5, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-5: Tests – Torsion (available in English only)*

IEC 61300-2-9, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-9: Tests – Shock*

IEC 61300-2-11, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-11: Tests – Axial compression<sup>1</sup>*

IEC 61300-2-12:2009, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-12: Tests – Impact*

---

<sup>1</sup> This publication was withdrawn in 2002. A project is currently under consideration.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-