



NSAI
Standards

Irish Standard
I.S. EN 61772:2013

Nuclear power plants - Control rooms - Application of visual display units (VDUs) (IEC 61772:2009 (EQV))

I.S. EN 61772:2013

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> EN 61772:2013	<i>Published:</i> 22 February, 2013
This document was published under the authority of the NSAI and comes into effect on: 6 March, 2013		ICS number: 27.120.20
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

English version

**Nuclear power plants -
Control rooms -
Application of visual display units (VDUs)
(IEC 61772:2009)**

Centrales nucléaires de puissance -
Salles de commande -
Utilisation des unités de visualisation
(CEI 61772:2009)

Kernkraftwerke -
Warten -
Anwendung von Sichtgeräten
(IEC 61772:2009)

This European Standard was approved by CENELEC on 2013-01-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

This document (EN 61772:2013) consists of the text of IEC 61772:2009 prepared by SC 45A "Instrumentation and control of nuclear facilities" of IEC/TC 45 "Nuclear instrumentation".

The following dates are fixed:

- latest date by which this document has to be implemented (dop) 2014-01-14
at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2016-01-14

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

As stated in the nuclear safety directive 2009/71/EURATOM, Chapter 1, Article 2, item 2, Member States are not prevented from taking more stringent safety measures in the subject-matter covered by the Directive, in compliance with Community law. In a similar manner, this European standard does not prevent Member States from taking more stringent nuclear safety measures in the subject-matter covered by this standard.

Endorsement notice

The text of the International Standard IEC 61772:2009 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60964	2009	Nuclear power plants - Control rooms - Design	EN 60964	2010
IEC 61226	2005 ¹⁾	Nuclear power plants - Instrumentation and control systems important to safety - Classification of instrumentation and control functions	-	-
IEC 61227	2008	Nuclear power plants - Control rooms - Operator controls	-	-
IEC 61513	-	Nuclear power plants - Instrumentation and control important to safety - General requirement for systems	EN 61513	-
IEC 61771	-	Nuclear power plants - Main control-room - Verification and validation of design	-	-
IEC 61839	2000	Nuclear power plants - Design of control rooms - Functional analysis and assignment	-	-
IEC 62241	2004	Nuclear power plants - Main control room - Alarm functions and presentation	-	-
ISO 11064	Series	Ergonomic design of control centres	EN ISO 11064	Series
IAEA Safety Guide NS-G-1.3	2002	Instrumentation and control systems important to safety in nuclear power plants	-	-

¹⁾ IEC 61226 is superseded by IEC 61226:2009, which is harmonised as EN 61226:2010.

This page is intentionally left BLANK.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope and object.....	8
2 Normative references	9
3 Terms, definitions and abbreviations	9
4 Design requirements	10
4.1 Intended purpose and application.....	10
4.1.1 General	10
4.1.2 Number and location of displays	11
4.1.3 Placement to avoid daylight and lighting problems.....	12
4.2 Principal users	13
4.3 Failure criteria	14
4.4 System requirements.....	14
4.5 Information needs and application procedures.....	15
4.5.1 General	15
4.5.2 Back-fitting applications.....	16
4.5.3 New MCR design	16
5 Design and implementation of VDU formats.....	17
5.1 Design.....	17
5.2 General requirements.....	18
5.2.1 Presentation	18
5.2.2 Availability.....	18
5.2.3 Legibility.....	18
5.3 Accuracy	19
5.3.1 Understandability.....	19
5.3.2 Compatibility of VDU-formats with other man-machine interfaces	19
5.3.3 Consistency between VDU formats	19
5.4 Form of presentation	20
5.4.1 Principles	20
5.4.2 Use of symbols and graphics	21
5.4.3 Schematic and mimic displays	21
5.4.4 Formatting of information.....	21
6 Design and implementation of large screen displays.....	22
6.1 Purpose of LSD systems	22
6.2 Overview of LSD design issues	23
6.3 Placement of LSDs in the MCR	23
6.3.1 General	23
6.3.2 Placement relative to operators' viewing areas	24
6.4 Information-content of LSD formats	25
6.4.1 General	25
6.4.2 Screen and display performance.....	26
6.4.3 Screen format design for LSDs	26
6.4.4 Special colour issues for LSD formats	27
6.5 Control of change of display-content on LSDs	28
7 Verification	29
8 Validation	29

Annex A (informative) Advantages and disadvantages of VDU-based display	30
Annex B (informative) Examples of formats, typical use and some characteristics	32
Annex C (informative) Format design and implementation basis	34
Annex D (informative) Examples of access methods	35
Annex E (informative) Verification and validation of VDU	36
Annex F (informative) Method of VDU format design presenting information on plant conditions and equipment state.....	39
Figure E.1 – Format creation and verification.....	38

INTERNATIONAL ELECTROTECHNICAL COMMISSION

NUCLEAR POWER PLANTS – CONTROL ROOMS – APPLICATION OF VISUAL DISPLAY UNITS (VDUs)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61772 has been prepared by subcommittee 45A: Instrumentation and control of nuclear facilities, of IEC technical committee 45: Nuclear instrumentation.

This second edition cancels and replaces the first edition published in 1995 and constitutes a technical revision.

The main technical changes with respect to the previous edition are as follows:

- Expand the previous text to cover the use of Large Screen Displays (LSDs), to provide improved recommendations on the use of colour, and to improve the coverage of back-fit or upgrade applications.
- Provide references to relevant normative standards.
- Harmonise terminology according to SC 45A guidance.
- Cover experience of VDU systems design and use.
- Present examples of good practice, including methods of access to displays of current interest.

I.S. EN 61772:2013

61772 © IEC:2009

– 5 –

The text of this standard is based on the following documents:

FDIS	Report on voting
45A/728/FDIS	45A/740/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

a) Technical background, main issues and organisation of this Standard

During the work to create a standard for the design of control rooms of nuclear power plants, it became obvious that the volume of such a standard would become very large. Therefore the standard was split into one main standard (IEC 60964 with an annex) and some supplementary standards. This standard is one of the supplementary standards.

It is intended that the Standard be used by operators of NPPs (utilities), designers, systems evaluators and by licensors.

b) Situation of this Standard in the structure of the IEC SC 45A standard series

IEC 61772 is the third level IEC SC 45A document tackling the generic issue of use of VDUs in NPPs Main Control Room.

IEC 61772 is to be read in conjunction with IEC 60964 which is the appropriate IEC SC 45A document which provides general requirements concerning the design of Nuclear Power Plants main control rooms. IEC 61227, IEC 61771, IEC 62241 and IEC 61839 should also be read with this standard.

For more details on the structure of the IEC SC 45A standard series, see item d) of this introduction.

c) Recommendations and limitations regarding the application of this Standard

It is important to note that this Standard establishes no additional functional requirements for safety systems.

To ensure that the Standard will continue to be relevant in future years, the emphasis has been placed on issues of principle, rather than specific technologies.

d) Description of the structure of the IEC SC 45A standard series and relationships with other IEC documents and other bodies documents (IAEA, ISO)

The top-level document of the IEC SC 45A standard series is IEC 61513. It provides general requirements for I&C systems and equipment that are used to perform functions important to safety in NPPs. IEC 61513 structures the IEC SC 45A standard series.

IEC 61513 refers directly to other IEC SC 45A standards for general topics related to categorization of functions and classification of systems, qualification, separation of systems, defence against common cause failure, software aspects of computer-based systems, hardware aspects of computer-based systems, and control room design. The standards referenced directly at this second level should be considered together with IEC 61513 as a consistent document set.

At a third level, IEC SC 45A standards not directly referenced by IEC 61513 are standards related to specific equipment, technical methods, or specific activities. Usually these documents, which make reference to second-level documents for general topics, can be used on their own.

A fourth level extending the IEC SC 45 standard series, corresponds to the Technical Reports which are not normative.

IEC 61513 has adopted a presentation format similar to the basic safety publication IEC 61508 with an overall safety life-cycle framework and a system life-cycle framework and

I.S. EN 61772:2013

61772 © IEC:2009

– 7 –

provides an interpretation of the general requirements of IEC 61508-1, IEC 61508-2 and IEC 61508-4, for the nuclear application sector. Compliance with IEC 61513 will facilitate consistency with the requirements of IEC 61508 as they have been interpreted for the nuclear industry. In this framework IEC 60880 and IEC 62138 correspond to IEC 61508-3 for the nuclear application sector.

IEC 61513 refers to ISO as well as to IAEA 50-C-QA (now replaced by IAEA GS-R-3) for topics related to quality assurance (QA).

The IEC SC 45A standards series consistently implements and details the principles and basic safety aspects provided in the IAEA code on the safety of NPPs and in the IAEA safety series, in particular the Requirements NS-R-1, establishing safety requirements related to the design of Nuclear Power Plants, and the Safety Guide NS-G-1.3 dealing with instrumentation and control systems important to safety in Nuclear Power Plants. The terminology and definitions used by SC 45A standards are consistent with those used by the IAEA.

NUCLEAR POWER PLANTS – CONTROL ROOMS – APPLICATION OF VISUAL DISPLAY UNITS (VDUs)

1 Scope and object

This International Standard supplements IEC 60964. It presents design requirements for the application of VDUs in main control rooms of nuclear power plants.

For the main control room of a nuclear power plant, IEC 60964 includes general requirements for layout, user needs and verification and validation methods and these aspects are not repeated in this standard. IEC 61227, IEC 61771, IEC 62241 and IEC 61839 should also be read with this standard.

This standard assists the designer in specifying VDU applications (including displays on individual workstations and larger displays for group-working or distant viewing) together with or instead of conventional (panel) displays by:

- stating principles to take advantage of VDU capability;
- giving examples of good practice and guiding the designer to avoid deficiencies of design.

This standard contains:

- a) requirements for information needs:
 - according to information goals e.g. operation, maintenance, protection,
 - allowing for the necessary amount of space, e.g. location, arrangement,
 - using a hierarchy and/or relationships,
 - avoiding unnecessary information,
 - ensuring that information is relevant,
- b) requirements for good presentation such as:
 - clear and flicker-free display with suitable updating frequency,
 - enough display space and an optimal arrangement,
 - adequate format and symbol sizes,
 - pictorial, symbolic display in addition to alpha-numeric capacity,
 - standardized, common symbols and names,
 - arrangements oriented to human factor needs, e.g. population stereotypes,
 - use of grouping and coding methods,
 - use of consistent flow directions,
 - appropriate abstraction levels according to the needs of the different presumed users,
- c) methods for easy and quick access to the specific information of current interest:
 - by simple selection of single formats or format-sets according to information goals,
 - by using different kinds of menus (icons of neighbouring information) or other access techniques (last display, selection on screen, etc.) by soft keys on or off the VDU screens or cursors,
 - by using programmed presentation (triggered by any binary signal, such as an alarm),
- d) design criteria to obtain appropriate reliability of all functions necessary to achieve the specified information goals.

This standard is intended for application to the design of new main control rooms in nuclear power plants designed to IEC 60964 and where this is initiated after the publication of this standard. If it is to be applied to existing control rooms or control areas designs, care should be taken as some assumptions made (such as automation level) may not apply.

Where a deviation from this standard is necessary in a back-fitting application the reasons should be documented.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60964:2009, *Nuclear power plants – Control rooms - Design*

IEC 61226:2005, *Nuclear power plants – Instrumentation and control systems important to safety – Classification of instrumentation and control functions*

IEC 61227:2008, *Nuclear power plants – Control rooms – Operator controls*

IEC 61513, *Nuclear power plants – Instrumentation and control for systems important to safety – General requirements for systems*

IEC 61771, *Nuclear power plants – Main control room – Verification and validation of design*

IEC 61839:2000, *Nuclear power plants – Design of control rooms – Functional analysis and assignment*

IEC 62241:2004, *Nuclear power plants – Main control room – Alarm functions and presentation*

ISO 11064 (all parts), *Ergonomic design of control centres*

IAEA Safety Guide NS-G-1.3:2002, *Instrumentation and control systems important to safety in Nuclear Power Plants*

3 Terms, definitions and abbreviations

For the purposes of this document, the terms, definitions and abbreviations given in IEC 60964 apply as well as the following:

3.1

associated information

additional, or helpful information complementary to the main display content of a single format or a format-set. The existence of this additional capability of display may be indicated by certain icons (navigation targets, as integrated parts of the displayed information) and their selection will lead to the display of single formats or pictorial menus or, where suitable, alpha-numeric menus

3.2

Large Screen Display (LSD)

any form of larger display intended for group viewing, shared tasks, monitoring at a distance, etc.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-