



NSAI
Standards

Standard Recommendation
S.R. CR 1030-2:1995

Hand-arm vibration - Guidelines for vibration hazards reduction - Part 2: Management measures at the workplace

S.R. CR 1030-2:1995

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
CR 1030-2:1995

Published:
2 June, 1995

This document was published
under the authority of the NSAI
and comes into effect on:
24 September, 2011

ICS number:
13.160

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

REPORT RAPPORT BERICHT

CR 1030-2:1995

June 1995

English version

Hand-arm vibration - Guidelines for vibration
hazards reduction - Part 2: Management measures
at the workplace

Vibrations main-bras - Guide pour la
réduction des risques de vibrations -
Partie 2: Mesures de prévention sur
le lieu de travail

Hand-Arm-Schwingungen-Leitfaden
zur Verringerung der Gefährdung
durch Schwingungen - Teil 2:
Organisatorische Maßnahmen am
Arbeitsplatz

This CEN REPORT has been prepared by Technical Committee CEN/TC 231 "Mechanical vibration and shock" and has been approved by CEN on 1995-04-05.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Rue de Stassart 36, B - 1050 Brussels

© CEN 1995 All rights of reproduction and communication in any form and by any means reserved in all countries to CEN and its members

Ref. no. CR 1030-2:1995 E

Foreword

This CEN report has been drawn up by CEN/TC 231 "Mechanical vibration and shock", working group 2 "Hand-arm vibration".

Contents

Introduction

- 1 Scope**
- 2 Normative references**
- 3 Definitions**
- 4 Identification of main sources of hand-arm vibration within the firm**
- 5 Vibration reduction by task, product and process re-design**
 - 5.1 General**
 - 5.2 Vibration reduction by work task re-design**
 - 5.3 Vibration reduction measures by product re-design**
 - 5.4 Vibration reduction by process re-design**
- 6 How to select low vibration machinery, anti-vibration systems and personal protection**
 - 6.1 Selection of low vibration machinery**
 - 6.2 Selection of anti-vibration system and personal protection**
- 7 Management measures for the control of hand-arm vibration exposure**
 - 7.1 Hazard reduction strategy**
 - 7.2 Process control and maintenance**
 - 7.3 Training**
 - 7.4 Reducing the period of exposure**

Annex A (informative) Bibliography

Annex B (informative) List of the most common machines and processes which expose people to hand-arm vibration

Annex C (informative) Practical example on how to select vibration reduction measures: test of stopping a leak in an underground main

Annex D (informative) Practical examples of vibration reduction measures by product design

Annex E (informative) Practical examples of vibration reduction measures by process design

Annex F (informative) Practical examples of vibration reduction by selection of machinery or equipment

Annex G (informative) Short list of the most important questions that potential buyers should ask potential suppliers with regard to hand-arm vibration

Annex H (informative) Practical maintenance measures that should be taken to reduce vibration exposure

Introduction

The habitual and prolonged use of machinery which transmit vibration to the hand may cause disorders of the upper limbs.

European legislation requires firms to assess and take measures to prevent or reduce workplace risks to the health and safety of their employees. The basic strategy to be adopted is defined in the legislation and accompanying informative documents under the following broad headings:

- assessment of risks;
- identification of necessary preventative and/or protective measures;
- organisation for the effective implementation of preventative and protective measures;
- implementation of an adequate programme of measures to prevent or reduce risks.

This document is primarily concerned with the second item. Its purpose is to bridge the gap between the existing literature on vibration control and the practical implementation of vibration control measures. It will constitute brief guidance to managers, health and safety officers, engineers, planning and purchasing staff and others on the most important aspects of vibration effect reduction and control.

To reduce the vibration stress for the user it is essential to pay attention not only to the vibration intensity itself but also to the coupling of the machine to the hand-arm system and to the exposure duration. All three parameters can be influenced by technical measures.

Effective protection against vibration will generally require a combination of measures which can be categorised under the following headings:

- engineering measures;
- personal protection;
- management measures.

The application of these measures should take account of: the state of the art regarding technical progress, the availability of practicable vibration reduction and the compatibility of proposed vibration control measures with measures required to reduce or control other workplace hazards.

1 Scope

These guidelines outline practicable measures for the reduction and control of health hazards associated with exposure to hand-arm vibration at work in order to provide practical professional aid to managers and health and safety officers. The document covers four principal aspects, namely:

- identification of main sources of hand-arm vibration within the firm;
- vibration reduction by re-considering task, product, and process and re-design;
- how to select low vibration machinery, anti-vibration system and personal protection;
- management measures for the control of hand-arm vibration exposure.

2 Normative references

This CEN report incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this CEN report only when incorporated in it by amendment or revision. For undated references, the latest edition of the publication referred to applies.

CR 1030-1	Hand-arm vibration – Guidelines for vibration hazards reduction – Part 1: Engineering methods by design of machinery
CR (X)*)	Mechanical vibration – Guidelines to health effects of vibration on the human body
prEN 1033	Hand-arm vibration – Laboratory measurement of vibration at the grip surface of hand-guided machinery – General
EN 28662-1	Hand-held portable power tools – Measurement of vibrations at the handle – Part 1: General (ISO 8662-1:1988)
prEN 30819	Mechanical vibration and shock – Hand-arm vibration – Method for the measurement and evaluation of the vibration transmissibility of gloves at the palm of the hand (ISO/DIS 10819:1993)
ISO 5805	Mechanical vibration and shock – Human exposure – Vocabulary

3 Definitions

Except where otherwise stated, technical terms used in this document are as defined in ISO 5805.

*) under preparation

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-