



NSAI
Standards

Irish Standard
I.S. EN 12697-42:2012

Bituminous mixtures - Test methods for hot mix asphalt - Part 42: Amount of foreign matter in reclaimed asphalt

I.S. EN 12697-42:2012

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:
EN 12697-42:2005

<i>This document is based on:</i> EN 12697-42:2012 EN 12697-42:2005	<i>Published:</i> 11 December, 2012 23 November, 2005
---	---

This document was published under the authority of the NSAI and comes into effect on:
11 December, 2012

ICS number:
93.080.20

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

English Version

Bituminous mixtures - Test methods for hot mix asphalt - Part 42: Amount of foreign matter in reclaimed asphalt

Mélanges bitumineux - Méthodes d'essai pour mélange hydrocarboné à chaud - Partie 42: Quantité de matériaux étrangers présents dans les agrégats d'enrobés

Asphalt - Prüfverfahren für Heißasphalt - Teil 42: Fremdstoffgehalt in Ausbauasphalt

This European Standard was approved by CEN on 13 October 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Content		Page
Foreword		3
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	Principle	7
5	Apparatus	7
6	Preparation of the sample	7
7	Procedure	7
8	Expression of results	8
9	Test report	8
10	Precision data	9
Annex A (informative) Amount of foreign matter in finer fractions		10
A.1	General	10
A.2	Additional definitions	10
A.3	Apparatus	10
A.4	Preparation of the sample	10
A.5	Procedure	11
A.6	Expression of results	11
A.7	Test report	11

Foreword

This document (EN 12697-42:2012) has been prepared by Technical Committee CEN/TC 227 "Road materials", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2013, and conflicting national standards shall be withdrawn at the latest by May 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12697-42:2005.

Compared with EN 12697-42:2005, the following significant changes have been made:

- definition of coarse foreign matter includes 8 mm minimum size;
- solvent for hydrocarbons made less specific;
- classifications for material brought directly into line with those in EN 13108-8;
- source of reclaimed asphalt to be reported clarified;
- annex for analysis of finer material added.

WARNING — The methods described in this European Standard require the use of solvents that are hazardous to health and are subject to occupational exposure limits as described in relevant legislation and regulations. Exposure levels are related to both handling procedures and ventilation provision and it is emphasised that adequate training should be given to staff employed in the usage of these substances.

EN 12697, *Bituminous mixtures — Test methods for hot mix asphalt* contains the following parts:

- *Part 1: Soluble binder content*
- *Part 2: Determination of particle size distribution*
- *Part 3: Bitumen recovery: Rotary evaporator*
- *Part 4: Bitumen recovery: Fractionating column*
- *Part 5: Determination of the maximum density*
- *Part 6: Determination of bulk density of bituminous specimens*
- *Part 7: Determination of bulk density of bituminous specimens by gamma rays*
- *Part 8: Determination of void characteristics of bituminous specimens*
- *Part 9: Determination of the reference density*
- *Part 10: Compactability*

- *Part 11: Determination of the affinity between aggregate and bitumen*
- *Part 12: Determination of the water sensitivity of bituminous specimens*
- *Part 13: Temperature measurement*
- *Part 14: Water content*
- *Part 15: Determination of the segregation sensitivity*
- *Part 16: Abrasion by studded tyres*
- *Part 17: Particle loss of porous asphalt specimen*
- *Part 18: Binder drainage*
- *Part 19: Permeability of specimen*
- *Part 20: Indentation using cube or cylindrical specimens (CY)*
- *Part 21: Indentation using plate specimens*
- *Part 22: Wheel tracking*
- *Part 23: Determination of the indirect tensile strength of bituminous specimens*
- *Part 24: Resistance to fatigue*
- *Part 25: Cyclic compression test*
- *Part 26: Stiffness*
- *Part 27: Sampling*
- *Part 28: Preparation of samples for determining binder content, water content and grading*
- *Part 29: Determination of the dimensions of a bituminous specimen*
- *Part 30: Specimen preparation by impact compactor*
- *Part 31: Specimen preparation by gyratory compactor*
- *Part 32: Laboratory compaction of bituminous mixtures by a vibratory compactor*
- *Part 33: Specimen prepared by roller compactor*
- *Part 34: Marshall test*
- *Part 35: Laboratory mixing*
- *Part 36: Determination of the thickness of a bituminous pavement*
- *Part 37: Hot sand test for the adhesivity of binder on precoated chippings for HRA*
- *Part 38: Common equipment and calibration*

- *Part 39: Binder content by ignition*
- *Part 40: In situ drainability*
- *Part 41: Resistance to de-icing fluids*
- *Part 42: Amount of coarse foreign matter in reclaimed asphalt (the present document)*
- *Part 43: Resistance to fuel.*
- *Part 44: Crack propagation by semi-circular bending test*
- *Part 45: Saturation ageing tensile stiffness (SATS) conditioning test*
- *Part 46: Low temperature cracking and properties by uniaxial tension tests*
- *Part 47: Determination of the ash content of natural asphalts*
- *Part 48: Interlayer bonding — Torque bond test (TBT), Shear bond test (SBT), Tensile Adhesion Test (TAT)¹⁾*
- *Part 49: Determination of friction after polishing¹⁾*
- *Part 50: Resistance to scuffing¹⁾*

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1) In preparation.

1 Scope

This European Standard specifies a visual method of determining the amount and components of coarse foreign matter in reclaimed asphalt. A method for determining the amount and components of finer foreign matter in reclaimed asphalt is given in Annex A. This method does not completely categorise the foreign matter that can occur in asphalt.

NOTE 1 For the use of reclaimed asphalt in asphalt mixtures, it is important to know the components in the reclaimed asphalt and to what extent coarse foreign matter is present that can influence the properties of the asphalt mix.

NOTE 2 The method is not intended to categorise all foreign materials but rather to ensure that the amount of coarse foreign materials are minimised.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 932-1:1996, *Test for general properties of aggregates — Part 1: Methods for sampling*

EN 933-2, *Test for geometrical properties of aggregates — Part 2: Determination of particle size distribution — Test sieves, nominal size of apertures*

EN 12697-27, *Bituminous mixtures — Test methods for hot mix asphalt — Part 27: Sampling*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 932-1:1996 and the following apply.

3.1 reclaimed asphalt
asphalt made reusable by milling of asphalt road layers, by crushing of lumps torn up from asphalt pavements and asphalt from surplus production

3.2 coarse foreign matter
matter that is greater in size than 8 mm in reclaimed asphalt not derived from asphalt pavements or surplus production, and cold asphalt produced with cut-back bitumen

3.3 primary source
quarry or pit from which aggregate has traditionally been used successfully in the manufacture of one or more types of asphalt

3.4 secondary source
quarry, pit or other source from which aggregate has not traditionally been used successfully in the manufacture of any type of asphalt

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-