

Irish Standard I.S. EN 81-41:2010

Safety rules for the construction and installation of lifts - Special lifts for the transport of persons and goods - Part 41: Vertical lifting platforms intended for use by persons with impaired mobility

© NSAI 2010

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:			

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	This document is based on:	<i>Publisi</i>	hed:
	EN 81-41:2010	15 Dec	ember, 2010
This document was published under the authority of the NSAI and comes into effect on: 7 January, 2011			ICS number: 91.140.90

NSAI

1 Swift Square, Northwood, Santry Dublin 9 T +353 1 807 3800 F +353 1 807 3838 F standards@nsai.io

E standards@nsai.ie W NSAI.ie Sales:

T +353 1 857 6730 F +353 1 857 6729 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD NORME EUROPÉENNE

EN 81-41

EUROPÄISCHE NORM

December 2010

ICS 91.140.90: 11.180.10

English Version

Safety rules for the construction and installation of lifts - Special lifts for the transport of persons and goods - Part 41: Vertical lifting platforms intended for use by persons with impaired mobility

Règles de sécurité pour la construction et l'installation des élévateurs - Elévateurs spéciaux pour le transport des personnes et des charges - Partie 41 : Plates-formes élévatrices verticales à l'usage des personnes à mobilité réduite Sicherheitsregeln für die Konstruktion und den Einbau von Aufzügen - Spezielle Aufzüge für den Transport von Personen und Gütern - Teil 41: Senkrechte Plattformaufzüge bestimmt für den Einsatz von Personen mit eingeschränkter Beweglichkeit

This European Standard was approved by CEN on 7 October 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 81-41:2010 (E)

Cont	ents	age
Forewo	ord	4
Introdu	iction	5
1	Scope	7
2	Normative references	8
3	Terms and definitions	9
4	List of significant hazards	13
5 5.1 5.2 5.3 5.4	Safety requirements and/or protective measures General requirements for lifting platforms Platform support/guide system (including any scissor mechanism) Safety gear and over-speed governor Driving units and drive systems	16 20 21 23
5.5 5.6	Electrical installation and equipment	
5.7	Fire protection	58
5.8 5.9	Enclosed liftway entrances Platform	
6 6.1 6.2 6.3	Verification of safety requirements and/or protective measures	67 67 69
7 7.1 7.2 7.3 7.4	Information for use Introduction General Signals and warning devices Accompanying documents (in particular: Instruction handbook)	71 71 71
Annex	A (normative) Electronic components: failure exclusion	75
Annex B.1 B.2 B.3 B.4	B (informative) Guidance in selection of lifting platforms Introduction Selection of lifting platforms Electrical supply and lighting Maintenance	81 81 82
Annex C.1 C.2 C.3	C (informative) Recommendations for the provisions and use of specially adapted control devices, switches and sensors	83 83
Annex D.1 D.2	D (informative) In-use periodic examination, tests and servicing Periodic examinations and tests	84
E.1 E.2 E.3 E.4	E (normative) Safety components – Tests procedures for verification of conformity	85 86 87 90
Annov	F (informative) Stool guide rail calculation	01

EN 81-41:2010 (E)

Annex G (normative) Friction/traction drive - Calculation and test for verification of trace	ction
conformity	92
G.1 General provisions	
Annex ZA (informative) Relationship between this European Standard and the Essentia Requirements of EU Directive 2006/42/EC	I
Bibliography	94

EN 81-41:2010 (E)

Foreword

This document (EN 81-41:2010) has been prepared by Technical Committee CEN/TC 10 "Lifts, escalators and moving walks", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2011, and conflicting national standards shall be withdrawn at the latest by June 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EC Directive 2006/42/EC.

For relationship with EC Directive 2006/42/EC, see informative Annex ZA, which is an integral part of this document.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

The population of Europe is ageing and the prevalence of disability, including disability associated with the ageing process, is increasing. Older people and people with disabilities at present are estimated to number some 80 million people – a large and growing proportion of the European Union population. The changing demography presents both opportunities and challenges for the Union. The economic, social and cultural potential of older people and people with disabilities is underexploited at present. However there is a growing recognition that society needs to exploit this potential for the economic and social benefit of society generally.

This is one of the reasons that led to this standard on vertical lifting platforms for people with impaired mobility being one means to provide accessibility to buildings.

This standard is a type C standard as stated in EN ISO 12100 (all parts).

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this standard.

When provisions of this type C standard are different from those which are stated in type A and type B standards the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

The lifting platforms defined in this standard are suitable for type A and type B wheelchairs as defined in EN 12183 and/or EN 12184.

Those items relevant to lifting platforms referenced within EN 81-70 have been included within this standard.

This standard does not only address the essential health and safety requirements of the Machinery Directive, but additionally states minimum rules for the installation of lifting platforms into buildings/constructions. There may be in some countries regulations for the construction of building etc. which cannot be ignored.

It is essential that minimum passageways conform to national building regulations and are not obstructed by any open door or trap and/or any protection means provided for working areas outside of the enclosed liftway where fitted according to the maintenance instructions.

Assumptions

With the aim of clarifying the intentions of the standard and avoiding doubts when applying it, the following assumptions were made when producing it:

- Vertical lifting platforms are installed in both new and existing buildings;
- For existing buildings where space is not available, other dimensions may be considered. Local building regulations should be observed;
- components without specific requirements are:
- a) designed in accordance with the usual engineering practice and calculation codes, including all failure modes;
- b) of sound mechanical and electrical construction;
- c) general hazards due to hydraulic, pneumatic, etc. equipment are dealt with according to relevant B level standards for common use.
- d) Materials known to be harmful materials, such as asbestos are not to be used as part of the machine;

EN 81-41:2010 (E)

- components are kept in good repair and working order, in accordance with the maintenance manual, so that the required characteristics remain despite wear;
- by design of the load bearing elements, a safe operation of the machine is assured for loading ranging from zero to, the dynamic operation maximum working load and static loading, to the maximum static load;
- to ensure the safe functioning, the operating temperature range of the equipment has to take into account the conditions of the place of use of the machinery, inside the maximum range of ambient temperature between + 5 °C and + 40 °C. For very hot or cold environments extra requirements may be necessary.
- negotiations have been made between the customer and the manufacturer about:
 - environmental conditions;
 - civil engineering problems;
 - other aspects related to the place of installation;
 - the use and places of use of the machinery;
 - the place of installation allows a safe use for the machine;
 - any additional fire protection requirements;
 - suitability for the user (see Annex B).

1 Scope

- **1.1** This European Standard deals with safety requirements for construction, manufacturing, installation, maintenance and dismantling of electrically powered vertical lifting platforms affixed to a building structure intended for use by persons with impaired mobility:
- travelling vertically between predefined levels along a guided path whose inclination to the vertical does not exceed 15°;
- intended for use by persons with or without a wheelchair;
- supported or sustained by rack and pinion, wire ropes, chains, screw and nut, friction/traction between wheels and the rail, guided chain, scissors mechanism or hydraulic jack (direct or indirect);
- with enclosed liftways;
- with a speed not greater than 0,15 m/s;
- with platforms where the carrier is not completely enclosed.
- **1.2** This standard deals with all significant hazards relevant to lifting platforms, when they are used as intended and under the conditions foreseen by the manufacturer (see Clause 4).
- **1.3** This European Standard does not specify the additional requirements for:
- operation in severe conditions (e.g. extreme climates, strong magnetic fields);
- lightning protection;
- operation subject to special rules (e.g. potentially explosive atmospheres);
- handling of materials, the nature of which could lead to dangerous situations;
- vertical lifting platforms whose primary function is the transportation of goods;
- vertical lifting platforms whose carriers are completely enclosed;
- vertical lifting platforms prone to vandalism;
- hazards occurring during manufacture;
- earthquakes, flooding;
- fire fighting, evacuation and behaviour during a fire;
- noise and vibrations;
- the design of concrete, hardcore, timber or other foundation or building arrangement;
- the design of anchorage bolts to the supporting structure;
- type C wheelchairs as defined in EN 12183 and/or EN 12184.
- NOTE For the actual type of machinery, noise is not considered a significant nor relevant hazard.
- **1.4** This standard is not applicable to Vertical Lifting Platforms intended for use by persons with impaired mobility which are manufactured before the date of its publication as an EN.



This is a free preview	 Purchase the entire 	e publication at the link below:
------------------------	-----------------------------------------	----------------------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation