



**NSAI**  
Standards

Irish Standard  
I.S. EN 61753-057-2:2013

Fibre optic interconnecting devices and passive components - Performance standard -- Part 057-2: Single mode fibre plug-receptacle style optical fuse for category C - Controlled environment (IEC 61753-057-2:2012 (EQV))

## I.S. EN 61753-057-2:2013

*Incorporating amendments/corrigenda issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> EN 61753-057-2:2013	<i>Published:</i> 22 March, 2013
This document was published under the authority of the NSAI and comes into effect on:  22 April, 2013		ICS number: 33.180.20
<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie  W NSAI.ie	<b>Sales:</b> T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 61753-057-2**

March 2013

ICS 33.180.20

English version

**Fibre optic interconnecting devices and passive components -  
Performance standard -  
Part 057-2: Single mode fibre plug-receptacle style optical fuse for  
category C -  
Controlled environment  
(IEC 61753-057-2:2012)**

Dispositifs d'interconnexion et  
composants passives à fibres optiques -  
Norme de performance -  
Partie 057-2: Fusible optique du type à  
fiche-embase à fibre unimodale pour  
catégorie C -  
Environnement contrôlé  
(CEI 61753-057-2:2012)

Lichtwellenleiter -  
Verbindungselemente und passive  
Bauteile -  
Betriebsverhalten -  
Teil 057-2: Optische Sicherung für  
Einmodenfasern in Steckverbinder-  
Buchse-Bauform für die Kategorie C -  
Kontrollierte Umgebung  
(IEC 61753-057-2:2012)

This European Standard was approved by CENELEC on 2013-01-09. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## **Foreword**

The text of document 86B/3501/FDIS, future edition 1 of IEC 61753-057-2, prepared by SC 86B, "Fibre optic interconnecting devices and passive components", of IEC TC 86, "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61753-057-2:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-10-09
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-01-09

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## **Endorsement notice**

The text of the International Standard IEC 61753-057-2:2012 was approved by CENELEC as a European Standard without any modification.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60793-2-50	-	Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single-mode fibres	EN 60793-2-50	-
IEC 60869-1	-	Fibre optic interconnecting devices and passive components - Fibre optic passive power control devices - Part 1: Generic specification	EN 60869-1	-
IEC 61300-1	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 1: General and guidance	EN 61300-1	-
IEC 61300-2-1	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-1: Tests - Vibration (sinusoidal)	EN 61300-2-1	-
IEC 61300-2-2	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-2: Tests - Mating durability	EN 61300-2-2	-
IEC 61300-2-6	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-6: Tests - Tensile strength of coupling mechanism	EN 61300-2-6	-
IEC 61300-2-9	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-9: Tests - Shock	EN 61300-2-9	-
IEC 61300-2-14	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-14: Tests - High optical power	EN 61300-2-14	-
IEC 61300-2-17	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-17: Tests - Cold	EN 61300-2-17	-
IEC 61300-2-18	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-18: Tests - Dry heat - High temperature endurance	EN 61300-2-18	-

**I.S. EN 61753-057-2:2013**

EN 61753-057-2:2013

- 4 -

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61300-2-19	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-19: Tests - Damp heat (steady state)	EN 61300-2-19	-
IEC 61300-2-22	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-22: Tests - Change of temperature	EN 61300-2-22	-
IEC 61300-3-2	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-2: Examinations and measurements - Polarization dependent loss in a single-mode fibre optic device	EN 61300-3-2	-
IEC 61300-3-3	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-3: Examinations and measurements - Active monitoring of changes in attenuation and return loss	EN 61300-3-3	-
IEC 61300-3-4	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-4: Examinations and measurements - Attenuation	EN 61300-3-4	-
IEC 61300-3-6	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-6: Examinations and measurements - Return loss	EN 61300-3-6	-
IEC 61300-3-7	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-7: Examinations and measurements - Wavelength dependence of attenuation and return loss of single mode components	EN 61300-3-7	-
IEC 61300-3-28	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-28: Examinations and measurements - Transient loss	EN 61300-3-28	-
IEC 61300-3-32	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-32: Examinations and measurements - Polarisation mode dispersion measurement for passive optical components	EN 61300-3-32	-
IEC 61754	Series	Fibre optic connector interfaces	EN 61754	Series
IEC 61755	Series	Fibre optic connector optical interfaces	EN 61755	Series
IEC/TR 62627-02	2010	Fibre optic interconnecting devices and passive components - Part 02: Report of round robin test results on SC plug style fixed attenuators	-	-

## CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references .....	6
3 Tests .....	7
4 Test reports .....	8
5 Performance requirements .....	8
5.1 Sample size, sequencing and grouping.....	8
5.2 Dimensions .....	8
5.3 Test details and requirements .....	8
Annex A (normative) Sample size and product sourcing requirements .....	16
Annex B (normative) Threshold powers for optical fuses .....	17
Annex C (normative) Reference connector and adaptor .....	18
Annex D (informative) Example of style configuration for optical fuse.....	19
Annex E (normative) Testing of optical fuses .....	20
Bibliography.....	23
Figure D.1 – Optical fuse, plug-receptacle style configuration .....	19
Figure E.1 – Test set-up schematics .....	20
Figure E.2 – Example of power threshold and blocking attenuation at threshold measurements for sample 1280A of an optical fuse .....	21
Figure E.3 – Response time curve of an optical fuse .....	21
Figure E.4 – Response time testing set-up.....	22
Table 1 – Performance requirements for optical fuses.....	8
Table A.1 – Sample size and product sourcing requirements .....	16
Table B.1 – Powers for optical fuses, single-mode .....	17
Table C.1 – Requirements for reference connector and adaptor.....	18

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – PERFORMANCE STANDARD –**

#### **Part 057-2: Single mode fibre plug-receptacle style optical fuse for category C – Controlled environment**

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 61753-057-2 has been prepared by subcommittee SC86B: Fibre optic interconnecting devices and passive components, of IEC technical committee TC86: Fibre optics.

The text of this standard is based on the following documents:

FDIS	Report on voting
86B/3501/FDIS	86B/3545/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.



A list of all parts in the IEC 61753 series, published under the general title *Fibre optic interconnecting devices and passive components – Performance standard*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning optical fuse.

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

KiloLambda technologies, Ltd.  
22a Wallenberg street,  
Tel-Aviv 69719, Israel

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO ([www.iso.org/patents](http://www.iso.org/patents)) and IEC (<http://patents.iec.ch>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

US patent US-7162,114 B2 "Optical Energy switching device and method", granted January 9,2007.

Japan patent 4376632 "Optical Energy switching device and method", granted September 18, 2009

The optical fuse is a passive device, designed to protect equipment and fibre cables from damage due to optical overpower, spikes and surges. The optical fuse produces a controlled, permanent, signal blocking at a predetermined power threshold in an optical fibre transmission line. The optical fuse is wavelength independent over its entire specified spectral range. IEC 60869-1 contains the generic information of the optical fuse. The optical fuse has a maximum allowed power input  $P_{in\ max}$  that is allowed. Beyond this power it is dysfunctional and can let light through. Numerical values for  $P_{in\ max}$  are given in Annex B.

## **FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – PERFORMANCE STANDARD –**

### **Part 057-2: Single mode fibre plug-receptacle style optical fuse for category C – Controlled environment**

#### **1 Scope**

This part of IEC 61753 contains the minimum initial test and measurement requirements and severities which a fibre optical fuse satisfies in order to be categorised as meeting the requirements of single mode fibre plug-receptacle style optical fuse used in controlled environments. Optical performance specified in this document relate to plug-receptacle style configuration fuses only.

#### **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2-50, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60869-1, *Fibre optic interconnecting devices and passive components – Fibre optic passive power control devices – Part 1: Generic specification*<sup>1</sup>

IEC 61300-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance*

IEC 61300-2-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-1: Tests – Vibration (sinusoidal)*

IEC 61300-2-2, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-2: Tests – Mating durability*

IEC 61300-2-6, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-6: Tests – Tensile strength of coupling mechanism*

IEC 61300-2-9, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-9: Tests – Shock*

IEC 61300-2-14, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-14: Tests – High optical power*<sup>1</sup>

IEC 61300-2-17, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-17: Tests – Cold*

---

<sup>1</sup> To be published.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-