



**NSAI**  
Standards

Irish Standard  
I.S. EN 61753-088-2:2013

Fibre optic interconnecting devices and passive components -Performance standard -- Part 088-2: Non-connectorized single-mode fibre optic LAN WDM devices with channel spacing of 800 GHz for category C - Controlled environments (IEC 61753-088-2:2013 (EQV))

## I.S. EN 61753-088-2:2013

*Incorporating amendments/corrigenda issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> EN 61753-088-2:2013	<i>Published:</i> 21 June, 2013
This document was published under the authority of the NSAI and comes into effect on:  10 July, 2013		ICS number: 33.180.20
<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie  W NSAI.ie	<b>Sales:</b> T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 61753-088-2**

June 2013

ICS 33.180.20

English version

**Fibre optic interconnecting devices and passive components -  
Performance standard -  
Part 088-2: Non-connectorized single-mode fibre optic LAN WDM devices  
with channel spacing of 800 GHz for category C -  
Controlled environments  
(IEC 61753-088-2:2013)**

Dispositifs d'interconnexion et  
composants passifs à fibres optiques -  
Norme de performance -  
Partie 088-2: Dispositifs LAN WDM à  
fibres optiques unimodales, non  
connectorisés, avec un espacement entre  
canaux de 800 GHz, pour catégorie C -  
Environnements contrôlés  
(CEI 61753-088-2:2013)

Lichtwellenleiter -  
Verbindungselemente und passive  
Bauteile - Betriebsverhalten -  
Teil 088-2: Nicht mit Steckverbindern  
versehene Einmoden LWL-LAN-WDM-  
Geräte mit Kanalweiten von 800 GHz für  
Kategorie C - Kontrollierte Umgebung  
(IEC 61753-088-2:2013)

This European Standard was approved by CENELEC on 2013-04-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## **Foreword**

The text of document 86B/3549/FDIS, future edition 1 of IEC 61753-088-2, prepared by SC 86B "Fibre optic interconnecting devices and passive components" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61753-088-2:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-01-22
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-04-22

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## **Endorsement notice**

The text of the International Standard IEC 61753-088-2:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61300-3-2	NOTE	Harmonised as EN 61300-3-2.
IEC 61753-021-2	NOTE	Harmonised as EN 61753-021-2.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60793-2-50	-	Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single-mode fibres	EN 60793-2-50	-
IEC 61300	Series	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures	EN 61300	Series
IEC 61300-2-1	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-1: Tests - Vibration (sinusoidal)	EN 61300-2-1	-
IEC 61300-2-4	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-4: Tests - Fibre/cable retention	EN 61300-2-4	-
IEC 61300-2-9	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-9: Tests - Shock	EN 61300-2-9	-
IEC 61300-2-17	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-17: Tests - Cold	EN 61300-2-17	-
IEC 61300-2-18	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-18: Tests - Dry heat - High temperature endurance	EN 61300-2-18	-
IEC 61300-2-19	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-19: Tests - Damp heat (steady state)	EN 61300-2-19	-
IEC 61300-2-22	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-22: Tests - Change of temperature	EN 61300-2-22	-
IEC 61300-2-42	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-42: Tests - Static side load for connectors	EN 61300-2-42	-

**I.S. EN 61753-088-2:2013**

EN 61753-088-2:2013

- 4 -

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61300-3-7	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-7: Examinations and measurements - Wavelength dependence of attenuation and return loss of single mode components	EN 61300-3-7	-
IEC 61300-3-20	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-20: Examinations and measurements - Directivity of fibre optic branching devices	EN 61300-3-20	-
IEC 61300-3-28	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-28: Examinations and measurements - Transient loss	EN 61300-3-28	-
IEC 61300-3-29	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-29: Examinations and measurements - Measurement techniques for characterising the amplitude of the spectral transfer function of DWDM components	EN 61300-3-29	-
IEC 61753-1	2007	Fibre optic interconnecting devices and passive components performance standard - Part 1: General and guidance for performance standards	EN 61753-1	2007
IEC 62074-1	-	Fibre optic interconnecting devices and passive components - Fibre optic WDM devices - Part 1: Generic specification	EN 62074-1	-
ITU-T Recommendation G.959.1	-	Optical transport network physical layer interfaces	-	-
IEEE P802.3ba	-	Carrier Sense Multiple Access with Collision - Detection (CSMA/CD) Access Method and Physical Layer Specifications	-	-

## CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references .....	6
3 Terms and definitions .....	7
4 Test conditions .....	8
5 Test report.....	8
6 Reference components.....	9
7 Performance requirements .....	9
7.1 Channel requirements .....	9
7.2 Dimensions .....	9
7.3 Test details and requirements .....	9
Annex A (normative) Sample size .....	15
Annex B (informative) Logarithmic transfer matrix for an integrated 1 × 4 LAN WDM device.....	16
Annex C (informative) Logarithmic transfer matrix for an individual 1 × 2 LAN WDM device.....	18
Annex D (informative) General information for applications of integrated 1 × 4 LAN WDM devices.....	22
Annex E (informative) General information for internal configurations of integrated 1 × 4 LAN WDM devices .....	23
Bibliography.....	25
 Figure 1 – Configuration of integrated 1 × 4 LAN WDM device .....	8
Figure 2 – Configuration of individual 1 × 2 LAN WDM device .....	8
Figure D.1 – Block diagram for 100GBASE-LR4 and 100GBASE-ER4 transmit/receive paths .....	22
Figure E.1 – Configuration example of serial-type integrated 1 × 4 LAN WDM device (DEMUX) .....	23
Figure E.2 – Configuration example of serial-type integrated 1 × 4 LAN WDM device (MUX) .....	23
Figure E.3 – Configuration example of tree-type integrated 1 × 4 LAN WDM device (MUX/DEMUX).....	24
 Table 1 – Channel requirements .....	9
Table 2 – Test details and requirements .....	10
Table A.1 – Number of samples for each test.....	15
Table B.1 – Logarithmic transfer matrix for channel 1: Frequency range of 231,584 – 231,216 THz ( $\approx$ 1 294,53 – 1 296,59 nm) .....	16
Table B.2 – Logarithmic transfer matrix for channel 2: Frequency range of 230,784 – 230,416 THz ( $\approx$ 1 299,02 – 1 301,09 nm) .....	16
Table B.3 – Logarithmic transfer matrix for channel 3: Frequency range of 229,984 – 229,616 THz ( $\approx$ 1 303,54 – 1 305,63 nm) .....	16
Table B.4 – Logarithmic transfer matrix for channel 4: Frequency range of 229,184 – 228,816 THz ( $\approx$ 1 308,09 – 1 310,19 nm) .....	17

Table C.1 – Logarithmic transfer matrix for channel 1: Frequency range of 231,584 – 231,216 THz ( $\approx 1\,294,53 - 1\,296,59$ nm) .....	18
Table C.2 – Logarithmic transfer matrix for channel 2: Frequency range of 230,784 – 230,416 THz ( $\approx 1\,299,02 - 1\,301,09$ nm) .....	18
Table C.3 – Logarithmic transfer matrix for channel 3: Frequency range of 229,984 – 229,616 THz ( $\approx 1\,303,54 - 1\,305,63$ nm) .....	18
Table C.4 – Logarithmic transfer matrix for channel 4: Frequency range of 229,184 – 228,816 THz ( $\approx 1\,308,09 - 1\,310,19$ nm) .....	18
Table C.5 – Logarithmic transfer matrix for channel 1: Frequency range of 231,584 – 231,216 THz ( $\approx 1\,294,53 - 1\,296,59$ nm) .....	19
Table C.6 – Logarithmic transfer matrix for channel 2: Frequency range of 230,784 – 230,416 THz ( $\approx 1\,299,02 - 1\,301,09$ nm) .....	19
Table C.7 – Logarithmic transfer matrix for channel 3: Frequency range of 229,984 – 229,616 THz ( $\approx 1\,303,54 - 1\,305,63$ nm) .....	19
Table C.8 – Logarithmic transfer matrix for channel 4: Frequency range of 229,184 – 228,816 THz ( $\approx 1\,308,09 - 1\,310,19$ nm) .....	19
Table C.9 – Logarithmic transfer matrix for channel 1: Frequency range of 231,584 – 231,216 THz ( $\approx 1\,294,53 - 1\,296,59$ nm) .....	19
Table C.10 – Logarithmic transfer matrix for channel 2: Frequency range of 230,784 – 230,416 THz ( $\approx 1\,299,02 - 1\,301,09$ nm) .....	20
Table C.11 – Logarithmic transfer matrix for channel 3: Frequency range of 229,984 – 229,616 THz ( $\approx 1\,303,54 - 1\,305,63$ nm) .....	20
Table C.12 – Logarithmic transfer matrix for channel 4: Frequency range of 229,184 – 228,816 THz ( $\approx 1\,308,09 - 1\,310,19$ nm) .....	20
Table C.13 – Logarithmic transfer matrix for channel 1: Frequency range of 231,584 – 231,216 THz ( $\approx 1\,294,53 - 1\,296,59$ nm) .....	20
Table C.14 – Logarithmic transfer matrix for channel 2: Frequency range of 230,784 – 230,416 THz ( $\approx 1\,299,02 - 1\,301,09$ nm) .....	20
Table C.15 – Logarithmic transfer matrix for channel 3: Frequency range of 229,984 – 229,616 THz ( $\approx 1\,303,54 - 1\,305,63$ nm) .....	21
Table C.16 – Logarithmic transfer matrix for channel 4: Frequency range of 229,184 – 228,816 THz ( $\approx 1\,308,09 - 1\,310,19$ nm) .....	21



## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – PERFORMANCE STANDARD –**

#### **Part 088-2: Non-connectorized single-mode fibre optic LAN WDM devices with channel spacing of 800 GHz for category C – Controlled environments**

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61753-088-2 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components of IEC technical committee 86: Fibre optics.

This first edition of IEC 61753-088-2 cancels and replaces IEC/PAS 61753-088-2 published in 2010.

The text of this standard is based on the following documents:

FDIS	Report on voting
86B/3549/FDIS	86B/3591/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61753 series, published under the general title, *Fibre optic interconnecting devices and passive components performance standard*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## **FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – PERFORMANCE STANDARD –**

### **Part 088-2: Non-connectorized single-mode fibre optic LAN WDM devices with channel spacing of 800 GHz for category C – Controlled environments**

#### **1 Scope**

This part of IEC 61753 contains the minimum initial test and measurement requirements and severities which a non-connectorized single-mode fibre optic Local Area Network Wavelength Division Multiplexing (LAN WDM) device with channel spacing of 800 GHz needs to satisfy in order to be categorized as meeting the requirements of Category C – Controlled environments, as defined in Annex A of IEC 61753-1:2007. The applications of LAN WDM devices are optical MUX and DEMUX for 100GBASE-LR4 (required operating range of 2 m to 10 km) and 100GBASE-ER4 (required operating range of 2 m to 30 km) defined in IEEE P802.3ba, as shown in Annex D. The requirements cover both an integrated  $1 \times 4$  LAN WDM device and an individual  $1 \times 2$  LAN WDM device for cascaded module construction.

#### **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2-50, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*<sup>1</sup>

IEC 61300 (all parts), *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures*

IEC 61300-2-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-1: Tests – Vibration (sinusoidal)*

IEC 61300-2-4, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-4: Tests – Fibre/cable retention*

IEC 61300-2-9, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-9: Tests – Shock*

IEC 61300-2-17, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-17: Tests – Cold*

IEC 61300-2-18, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-18: Tests – Dry heat – High temperature endurance*

IEC 61300-2-19, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-19: Tests – Damp heat (steady state)*

---

<sup>1</sup> A fourth edition is due to be published shortly.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-