

Irish Standard I.S. EN 62697-1:2012

Test methods for quantitative determination of corrosive sulfur compounds in unused and used insulating liquids -- Part 1: Test method for quantitative determination of dibenzyldisulfide (DBDS) (IEC 62697 -1:2012 (EQV))

Incorporating amendments/corrigenda issued since publication:

# The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based or</i> EN 62697-1:2012	<i>ר: Publisi</i> 2 Nove	<i>Published:</i> 2 November, 2012	
This document was published under the authority of the NSAI and comes into effect on: ICS number: 29.040   14 November, 2012				
NSAI T +353 1 807 3800 Sales:   1 Swift Square, F +353 1 807 3838 T +353 1 857 6730   Northwood, Santry E standards@nsai.ie F +353 1 857 6729   Dublin 9 W NSAI.ie W standards.ie				
Údarás um Chaighdeáin Náisiúnta na hÉireann				

# EUROPEAN STANDARD NORME FUROPÉENNE

# EN 62697-1

# **EUROPÄISCHE NORM**

November 2012

ICS 29.040

English version

## Test methods for quantitative determination of corrosive sulfur compounds in unused and used insulating liquids -Part 1: Test method for quantitative determination of dibenzyldisulfide (DBDS)

(IEC 62697-1:2012)

Méthodes d'essai pour la détermination quantitative des composés de soufre corrosif dans les liquides isolants usagés et neufs -Partie 1: Méthode d'essai pour la détermination quantitative du disulfure de dibenzyle (DBDS) (CEI 62697-1:2012)

Prüfverfahren zur guantitativen Bestimmung von Verbindungen korrosiven Schwefels in neuen und gebrauchten Isolierflüssigkeiten -Teil 1: Prüfverfahren zur guantitativen Bestimmung von Dibenzyldisulfid (DBDS) (IEC 62697-1:2012)

This European Standard was approved by CENELEC on 2012-09-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

# **CENELEC**

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2012 CENELEC -All rights of exploitation in any form and by any means reserved worldwide for CENELEC members. EN 62697-1:2012

I.S. EN 62697-1:2012 - 2 -

#### Foreword

The text of document 10/887/FDIS, future edition 1 of IEC 62697-1, prepared by IEC/TC 10 "Fluids for electrotechnical applications" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62697-1:2012.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2013-06-28
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2015-09-28

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

#### **Endorsement notice**

The text of the International Standard IEC 62697-1:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60296	NOTE	Harmonised as EN 60296.
IEC 60422	NOTE	Harmonised as EN 60422.
IEC 60567	NOTE	Harmonised as EN 60567.

I.S. EN 62697-1:2012 - 3 -

### Annex ZA (normative)

# Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	<u>Year</u>	Title	<u>EN/HD</u>	<u>Year</u>
IEC 60475	-	Method of sampling insulating liquids	EN 60475	-
IEC 62535	2008	Insulating liquids - Test method for detection of potentially corrosive sulphur in used and unused insulating oil	EN 62535	2009

This page is intentionally left BLANK.

#### 62697-1 © IEC:2012

### CONTENTS

- 2 -

FO	REWC	RD		5	
INT	RODU	JCTION		7	
1	Scope				
2	Normative references				
3	Terms, definitions and abbreviations				
	3.1	Terms	and definitions	9	
	3.2	Abbrev	iations	13	
4	Samp	oling		13	
5	Proce	edure		13	
	5.1	Princip	le	13	
	5.2	Signific	ance and use	13	
	5.3	Interfer	ences	14	
		5.3.1	Co-eluting compounds	14	
		5.3.2	Electron capture detector (ECD)	14	
		5.3.3	Atomic emission detector (AED)	14	
		5.3.4	Mass spectrometer (MS).	14	
		5.3.5	MS/MS	14	
		5.3.6	Interference from the matrix	14	
	5.4	Appara	tus	15	
		5.4.1	Balance	15	
		5.4.2	Gas chromatography system	15	
		5.4.3	Data system	16	
	5.5	Reager	nts and materials	16	
		5.5.1	Purity of reagents	16	
		5.5.2	Gases	16	
		5.5.3	Solvents	16	
	5.6	Standa	rd materials	16	
		5.6.1	Dibenzyl disulfide (DBDS)	16	
		5.6.2	Diphenyl disulfide (DPDS)	16	
		5.6.3	Blank oil	16	
	5.7	Standa	rd solutions	17	
		5.7.1	Stock solution	17	
		5.7.2	Internal standard (IS) solution	17	
6	Instru	iment se	et-up	17	
	6.1	Gas ch	romatograph	17	
		6.1.1	General	17	
		6.1.2	Carrier gas	17	
		6.1.3	Injector	17	
		6.1.4	Separation parameters	17	
		6.1.5	ECD detection	18	
		6.1.6	AED detection	18	
		6.1.7	MS detection	18	
	0.0	6.1.8	MS/MS detection	18	
	6.2	Calibra	tion	19	
		0.2.1		19	
		0.2.2	Calibration procedure	19	

62697-1 © IEC:2012

		6.2.3	Response factor determination (ECD and AED)	. 19
		6.2.4	Response factor determination (MS)	. 19
		6.2.5	Response factor determination (MS/MS)	. 20
	6.3	Analysi	S	. 20
		6.3.1	Sample pre-treatment	20
		0.3.Z	Chromatographic run	20
		0.3.3 6.3.4	Peak integration	20
	6.4	Calcula	tions	.21
	-	6.4.1	ECD and AED	.21
		6.4.2	Mass spectrometer (MS)	.21
		6.4.3	MS/MS	.21
	6.5	Results		.21
7	Precis	sion dat	a	.21
	7.1	Detecti	on limit	.21
	7.2	Repeat	ability	. 22
_	7.3	Reprod	ucibility	. 22
8	Repo	rt		.22
Anr	nex A (	informa	tive) Figures with typical chromatograms and results	.23
Anr	nex B (	informa	tive) Operating parameters for other suitable detectors	. 30
Bib	liograp	ohy		. 31
Fig min	ure A. <sup>-</sup> eral oi	1 – GC- il	ECD chromatogram of 2 mg kg <sup><math>-1</math></sup> DBDS and DPDS (IS) in white	. 23
Fig min	ure A.2 eral oi	2 – GC- il	ECD chromatogram of 200 mg kg <sup><math>-1</math></sup> DBDS and DPDS (IS) in white	. 24
Fig DBI	ure A.: DS coi	3 – GC- ntamina	ECD chromatogram of commercial mineral insulating oil with a known tion	. 24
Fig kno	ure A.4 wn DE	4 – GC- 3DS con	ECD chromatogram of commercial mineral insulating oil with no tamination	. 25
Fig DBI	ure A. DS con	5 – GC-l ntamina	ECD chromatogram of commercial mineral insulating oil with known tion fortified with acommercial polychlorinated biphenyls (PCBs)	25
Fig	ure A.	6 – Cart	oon and sulfur (C-S) oil finger prints of a commercial mineral known DBDS contamination obtained with GC-AED	26
Fig	ure A.: DS cou	7 – C-S	oil fingerprints of a commercial mineral insulating oil with no known tion obtained with GC-AED	26
Fig	ure A.8	8 – C-S ntamina	oil fingerprints of a commercial mineral insulating oil with known tion obtained with GC-AED	.27
Fig DBI 4 m	ure A.9 DS mo	9 – Extra Iecular 1	acted ion chromatograms of DPDS (IS) molecular ion m/z 218 and ion m/z 246 in white mineral fortified with DBDS, concentration	.27
Fig DBI con	ure A. DS mo tamina	10 – Ext lecular ation	racted ion chromatograms DPDS (IS) molecular ion m/z 218 and ion m/z 246 in commercial mineral insulating oil with known DBDS	. 28
Fig mol whi	ure A. <sup>.</sup> ecular te min	11 – Ext <sup>.</sup> ion m/z eral fort	racted ion chromatograms m/z 109 derived from CID of DPDS (IS) z 218 and m/z 91 derived from CID of DBDS molecular ion m/z 246 in ified with DBDS (4 mg/kg)	.28

- 4 -

Figure A.12 – Extracted ion chromatograms m/z 109 derived from CID of DPDS (IS)	
molecular ion m/z 218 and m/z 91 derived from CID of DBDS molecular ion m/z 246 in	
a commercial mineral oil with known DBDS contamination	29

Table 1 – Column oven temperature programming parameters	. 18
Table 2 – Mass spectrometer parameters	. 18
Table 3 – Repeatability limit	. 22
Table 4 – Reproducibility limit	. 22

62697-1 © IEC:2012

- 5 -

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### TEST METHODS FOR QUANTITATIVE DETERMINATION OF CORROSIVE SULFUR COMPOUNDS IN UNUSED AND USED INSULATING LIQUIDS –

# Part 1: Test method for quantitative determination of dibenzyldisulfide (DBDS)

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62697-1 has been prepared by IEC technical committee 10: Fluids for electrotechnical applications.

The text of this standard is based on the following documents:

FDIS	Report on voting
10/887/FDIS	10/891/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

- 6 -

62697-1 © IEC:2012

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

62697-1 © IEC:2012

- 7 -

#### INTRODUCTION

Sulfur can be present in insulating liquids in various forms, including elemental sulfur, inorganic sulfur compounds and organic sulfur compounds. The number of diverse sulfur species comprised of different isomers and homologous can run into hundreds. The total sulfur(TS) concentration in insulating liquids depends on the origin of the liquid, refining processes and the degree of refining and formulation including addition of additives to the base oils. Base oils include mineral based paraffinic and naphthenic oils, synthetic isoparaffins obtained through gas to liquid conversion process (GTL-Fischer-Tropsch), esters, poly alpha olefins, poly alkylene glycols, etc. Additives can be comprised of electrostatic discharge depressants, metal deactivators, metal passivators, phenolic and sulfur containing antioxidants such as the polysulfides, disulfides, dibenzyl disulfide (DBDS), etc.

Certain sulfur compounds present in the insulating liquids exhibit antioxidant and metal deactivating properties without being corrosive, whereas other sulfur compounds have been known to react with metal surfaces. Specifically, sulfur compounds such as mercaptans are very corrosive to metallic components of electrical devices. Presence of these corrosive sulfur species has been linked to failures of electrical equipment used in generation, transmission and distribution of electrical energy for several decades. Therefore, the IEC standard for mineral insulating oils states that corrosive sulfur compounds shall not be present in unused and used insulating liquids (see IEC 60296) [5]<sup>1</sup>.

Recently, the serious detrimental impact of corrosive sulfur has been linked to the presence of a specific highly corrosive sulfur compound, DBDS. This compound has been found in certain mineral insulating oils [1, 14, 15, 16]; presence of this compound has been shown to result in copper sulfide formation on the surfaces of copper conductors under normal operating conditions of transformers [2].

Current standard test methods for detection of corrosive sulfur (ASTM D1275, methods A and B, and DIN 51353) and potentially corrosive sulfur in used and unused insulating oil (IEC 62535) are empirical and qualitative. These methods rely on visual and subjective perception of colour profiles. The methods do not yield quantitative results in regard to the concentration of DBDS or other corrosive sulfur compounds present in insulating liquids.

Furthermore, methods for corrosive sulfur and potentially corrosive sulfur in insulating liquids (ASTM D1275, method B and IEC 62535) are applicable only to mineral insulating oils that do not contain a metal passivator additive, the methods otherwise can yield negative results even when corrosive sulfur compounds are present in the insulating liquids – thus providing a false negative test result. On the other hand, the test method when used with aged insulating oils (e.g. those with relative high acidity), may give ambiguous results and lead to a false positive test result. Further analysis of insulating liquids is stipulated, e.g. IEC 62535 specifies that if there are any doubts in the interpretation of the results of inspection of paper, the composition of precipitate should be analyzed by other methods (for example by SEM-EDX).

For this reason, IEC TC 10 WG 37 was set up to prepare test methods for the unambiguous quantitative determination of corrosive sulfur compounds in unused and used insulating liquids. Because of the complexity of such determinations, the test methods are divided into three parts:

Part 1 – Test method for quantitative determination of dibenzyldisulfide (DBDS).

Part 2 – Test methods for quantitative determination of total corrosive sulfur (TCS).

Part 3 – Test methods for quantitative determination of total mercaptans and disulfides (TMD) and other targeted corrosive sulfur species.

<sup>&</sup>lt;sup>1</sup> Figures in square brackets refer to the bibliography.

#### Health and safety

This part of IEC 62697 does not purport to address all the safety problems associated with its use. It is the responsibility of the user of the standard to establish appropriate health and safety practices and determine the applicability of regulatory limitations prior to use.

The insulating liquids which are the subject of this standard should be handled with due regard to personal hygiene. Direct contact with eyes may cause slight irritation. In the case of eye contact, irrigation with copious quantities of clean running water should be carried out and medical advice sought.

Some of the tests specified in this standard involve the use of processes that could lead to a hazardous situation. Attention is drawn to the relevant standard for guidance.

#### Environment

This standard involves mineral insulating oils, natural ester insulating liquids, chemicals and used sample containers. The disposal of these items should be carried out in accordance with current national legislation with regard to the impact on the environment. Every precaution should be taken to prevent the release of chemicals used during the test into the environment.



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation