

Irish Standard I.S. EN 60512-9-3:2011

Connectors for electronic equipment -Tests and measurements -- Part 9-3: Endurance tests - Test 9c: Mechanical operation (engaging/separating) with electrical load (IEC 60512-9-3:2011 (EQV))

 $\ensuremath{\mathbb{C}}$ NSAI 2011 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

| <i>This document replaces:</i> EN 60512-9-3:2006 | <i>This document is based o</i> EN 60512-9-3:2011 EN 60512-9-3:2006 | 29 July | <i>Published:</i> 29 July, 2011 23 March, 2006 | |
|--|---|---------|--|--|
| This document was published under the authority of the NSAI and comes into effect on:ICS number: 31.220.1010 August, 2011 | | | | |
| NSAI T +353 1 807 3800 Sales: 1 Swift Square, F +353 1 807 3838 T +353 1 857 6730 Northwood, Santry E standards@nsai.ie F +353 1 857 6729 Dublin 9 W NSAI.ie W standards.ie | | | | |
| Údarás um Chaighdeáin Náisiúnta na hÉireann | | | | |

EUROPEAN STANDARD

EN 60512-9-3

NORME EUROPÉENNE EUROPÄISCHE NORM

July 2011

Supersedes EN 60512-9-3:2006 + corr. Dec.2006

ICS 31.220.01

English version

Connectors for electronic equipment -Tests and measurements -Part 9-3: Endurance tests -Test 9c: Mechanical operation (engaging/separating) with electrical load

(IEC 60512-9-3:2011)

| Connecteurs pour équipements |
|--|
| électroniques - |
| Essais et mesures - |
| Partie 9-3: Essais d'endurance - |
| Essai 9c: Fonctionnement mécanique |
| (d'accouplement et de désaccouplement) |
| avec charge électrique |
| (CEI 60512-9-3:2011) |

Steckverbinder für elektronische Einrichtungen – Mess- und Prüfverfahren -Teil 9-3: Dauerprüfungen -Prüfung 9c: Mechanische Lebensdauer (Stecken und Ziehen) mit elektrischer Belastung (IEC 60512-9-3:2011)

This European Standard was approved by CENELEC on 2011-07-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2011 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

EN 60512-9-3:2011

- 2 -

Foreword

The text of document (48B/2238/FDIS), future edition 2 of IEC 60512-9-3, prepared by SC 48B, Connectors, of IEC TC 48, Electromechanical components and mechanical structures for electronic equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60512-9-3 on 2011-07-27.

This European Standard supersedes EN 60512-9-3:2006 + corr. Dec.2006.

The main technical changes with regard to EN 60512-9-3:2006 + corr. Dec.2006 are as follows:

- An additional requirement to 4.1 stating that if more than one electrical circuit is wired for testing, the wiring shall be carried out in a parallel electrical circuit.
- Subclauses 4.3 through 4.7 were removed and replaced by 4.2 through 4.4.

This standard is to be read in conjunction with EN 60512-1 and EN 60512-1-100, which explains the structure of the EN 60512 series.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

| at r | est date by which the EN has to be implemented national level by publication of an identical tional standard or by endorsement | (dop) | 2012-04-27 |
|------|--|-------|------------|
| | est date by which the national standards conflicting h the EN have to be withdrawn | (dow) | 2014-07-27 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60512-9-3:2011 was approved by CENELEC as a European Standard without any modification.

- 3 -

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| Publication | Year | Title | EN/HD | Year |
|-----------------|------|---|----------------|------|
| IEC 60068-1 | - | Environmental testing - Part 1: General and guidance | EN 60068-1 | - |
| IEC 60068-2-13 | - | Environmental testing - Part 2: Tests - Test M: Low air pressure | EN 60068-2-13 | - |
| IEC 60512-1 | - | Connectors for electronic equipment - Tests and measurements - Part 1: General | EN 60512-1 | - |
| IEC 60512-1-1 | - | Connectors for electronic equipment - Tests and measurements - Part 1-1: General examination - Test 1a: Visual examination | EN 60512-1-1 | - |
| IEC 60512-1-100 | - | Connectors for electronic equipment - Tests and measurements - Part 1-100: General - Applicable publications | EN 60512-1-100 | - |
| IEC 60512-2-1 | - | Connectors for electronic equipment - Tests and measurements - Part 2-1: Electrical continuity and contact resistance tests - Test 2a: Contact resistance - Millivolt level method | EN 60512-2-1 | - |
| IEC 60512-2-2 | - | Connectors for electronic equipment - Tests and measurements - Part 2-2: Electrical continuity and contact resistance tests - Test 2b: Contact resistance - Specified test current method | EN 60512-2-2 | - |
| IEC 60512-3-1 | - | Connectors for electronic equipment - Tests and measurements - Part 3-1: Insulation tests - Test 3a: Insulation resistance | EN 60512-3-1 | - |
| IEC 60512-4-1 | - | Connectors for electronic equipment - Tests and measurements - Part 4-1: Voltage stress tests - Test 4a: Voltage proof | EN 60512-4-1 | - |

This page is intentionally left BLANK.

– 2 –

CONTENTS

| FO | REWC | RD | | .3 | |
|---|-------------------------------------|---------|--|----|--|
| 1 | Scope and object5 | | | | |
| 2 | Normative references | | | | |
| 3 | Preparation6 | | | | |
| | 3.1 | Prepar | ation of specimen | .6 | |
| | 3.2 Mounting | | | | |
| 4 | | | | | |
| | 4.1 General | | | | |
| | 4.2 Electrical load | | | | |
| | 4.3 Mechanical operation | | | | |
| | 4.4 Environmental test conditions | | | | |
| | 4.5 Measurements7 | | | | |
| | 4.5.1 Initial measurements7 | | | | |
| | 4.5.2 Measurements during the test7 | | | | |
| | 4.5.3 Final measurements 7 | | | | |
| 5 | 5 Details to be specified7 | | | | |
| Annex A (informative) Typical circuit diagram | | | | | |
| | | | | | |
| Fig | ure A. | 1 – Exa | mple of circuit(s) – (diagrammatic) | .9 | |
| Fig | ure A. | 2 – Exa | mple of circuit(s) – (circuit diagram) | .9 | |

60512-9-3 © IEC:2011

- 3 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRONIC EQUIPMENT – TESTS AND MEASUREMENTS –

Part 9-3: Endurance tests – Test 9c: Mechanical operation (engaging and separating) with electrical load

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60512-9-3 has been prepared by subcommittee 48B: Connectors, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

This second edition cancels and replaces the first edition, published in 2006, and constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

- An additional requirement to 4.1 stating that if more than one electrical circuit is wired for testing, the wiring shall be carried out in a parallel electrical circuit.
- Subclauses 4.3 through 4.7 were removed and replaced by 4.2 through 4.4.

60512-9-3 © IEC:2011

This standard is to be read in conjunction with IEC 60512-1 and IEC 60512-1-100, which explains the structure of the IEC 60512 series.

- 4 -

The text of this standard is based on the following documents:

| FDIS | Report on voting |
|---------------|------------------|
| 48B/2238/FDIS | 48B/2244/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60512 series, under the general title *Connectors for electronic equipment – Tests and measurements*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation