



NSAI
Standards

Standard Recommendation
S.R CLC/TR 62453-61:2009

Field device tool interface (FDT)
specification -- Part 61: Device type
manager (DTM) - Styleguide for
common object model (IEC/TR 62453
-61:2009 (EQV))

S.R CLC/TR 62453-61:2009

Incorporating amendments/corrigenda issued since publication:

<i>This document replaces:</i>	<i>This document is based on:</i> CLC/TR 62453-61:2009	<i>Published:</i> 13 November, 2009
This document was published under the authority of the NSAI and comes into effect on: 19 January, 2010		ICS number: 25.040.40 35.100.05 35.110
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

TECHNICAL REPORT
RAPPORT TECHNIQUE
TECHNISCHER BERICHT

CLC/TR 62453-61

November 2009

ICS 25.040.40; 35.100.05; 35.110

English version

**Field device tool interface (FDT) specification -
Part 61: Device type manager (DTM) -
Styleguide for common object model
(IEC/TR 62453-61:2009)**

Spécification des interfaces des outils
des dispositifs de terrain (FDT) -
Partie 61: Gestionnaire type
de dispositifs (DMT) -
Guide stylistique
pour le modèle objet commun
(CEI/TR 62453-61:2009)

Field Device Tool (FDT)-
Schnittstellenspezifikation -
Teil 61: Device Type Manager (DTM) -
Leitfaden zur Gestaltung
von Bedienoberflächen
(IEC/TR 62453-61:2009)

This Technical Report was approved by CENELEC on 2009-10-01.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: Avenue Marnix 17, B - 1000 Brussels

S.R. CLC/TR 62453-61:2009

CLC/TR 62453-61:2009

- 2 -

Foreword

The text of document 65E/72/CDV, future edition 1 of IEC/TR 62453-61, prepared by SC 65E, Devices and integration in enterprise systems, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as CLC/TR 62453-61 on 2009-10-01.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the Technical Report IEC/TR 62453-61:2009 was approved by CENELEC as a Technical Report without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62453-1	2009	Field device tool (FDT) interface specification - Part 1: Overview and guidance	EN 62453-1	2009
IEC 62453-2	2009	Field device tool (FDT) interface specification - Part 2: Concepts and detailed description	EN 62453-2	2009
IEC/TR 62453-41	2009	Field device tool (FDT) interface specification - Part 41: Object model integration profile - Common object model	CLC/TR 62453-41	2009
ISO/IEC 19501	2005	Information technology - Open Distributed Processing - Unified Modeling Language (UML)	-	-

This page is intentionally left BLANK.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions, symbols, abbreviated terms and conventions	7
3.1 Terms and definitions	7
3.2 Symbols and abbreviated terms.....	7
3.3 Conventions	8
3.3.1 Data type names and references to data types	8
3.3.2 Vocabulary for requirements	8
3.3.3 Specific formatting.....	8
3.3.4 State machine diagrams	8
4 Principles for designing DTM user interfaces	8
5 Benefits from the FDT user's point of view.....	9
6 Functions of a DTM	11
6.1 General.....	11
6.2 Function "Main operation".....	11
6.3 Functions "Online Parameterize" and "Offline Parameterize"	12
7 DTM user interface.....	12
7.1 Objective	12
7.2 General behavior.....	12
7.2.1 General	12
7.2.2 GUI navigation.....	12
7.2.3 GUI resizeability	12
7.2.4 Display of information	12
7.3 Microsoft Active Accessibility.....	13
7.4 Appearance.....	13
7.4.1 General	13
7.4.2 DTM user interface categories	14
7.4.3 DTM user interface areas	15
7.5 Parameter handling	20
7.5.1 Representation within Application Area.....	20
7.5.2 Change of parameter values.....	20
7.5.3 Representation of parameters.....	22
8 Representation of DTM functions.....	24
9 DTM behavior.....	27
9.1 Close of user interface with modified parameter values	27
9.2 Data set	27
9.2.1 Parameter in multiple user interfaces.....	27
9.2.2 Locking mechanism	27
9.3 Online parameterization / data source: device	28
9.4 Offline parameterization / data source: data set.....	28
9.5 Error handling	29
9.6 Communication	29
9.7 Access rights.....	30
9.7.1 FDT actors and parameter classes	30

9.7.2 OEM login	30
9.8 Localization	30
9.9 Documentation	30
9.10 Installation and un-installation	31
Bibliography.....	33
Figure 1 – Part 61 of the IEC 62453 series	6
Figure 2 – Standard User Interface (SUI).....	10
Figure 3 – Advanced User Interface (AUI).....	11
Figure 4 – Areas of an SUI.....	14
Figure 5 – Areas of an AUI.....	15
Figure 6 – State diagram: Continuous Check	21
Figure 7 – State diagram: One Time Check.....	22
Figure 8 – Parameter value and associated information	22
Table 1 – Contents of Identification Area	16
Table 2 – Contents of Action Area	17
Table 3 – Contents of Status Bar	18
Table 4 – Possible connection states	18
Table 5 – Possible data source states.....	19
Table 6 – Possible states of the instance data set.....	19
Table 7 – Possible device diagnostic states (see [1])	19
Table 8 – Possible states of parameters	23
Table 9 – Display of inadmissible or wrong data	24
Table 10 – Representation of functions	25
Table 11 – Relation between user roles and parameter classes	30
Table 12 – Installation and un-installation	31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

**Part 61: Device Type Manager (DTM) Styleguide
for common object model**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC/TR 62453-61, which is a technical report, has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation:

This part, in conjunction with the other parts of the first edition of the IEC 62453 series cancels and replaces IEC/PAS 62453-1, IEC/PAS 62453-2, IEC/PAS 62453-3, IEC/PAS 62453-4 and IEC/PAS 62453-5 published in 2006, and constitutes a technical revision.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
65E/72/DTR	65E/121/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of the IEC 62453 series, under the general title *Field Device Tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

This technical report is a user interface design specification for developers of FDT (Field Device Tool) components for Function Control and Data Access within a Client/Server architecture. The technical report is a result of an analysis and design process to develop standard interfaces to facilitate the development of components by multiple vendors that shall interoperate seamlessly.

A device-specific software component, called DTM (Device Type Manager), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kinds of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

To ensure the consistent management of a plant-wide control and automation technology, it is necessary to fully integrate fieldbuses, devices and sub-systems as a seamless part of a wide range of automation tasks covering the whole automation life-cycle. This integration also requires a consistent look and feel of device specific components.

Figure 1 shows how IEC/TR 62453-61 is aligned in the structure of the IEC 62453 series.




Figure 1 – Part 61 of the IEC 62453 series

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

Part 61: Device Type Manager (DTM) Styleguide for common object model

1 Scope

IEC/TR 62453-61, which is a technical report, explains the guidelines and rules for the implementation of a Device Type Manager (DTM) with regard to the user interface and its functions. These guidelines and rules are part of the FDT specification and are intended to ensure that all users are provided with clear and consistent user interface functions and features across DTM devices in a system.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62453-1:2009, *Field Device Tool (FDT) interface specification – Part 1: Overview and guidance*

IEC 62453-2:2009, *Field Device Tool (FDT) interface specification – Part 2: Concepts and detailed description*

IEC/TR 62453-41:2009, *Field Device Tool (FDT) interface specification – Part 41: Object model integration profile – Common object model*

ISO/IEC 19501:2005, *Information technology – Open Distributed Processing – Unified Modeling Language (UML) Version 1.4.2*

3 Terms, definitions, symbols, abbreviated terms and conventions

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62453-1, IEC 62453-2, IEC/TR 62453-41 and the following apply.

3.1.1

screen reader

software application that provides additional output to users (e.g. text-to-sound, braille)

3.1.2

navigation tree

GUI element, which displays the navigation information by means of a tree (e.g. tree control)

3.2 Symbols and abbreviated terms

For the purposes of this document, the symbols and abbreviations given in IEC 62453-1, IEC 62453-2, IEC/TR 62453-41 and the following apply.

GUI

Graphical User Interface

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-