

Irish Standard I.S. EN ISO 25178-604:2013

Geometrical product specifications (GPS) -Surface texture: Areal - Part 604: Nominal characteristics of non-contact (coherence scanning interferometry) instruments (ISO 25178-604:2013)

© CEN 2013

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/	corrigenda/National Annex	es issued since public	cation:	
The National Standards Authori	ty of Ireland (NSAI) produc	es the following sate	gories of formal	
documents:	ty of freiand (NSAI) produc	es the following cate	gories or rormar	
I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.				
S.R. xxx: Standard Recommend and subject to public cons	nendation - recommendati ultation.	on based on the cons	ensus of an expert	
SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.				
This document replaces:				
This document is based on: EN ISO 25178-604:2013	<i>Published:</i> 14 August, 2013			
This document was publish under the authority of the N and comes into effect on: 14 August, 2013			ICS number: 17.040.20	
<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie		
Údarás um Chaighdeáin Náisiúnta na hÉireann				

# **EUROPEAN STANDARD**

# **EN ISO 25178-604**

# NORME EUROPÉENNE EUROPÄISCHE NORM

August 2013

ICS 17.040.20

#### **English Version**

Geometrical product specifications (GPS) - Surface texture: Areal - Part 604: Nominal characteristics of non-contact (coherence scanning interferometry) instruments (ISO 25178-604:2013)

Spécification géométrique des produits (GPS) - État de surface: Surfacique - Partie 604: Caractéristiques nominales des instruments sans contact (à interférométrie par balayage à cohérence) (ISO 25178-604:2013) Geometrische Produktspezifikation (GPS) -Oberflächenbeschaffenheit: Flächenhaft - Teil 604: Merkmale von berührungslos messenden Geräten (der Kohärenz-Scannungs-Interferometrie) (ISO 25178-604:2013)

This European Standard was approved by CEN on 15 May 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

# EN ISO 25178-604:2013 (E)

Contents	Page
Foreword	3

EN ISO 25178-604:2013 (E)

#### **Foreword**

This document (EN ISO 25178-604:2013) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2014, and conflicting national standards shall be withdrawn at the latest by February 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 25178-604:2013 has been approved by CEN as EN ISO 25178-604:2013 without any modification.

This is a free page sample. Access the full version online.

## I.S. EN ISO 25178-604:2013

This page is intentionally left BLANK.

This is a free page sample. Access the full version online.

# I.S. EN ISO 25178-604:2013 INTERNATIONAL STANDARD

ISO 25178-604

First edition 2013-08-01

# Geometrical product specifications (GPS) — Surface texture: Areal —

Part 604:

Nominal characteristics of noncontact (coherence scanning interferometry) instruments

Spécification géométrique des produits (GPS) — État de surface: Surfacique —

Partie 604: Caractéristiques nominales des instruments sans contact (à interférométrie par balayage à cohérence)



ISO 25178-604:2013(E)



## COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

# ISO 25178-604:2013(E)

Con	tents	Page
Forev	vord	iv
Intro	duction	<b>v</b>
1	Scope	1
2	Terms and definitions	1
	2.1 Terms and definitions related to all areal surface texture measurement methods	1
	2.2 Terms and definitions related to <b>x</b> - and <b>y</b> -scanning systems	6
	2.3 Terms and definitions related to optical systems	8
	2.4 Terms and definitions related to optical properties of the workpiece	
	2.5 Terms and definitions specific to coherence scanning interferometric microscopy	10
3	Descriptions of the influence quantities	14
	3.1 General	14
	3.2 Influence quantities	14
Anne	x A (informative) Overview and components of a coherence scanning interferometry	
	(CSI) microscope	17
Anne	x B (informative) Coherence scanning interferometry (CSI) theory of operation	22
Anne	x C (informative) Spatial resolution	31
Anne	x D (informative) Example procedure for estimating surface topography repeatability	36
Anne	x E (informative) Relation to the GPS matrix model	37
Biblio	ngranhy	39

## ISO 25178-604:2013(E)

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 213, *Dimensional and geometrical product specifications and verification.* The document was prepared in collaboration with Technical Committee CEN/TC 290, *Dimensional and geometrical product specifications and verification.* 

ISO 25178 consists of the following parts, under the general title *Geometrical product specifications* (GPS) — Surface texture: Areal:

- Part 1: Indication of surface texture
- Part 2: Terms, definitions and surface texture parameters
- Part 3: Specification operators
- Part 6: Classification of methods for measuring surface texture
- Part 70: Physical measurement standards
- Part 71: Software measurement standards
- Part 601: Nominal characteristics of contact (stylus) instruments
- Part 602: Nominal characteristics of non-contact (confocal chromatic probe) instruments
- Part 603: Nominal characteristics of non-contact (phase shifting interferometric microscopy) instruments
- Part 604: Nominal characteristics of non-contact (coherence scanning interferometry) instruments
- Part 605: Nominal characteristics of non-contact (point autofocus probe) instruments
- Part 606: Nominal characteristics of non-contact (focus variation) instruments
- Part 701: Calibration and measurement standards for contact (stylus) instruments

The following part is under preparation:

Part 72: XML file format x3p

ISO 25178-604:2013(E)

# Introduction

This part of ISO 25178 is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO/TR 14638). It influences chain link 5 of the chains of standards on roughness profile, waviness profile, primary profile and areal surface texture.

The ISO/GPS Masterplan given in ISO/TR 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For more detailed information on the relation of this part of ISO 25178 to other standards and to the GPS matrix model, see <u>Annex E</u>.

This part of ISO 25178 describes the metrological characteristics of coherence scanning interferometric microscopes, designed for the measurement of surface topography maps. For more detailed information on the coherence scanning technique, see Annex A and Annex B.

NOTE Portions of this document, particularly the informative texts, may describe patented systems and methods. This information is provided only to assist users in understanding the operating principles of coherence scanning interferometry. This document is not intended to establish priority for any intellectual property, nor does it imply a license to any proprietary technologies that may be described herein.

This is a free page sample. Access the full version online.

# I.S. EN ISO 25178-604:2013

# Geometrical product specifications (GPS) — Surface texture: Areal —

# Part 604:

# Nominal characteristics of non-contact (coherence scanning interferometry) instruments

## 1 Scope

This part of ISO 25178 specifies the metrological characteristics of coherence scanning interferometry (CSI) systems for 3D mapping of surface height.

#### 2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 2.1 Terms and definitions related to all areal surface texture measurement methods

#### 2.1.1

#### areal reference

component of the instrument that generates a reference surface with respect to which the surface topography is measured

#### 2.1.2

#### coordinate system of the instrument

right hand orthonormal system of axes (x, y, z) defined as:

- (*x*, *y*) is the plane established by the areal reference of the instrument (note that there are optical instruments that do not possess a physical areal guide)
- z-axis is mounted parallel to the optical axis and is perpendicular to the (x, y) plane for an optical instrument; the z-axis is in the plane of the stylus trajectory and is perpendicular to the (x, y) plane for a stylus instrument (see Figure 1)



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation