



**NSAI**  
Standards

Irish Standard  
I.S. EN 50559:2013

Electric room heating, underfloor heating, characteristics of performance - Definitions, method of testing, sizing and formula symbols

## I.S. EN 50559:2013

*Incorporating amendments/corrigenda issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> EN 50559:2013	<i>Published:</i> 3 May, 2013
This document was published under the authority of the NSAI and comes into effect on:  10 May, 2013		ICS number: 97.100.10
<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie  W NSAI.ie	<b>Sales:</b> T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

EUROPEAN STANDARD

**EN 50559**

NORME EUROPÉENNE

May 2013

EUROPÄISCHE NORM

---

ICS 97.100.10

English version

## **Electric room heating, underfloor heating, characteristics of performance - Definitions, method of testing, sizing and formula symbols**

Chauffage électrique de locaux -  
Chauffage par le sol -  
Caractéristiques de performance -  
Définitions, méthode d'essai, calibrage et  
symboles de formule

Elektrische Raumheizung,  
Fußbodenheizung, Charakteristika der  
Gebrauchstauglichkeit -  
Definitionen, Testmethoden,  
Dimensionierung und Formelsymbole

This European Standard was approved by CENELEC on 2012-12-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

# CENELEC

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

<b>Contents</b>	<b>Page</b>
Foreword .....	6
Introduction .....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms and definitions .....	8
4 Method of testing for the determination of characteristics of performance .....	16
4.1 General .....	16
4.2 Standard heating load per unit area .....	16
4.3 Maximum power rating per unit area .....	16
4.4 Maximum surface temperature.....	16
4.5 Maximum floor surface temperature for underfloor storage heating.....	18
4.6 Room air temperature.....	19
4.7 Internal surface temperatures on the surrounding surfaces of the room .....	19
4.8 Thermal pre-conditioning of the room to be tested.....	19
4.9 Floor temperature in the case of continuous local hot spots .....	20
4.10 Floor temperature of underfloor storage heating through failure of a switching, controlling or regulation apparatus .....	22
4.11 Floor temperature of controlled underfloor heating and underfloor direct heating through failure of a switching, controlling or regulation apparatus.....	22
4.12 Regulation of room temperature using peripheral areas for underfloor storage heating.....	22
4.13 Regulation of room temperature using controlled underfloor heating and underfloor direct heating .....	22
4.14 Regulation of room temperature using underfloor warming .....	23
4.15 Relationship of coefficients of heat transfer.....	23
4.16 Insulating layers .....	23
4.17 Edging insulation strips.....	24
4.18 Damp-proofing.....	24
4.19 Electrical auxiliary heating .....	24
4.20 Load distribution layer in electrical underfloor heating.....	25
4.21 Bedding in or under heating screed or directly below floor covering .....	25
4.22 Dry laying of electrical heating elements .....	25
4.23 Heating element.....	25
4.24 Heating cable and laminar heating element .....	25
4.24.1 Heating cable for bedding in or under screeding or directly below floor covering .....	25
4.24.2 Heating cable for dry Laying .....	25
4.24.3 Laminar heating elements for installation below or in screeding .....	25
4.25 Characteristics of heating cables.....	25
4.26 Characteristics of laminar heating elements.....	26
4.27 Cold tails .....	26
4.28 Point of connection .....	26

## I.S. EN 50559:2013

4.29	Bending radius of the heating cable .....	26
4.30	Heating element labelling .....	26
4.31	Pulsation factor .....	26
4.32	Installation of heating elements for underfloor direct heating .....	26
4.33	Adhesive and fixing material .....	26
4.34	Permanent installation areas .....	26
4.35	Pre-heating of screeding .....	27
4.36	Floor coverings .....	27
4.37	Control and regulation equipment .....	27
4.38	Control and regulation equipment for underfloor storage heating .....	27
4.39	Control and regulation equipment for controlled underfloor heating and underfloor direct heating .....	27
4.40	Floor temperature measurement .....	27
4.41	Auxiliary supply period .....	27
4.42	Period of room use .....	27
4.43	Insulation and dielectric resistance of the heating element .....	28
4.44	Instructions for construction workers .....	28
4.44.1	Protective Measures when Pouring Flooring Screed. ....	28
4.44.2	Pouring the Screed .....	28
4.45	Data for owner and user of the building .....	28
4.46	Report of testing .....	29
Annex A (informative) Sizing Procedure — Range of application and purpose .....		30
A.1	General .....	30
A.2	Basic principles — Basic parameters of the room to be heated .....	30
A.2.1	General .....	30
A.2.2	Standard heat load of an underfloor heated room .....	30
A.2.3	Standard heating load per unit area .....	30
A.2.4	Effective heat storage capacity of the room to be heated .....	31
A.2.5	Peripheral conditions and limiting values .....	31
A.3	Sizing an underfloor heating system .....	32
A.3.1	Storage layer depth of an underfloor heating system .....	32
A.3.2	Heat Load Coverage for the underfloor heated room .....	32
Annex B (informative) Sizing procedure — Examples of sizing procedure of an underfloor storage heating system — Example for a living area .....		45
B.1	General .....	45
B.2	Standard heat load of an underfloor heated room $\dot{Q}_N^*$ .....	45
B.3	Standard heat load per unit area $\dot{q}_N^*$ .....	45
B.4	Storage mass per unit external area of the room $m/\Sigma A_a$ .....	45
B.5	Thickness of storage layer $\delta$ .....	46
B.6	Relation of coefficients of conductivity .....	46

B.7	Maximum rating per unit area $P'_F$ .....	47
B.8	Limited rating per unit area $P'_{FE}$ .....	47
B.9	Heating floor area $A_F$ .....	47
B.10	Permissible rating $P_{ZUL}$ .....	47
B.11	Rating of the room $P$ .....	47
B.12	Rating per unit area $P'_{IN}$ .....	47
B.13	Mean heating capacity $\dot{Q}_F$ .....	47
B.14	Auxiliary heating capacity $\dot{Q}_Z$ .....	48
B.15	Auxiliary heat rating .....	48
Annex C (informative)	Sizing procedure — Example of sizing procedure of an underfloor direct heating system — Example for a living area .....	49
C.1	General .....	49
C.2	Design heating capacity $\dot{Q}_H^*$ of a room with underfloor direct heating .....	49
C.3	Design heating capacity per unit area $\dot{q}_H^*$ .....	49
C.4	Depth of the heating screed .....	50
C.5	Relation of coefficients of conductivity .....	50
C.6	Maximum rating per unit area $P'_F$ .....	51
C.7	Limited rating per unit area $P'_{FE}$ .....	51
C.8	Heating floor area $A_F$ .....	51
C.9	Permissible rating $P_{ZUL}$ .....	51
C.10	Rating of the room $P$ .....	51
C.11	Rating per unit area $P'_{IN}$ .....	51
C.12	Mean heating capacity $\dot{Q}_F$ .....	51
C.13	Auxiliary heating capacity $\dot{Q}_Z$ .....	52
	Formula symbols and units .....	53
	Bibliography .....	55
Figure 1	— Layout diagram of an underfloor heating system .....	12
Figure 2	— Construction „A“, Cross-section A – B .....	13
Figure 3	— Construction “B”, Cross-section A – B .....	13
Figure 4	— Construction “C” Cross-section A – B .....	14
Figure 5	— Examples for the effect of floor excess temperature TE .....	16
Figure 6	— Basic circuit diagram of underfloor storage heating .....	17
Figure 7	— Underfloor direct heating, controlled underfloor heating and warming — Example of a circuit for individual room regulation. Rooms have one heating circuit each .....	19
Figure 8	— Construction of model .....	20

## I.S. EN 50559:2013

Figure A.1 — Monogram for determining the storage layer depth .....	30
Figure A.2 — Electric underfloor storage heating, sizing chart.....	32
Figure A.3 — Electric underfloor direct and controlled heating, sizing chart .....	33
Figure A.4 — Plan of basement.....	39
Figure A.5 — Plan of ground floor .....	40
Figure A.6 — Plan of upper floor .....	41
Figure A.8 — Cross section C – D.....	43
Figure B.1 — Ceiling construction .....	44
Figure C.1 — Ceiling construction .....	48
Table 1 — Minimum coefficient of heat transfer and minimum resistance to thermal conductivity of construction elements .....	23
Table A.1 — $\vartheta_1 - \vartheta'_1 = 0\text{K}$ .....	34
Table A.2 — $\vartheta_1 - \vartheta'_1 = 5\text{K}$ .....	34
Table A.3 — $\vartheta_1 - \vartheta'_1 = 10\text{K}$ .....	34
Table A.4 — $\vartheta_1 - \vartheta'_1 = 15\text{K}$ .....	34
Table A.5 — $\vartheta_1 - \vartheta'_1 = 20\text{K}$ .....	35
Table A.6 — $\vartheta_1 - \vartheta'_1 = 30\text{K}$ .....	35
Table A.7 — $\vartheta_1 - \vartheta'_1 = 35\text{K}$ .....	35
Table A.8 — $\vartheta_1 - \vartheta'_1 = 38\text{K}$ .....	35
Table A.9 — Factor of limitation C in relation to standard heat load per unit area $\dot{q}_N^*$ .....	36
Table B.1 — Determination of heat conductivity coefficient $U_o$ .....	45
Table B.2 — Determination of heat conductivity coefficient $U_u$ .....	45
Table C.1 — Determination of heat conductivity coefficient $U_o$ .....	49
Table C.2 — Determination of heat conductivity coefficient $U_u$ .....	49

## **Foreword**

This document (EN 50559:2013) has been prepared by CLC/TC 59X "Performance of household and similar electrical appliances".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-12-24
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2015-12-24

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.



## Introduction

*No draft of this present preliminary standard has been published.*

A preliminary standard is the result of standardisation work which, due to certain reservations about the contents or due to a compilation process deviating from a standard, has not yet been published by DIN.

The national working body UK 513.4 „Raumheizgeräte“ (Room Heating) of the DKE Deutsche Kommission Elektrotechnik Elektronik Informationstechnik im DIN und VDE (<http://www.dke.de>) is responsible for this preliminary standard.

In cases of a dated reference in the normative text, the reference is always applied to the issue being referred to.

The correlation between the quoted standard and the relevant German Standard is given in so far as a correlation exists, fundamentally by means of the number of the relevant IEC-Publication.

Example: IEC 60068 has been taken over by CENELEC as EN 60068, and incorporated into the German Standards as DIN EN 60068.

## 1 Scope

This European Standard applies to electrical underfloor heating of dwellings and all other buildings whose use corresponds to dwellings or is at least similar, having a maximum load bearing in use of 4 kN/m<sup>2</sup>.

This European Standard defines the main characteristics of electrical underfloor heating and establishes the method of testing of these characteristics as information for the user.

This European Standard does not deal with:

- installation and safety requirements;
- DIN VDE 0100-723.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1264-1, *Water based surface embedded heating and cooling systems — Part 1: Definitions and symbols*

EN 1264-2, *Water based surface embedded heating and cooling systems — Part 2: Floor heating: Prove methods for the determination of the thermal output using calculation and test methods*

EN 1264-3, *Water based surface embedded heating and cooling systems — Part 3: Dimensioning*

EN 1264-4, *Water based surface embedded heating and cooling systems — Part 4: Installation*

EN 1264-5, *Water based surface embedded heating and cooling systems — Part 5: Heating and cooling surfaces embedded in floors, ceilings and walls — Determination of the thermal output*

EN 12831, *Heating systems in buildings — Method for calculation of the design heat load*

EN 60335-2-96, *Household and similar electrical appliances — Safety — Part 2-96: Particular requirements for flexible sheet heating elements for room heating (IEC 60335-2-96)*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

### 3.1

#### **electrical underfloor heating system**

electrical underfloor heating, the switching, control and regulation appliances and the electrical installation

#### 3.1.1

##### **underfloor heating**

in situ flooring constructed as a heating system

Note 1 to entry: It is generally laid on a dry, level, load-bearing substructure.

#### 3.1.2

##### **underfloor direct heating**

underfloor direct heating, by which the heat generated from electrical energy is transferred with the least possible time lag to the room to be heated mainly via the surface of the floor

Note 1 to entry: There is no restriction on the amount of time electrical energy can be converted into heat.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-