



NSAI
Standards

Irish Standard
I.S. ETSI EN 301489-1 V1.8.1:2009

Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements

© NSAI -04) No copying without NSAI permission except as permitted by copyright law.

I.S. ETSI EN 301489-1 V1.8.1:2009

Incorporating amendments/corrigenda issued since publication:

This document replaces:

*This document is based on:
ETSI EN 301 489-1 V1.8.1*

Published:

This document was published
under the authority of the NSAI
and comes into effect on:
2 June, 2009

*ICS number:
33.100.01*

NSAI

1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W **NSAI.ie**

Sales:

T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Price Code:


N

Údarás um Chaighdeáin Náisiúnta na hÉireann

ETSI EN 301 489-1 V1.8.1 (2008-04)

Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
ElectroMagnetic Compatibility (EMC)
standard for radio equipment and services;
Part 1: Common technical requirements**



Reference

REN/ERM-EMC-246-1

Keywords

EMC, radio, regulation

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2008.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™, TIPHON™, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	6
Foreword.....	6
1 Scope	9
2 References	10
2.1 Normative references	10
2.2 Informative references.....	11
3 Definitions and abbreviations.....	12
3.1 Definitions.....	12
3.2 Abbreviations	14
4 Test conditions	14
4.1 General	14
4.2 Arrangements for test signals	14
4.2.1 Arrangements for test signals at the input of transmitters.....	14
4.2.2 Arrangements for test signals at the output of transmitters.....	14
4.2.3 Arrangements for test signals at the input of receivers	15
4.2.4 Arrangements for test signals at the output of receivers	15
4.2.5 Arrangements for testing transmitter and receiver together (as a system)	15
4.3 RF exclusion band of radio communications equipment.....	16
4.4 Narrow band responses of receivers or receivers which are part of transceivers	16
4.5 Normal test modulation	16
5 Performance assessment.....	17
5.1 General	17
5.2 Equipment which can provide a continuous communication link	17
5.3 Equipment which does not provide a continuous communication link	18
5.4 Ancillary equipment	18
5.5 Equipment classification	18
6 Performance criteria	19
6.1 Performance criteria for continuous phenomena applied to transmitters and receivers	19
6.2 Performance criteria for transient phenomena applied to transmitters and receivers	19
6.3 Performance criteria for equipment which does not provide a continuous communication link.....	20
6.4 Performance criteria for ancillary equipment tested on a stand alone basis	20
7 Applicability overview tables.....	20
7.1 EMC emission	21
7.2 Immunity	21
8 Methods of measurement and limits for EMC emissions	22
8.1 Test configuration.....	22
8.2 Enclosure of ancillary equipment measured on a stand alone basis	22
8.2.1 Definition.....	23
8.2.2 Test method	23
8.2.3 Limits.....	23
8.3 DC power input/output ports	23
8.3.1 Definition.....	23
8.3.2 Test method	24
8.3.3 Limits.....	24
8.4 AC mains power input/output ports	24
8.4.1 Definition.....	24
8.4.2 Test method	25
8.4.3 Limits.....	25
8.5 Harmonic current emissions (AC mains input port).....	25
8.6 Voltage fluctuations and flicker (AC mains input port)	25
8.7 Telecommunication ports	25

8.7.1	Definition.....	25
8.7.2	Test method	25
8.7.3	Limits.....	26
9	Test methods and levels for immunity tests	26
9.1	Test configuration.....	26
9.2	Radio frequency electromagnetic field (80 MHz to 1 000 MHz and 1 400 MHz to 2 700 MHz).....	26
9.2.1	Definition.....	26
9.2.2	Test method	27
9.2.3	Performance criteria.....	27
9.3	Electrostatic discharge.....	27
9.3.1	Definition.....	27
9.3.2	Test method	27
9.3.3	Performance criteria.....	28
9.4	Fast transients, common mode	28
9.4.1	Definition.....	28
9.4.2	Test method	28
9.4.3	Performance criteria.....	28
9.5	Radio frequency, common mode.....	29
9.5.1	Definition.....	29
9.5.2	Test method	29
9.5.3	Performance criteria.....	29
9.6	Transients and surges in the vehicular environment.....	30
9.6.1	Definition.....	30
9.6.2	Test method	30
9.6.2.1	Test requirements for 12 V and 24V DC powered equipment	30
9.6.3	Performance criteria.....	30
9.7	Voltage dips and interruptions.....	30
9.7.1	Definition.....	30
9.7.2	Test method	31
9.7.3	Performance criteria.....	31
9.8	Surges.....	31
9.8.1	Definition.....	32
9.8.2	Test method	32
9.8.2.1	Test method for telecommunication ports directly connected to outdoor cables	32
9.8.2.2	Test method for telecommunication ports connected to indoor cables	32
9.8.2.3	Test method for mains ports.....	32
9.8.3	Performance criteria.....	32
Annex A (normative):	The HS Requirements and conformance Test specifications Table (HS-RTT).....	33
Annex B (normative):	Technical requirements for after market equipment (ESAs), which are not related to immunity related functions of the vehicle, necessary to demonstrate conformance to the motor vehicle EMC Directive 2004/104/EC	36
B.1	General	36
B.2	Technical requirements for radio equipment.....	36
B.2.1	Broadband electromagnetic interference (emissions) generated by the ESA	36
B.2.2	Narrow-band electromagnetic interference (emissions) generated by the ESA	36
B.2.2.1	Narrow-band spurious emissions of RF transmitters	37
B.2.2.2	Narrow-band spurious emissions of transceivers in stand by mode and receivers	37
B.2.2.3	Narrow-band spurious emissions of ancillary equipment	37
B.2.3	Immunity of the ESA to transient disturbances conducted along the supply lines.....	37
B.2.4	Conducted disturbances (emissions) caused by the ESA	37
Annex C (normative):	Application of harmonized EMC standards to multi-radio and combined radio and non-radio equipment	39
C.1	Where all products can operate independently of each other	39
C.1.1	Emissions	39



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- Looking for additional Standards? Visit Intertek Inform Infostore
- Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation