



**NSAI**  
Standards

Standard Recommendation  
S.R. CEN/TS 14243:2010

Materials produced from end of life tyres -  
Specification of categories based on their  
dimension(s) and impurities and methods  
for determining their dimension(s) and  
impurities

## S.R. CEN/TS 14243:2010

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> CWA 14243:2002	<i>This document is based on:</i> CEN/TS 14243:2010 CWA 14243:2002	<i>Published:</i> 7 April, 2010 22 October, 2002
This document was published under the authority of the NSAI and comes into effect on: 6 May, 2010		ICS number: 13.030.50 83.160.01
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

English Version

**Materials produced from end of life tyres - Specification of categories based on their dimension(s) and impurities and methods for determining their dimension(s) and impurities**

Matériaux produits à partir de pneumatiques en fin de vie -  
Spécification de catégories basées sur leur(s) dimension(s)  
et impuretés et méthodes pour déterminer leur(s)  
dimension(s) et impuretés

Materialen aus Altreifen - Festlegung von Klassen anhand  
ihrer Abmessung(en) und Verunreinigungen und Verfahren  
zur Bestimmung ihrer Abmessung(en) und  
Verunreinigungen

This Technical Specification (CEN/TS) was approved by CEN on 4 January 2010 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Contents

Page

Foreword.....	5
Introduction .....	6
1 Scope .....	8
2 Normative references .....	8
3 Terms and definitions .....	8
4 Categories of products, based mainly on their dimensions, produced from end-of-life tyres .....	11
4.1 Categories .....	11
4.2 Testing programme .....	12
5 Determination of dimensions for granulates and powders and for chips considered as very large granulates.....	12
5.1 General.....	12
5.2 Preparation of the sampling plan.....	12
5.2.1 Principles of correct sampling .....	12
5.2.2 General.....	13
5.2.3 Sampling plan .....	13
5.2.4 Definition of lot size.....	13
5.2.5 Sampling point and apparatus .....	13
5.2.6 Size of a sample increment.....	14
5.2.7 Number of increments.....	14
5.2.8 Metrological characteristics of sampling.....	14
5.2.9 Visual assessment.....	14
5.3 Storage and transport of sample(s) .....	15
5.4 Preparation of the laboratory sample(s) and test portion(s).....	15
5.4.1 Principles of correct sample preparation and sample division .....	15
5.4.2 Test portion preparation .....	15
5.4.3 Apparatus for sample division .....	15
5.4.4 Procedure .....	16
5.5 Particle size analysis .....	16
5.5.1 General principles.....	16
5.5.2 Sieves.....	16
5.5.3 Flat brush.....	17
5.5.4 Mechanical vibrating equipment.....	17
5.5.5 Scales.....	17
5.5.6 Procedure .....	17
5.5.7 Calculation.....	17
5.6 Metrological characteristics .....	18
5.7 Test Report.....	18
6 Determination of dimensions for shreds and cuts and for chips considered as very small shreds .....	18
6.1 Definition of shreds .....	18
6.2 Principles of sampling .....	19
6.3 Preparation of the sampling plan for determining dimensions .....	19
6.4 Procedure for taking the field sample and producing the laboratory sample(s) .....	20
6.5 List of symbols and abbreviations.....	20
6.6 Principle of determining the dimension(s).....	21
6.7 Equipment .....	22
6.8 Procedure for quantification of maximum projected length (manual) .....	22

6.9	Metrological characteristics .....	23
6.10	Measurement report .....	23
7	Determination of characteristics of the separated fractions steel and textiles .....	24
7.1	General .....	24
7.2	Preparation of sampling plan for steel and textiles and method for sampling.....	24
7.2.1	Principle of sampling .....	24
7.2.2	Sampling plan .....	24
7.2.3	Definition of a lot and determining lot size.....	25
7.2.4	Determination of the number of increments.....	25
7.2.5	Determination of minimum sample size.....	25
7.2.6	Determination of the minimum increment size .....	25
7.3	Handling and storage of samples .....	26
7.4	Determination of characteristic of the separated fractions steel and textiles by manual sorting of all components.....	26
7.4.1	General principles .....	26
7.4.2	Equipment .....	26
7.4.3	Procedure .....	26
7.5	Calculation .....	27
7.6	Metrological characteristics .....	27
7.7	Report .....	27
Annex A	(normative) Evaluation of protruding filaments for shreds and cuts and chips considered as very small shreds .....	28
A.1	General .....	28
A.2	Principle of the evaluation.....	28
A.3	Sampling.....	28
A.4	List of symbols and abbreviations .....	28
A.5	Principle for determining dimension(s) by image analysis .....	29
A.6	Equipment .....	29
A.7	Procedure .....	29
A.8	Metrological characteristics .....	30
A.9	Measurement report .....	30
Annex B	(normative) Determination of free steel content for granulates and powders and chips considered as very large granulates by the method of magnetic separation.....	32
B.1	General .....	32
B.2	Principle of the determination.....	32
B.3	Sampling.....	32
B.4	Equipment .....	32
B.5	Procedure .....	32
B.6	Calculation .....	33
B.7	Metrological characteristics .....	33
B.8	Measurement report .....	33
Annex C	(normative) Determination of free textile content for granulates and powders and chips considered as very large granulates by the method of the "small ball" agglomeration .....	35
C.1	General .....	35
C.2	Principle of the determination.....	35
C.3	Sampling.....	35
C.4	Equipment .....	35
C.5	Procedure .....	35
C.6	Calculations .....	36
C.7	Metrological characteristics .....	36
C.8	Measurement report .....	36
Annex D	(normative) Determination of other impurities content for granulates and powders and chips considered as very large granulates by the method of a saline solution .....	38
D.1	General .....	38
D.2	Principle of the determination.....	38
D.3	Sampling.....	38
D.4	Equipment .....	38

D.5	Procedure .....	39
D.6	Calculations.....	39
D.7	Metrological characteristics .....	39
D.8	Measurement report .....	40
Annex E	(informative) Example of applications of Clause 7 to steel and textiles .....	41
E.1	Example for textiles .....	41
E.1.1	Sampling .....	41
E.1.2	Sample .....	41
E.1.3	Separation of fractions textile, steel, rubber .....	41
E.1.4	Separation of steel using hand magnet .....	42
E.1.5	Sorted fractions .....	42
E.1.6	Results .....	42
E.2	Example on steel.....	42
E.2.1	Sampling .....	42
E.2.2	Sample .....	42
E.2.3	Separation of fractions.....	43
E.2.4	Separation of steel using hand magnet .....	43
E.2.5	Sorted fractions .....	43
E.2.6	Results .....	44
Annex F	(informative) Example of scoop.....	45
Annex G	(informative) Sieving .....	46
Bibliography	.....	48

## **Foreword**

This document (CEN/TS 14243:2010) has been prepared by Technical Committee CEN/TC 366 “Project Committee - Tyre recycling”, the secretariat of which is held by UNI.


Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/CWA 14243:2002.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

## Introduction

This Technical Specification is the first in a foreseen series of Technical Specifications. Such series would cover the testing programmes needed to characterise each product category as shown on the figure below.



**Figure 1 — Typical scheme for a testing programme concerning several characteristics with testing steps in the field and in the laboratory**

End-of-life tyres consist mainly of passenger and commercial vehicle tyres, and truck tyres manufactured for distribution in the European market. Products from end-of-life tyres are used as a secondary raw material finding a wide range of applications. The principal categories of materials from end-of-life tyres are defined on the basis of their dimension(s) according to this Technical Specification. Determination of additional dimensions/impurities according to the test methods specified in normative Annexes A, B, C and D may be performed if required by agreement between the producer and the customer or at the producer's own will.

European Standards are needed for the production, trade and use of the materials from end-of-life tyres. They are also useful for buyers of materials, regulators, controllers and laboratories.



The materials produced at different stages of the treatment processes, primarily by size reduction, of end-of-life tyres are as follows:

- cuts: typically 300 mm and above;
- shreds: typically 20 mm – 400 mm;
- chips: typically 10 mm – 50 mm;
- granulates: typically 0,8 mm – 20 mm;
- powders: typically under 0,8 mm;
- steel;
- textiles.

They may be distinguished mainly according to their dimension(s).

## 1 Scope

This Technical Specification provides definitions for the categories of materials produced from end-of-life tyres based on their dimension(s) or impurities. It also provides test methods for the determination of the dimension(s) of the materials produced from all categories of end-of-life tyres at all steps of the treatment process as well as for the determination of impurities.

The test methods described in this Technical Specification include sample collection and the preparation of a representative sample based on a sampling plan for the purpose of determining dimensions and impurities.

This Technical Specification does not cover the operational performance or fitness for use of the materials which are deemed to be a function of agreement between the producer and the customer.

**NOTE** This Technical Specification does not cover downstream products prepared from the materials, including reclaimed or devulcanized rubber, surface-modified powders and pyrolytic output.

This Technical Specification does not purport to address safety concerns associated with its use. It is the responsibility of the user of this Technical Specification to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 933-1, *Tests for geometrical properties of aggregates — Part 1: Determination of particle size distribution — Sieving method*

EN 933-2, *Tests for geometrical properties of aggregates — Part 2: Determination of particle size distribution — Test sieves, nominal size of apertures*

ISO 565, *Test sieves — Metal wire cloth, perforated metal plate and electroformed sheet — Nominal sizes of openings*

ISO 3310-1:2000, *Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth*

ISO 3310-2:1999, *Test sieves — Technical requirements and testing — Part 2: Test sieves of perforated metal plate*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

### 3.1

#### **sample**

amount of material taken from a population and intended to provide information on the population

### 3.2

#### **sub-sample**

portion of a sample

### 3.3

#### **increment**

portion of material extracted in a single operation of the sampling device

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-