

Irish Standard I.S. EN 289:2014

Plastics and rubber machines - Compression moulding machines and transfer moulding machines - Safety requirements

© CEN 2014 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 289:2014

2014-07-05

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT~xxx: A~rapidly~developed~recommendatory~document~based~on~the~consensus~of~the~participants~of~an~NSAI~workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: Published:

EN 289:2014 2014-06-18

This document was published ICS number:

under the authority of the NSAI and comes into effect on: 83.200

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 289

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2014

ICS 83.200

Supersedes EN 289:2004+A1:2008

English Version

Plastics and rubber machines - Compression moulding machines and transfer moulding machines - Safety requirements

Machines pour les matières plastiques et le caoutchouc -Machines de moulage par compression et machines de moulage par transfert - Prescriptions de sécurité Kunststoff- und Gummimaschinen - Formpressen und Spritzpressen - Sicherheitsanforderungen

This European Standard was approved by CEN on 24 April 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword	
1 Scope	
Normative references	
Normative references	
Terms and definitions	
	14 14 16 16
	14 14 16 16
4 List of significant hazards	14 16 16
4.1 General	16 16
4.2 Danger areas on presses	16
4.3 General hazards	
4.3.1 Mechanical hazards	
4.3.2 Electrical hazards4.3.3 Thermal hazards	
4.3.4 Hazards generated by noise	
4.3.5 Hazards generated by holse4.3.5 Hazards generated by dusts, gases and vapours	
4.3.6 Slip, trip and fall hazards	
4.3.7 Hazards due to malfunctioning of the hydraulic system due to contamination of the	
hydraulic fluid	
4.3.8 Hazards due to malfunctioning of the electrical part of the control system	
4.3.9 Hazards due to electromagnetic interference	
4.3.10 Hazards generated by neglecting ergonomic principles in machine design	
4.4 Hazards in specific machine areas	
4.4.1 Mould area4.4.1 Mould area4.2 Clamping unit area outside the mould area	
4.5 Hazards associated with power operated mould clamping systems	
4.5.1 General	
4.5.2 Specific hazards associated with magnetic clamping systems	
4.6 Hazards associated with power operated mould changing equipment	
4.7 Additional hazards associated with specific design	18
4.7.1 Presses where whole body access is possible between the movable guard or the lig	
curtain for the mould area and the mould area itself	
4.7.2 Presses where whole body access is possible to the mould area	
4.7.3 Shuttle/turntable machines	
4.7.4 Carousel machines4.8 Carousel machines when using ancillary equipment	
Safety requirements and/or protective measures	
5.1 General	
5.1.1 Basic requirement	
5.1.2 Setting operations 5.1.3 Safety related parts of the control system (SRP/CS)	
5.1.4 Emergency stop	
5.2 Basic requirements for safeguards used on presses	
5.2.1 Guards	
5.2.2 Light curtains	
5.2.3 Two-hand control devices	
5.2.4 Hold-to run control devices	
5.2.5 Pressure sensitive mats, floors and edges	
5.3 Safety requirements and/or protective measures to prevent general hazards	
5.3.1 Mechanical hazards5.3.2 Electrical hazards	
5.3.2 Electrical nazards	

5.3.4	Hazards generated by noise	22
5.3.5	Hazards generated by dusts, gases and vapours	
5.3.6	Slip, trip and fall hazards	
5.3.7	Hazards due to malfunctioning of the hydraulic system due to contamination of the hydraulic fluid	
5.3.8	Hazards due to malfunctioning of the electrical part of the control system	
5.3.9	Hazards due to electromagnetic interference	
5.3.10	Hazards generated by neglecting ergonomic principles	
5.4	Safety requirements and/or protective measures in specific machine areas	
5.4.1	Mould area	
5.4.2	Clamping unit area outside the mould area	
5.5	Safety requirements and/or protective measures for power operated mould clamping systems	
5.5.1	General	
5.5.1 5.5.2	Magnetic clamping systems	
5.5. <u>2</u> 5.6	Safety requirements and/or protective measures for power operated mould changing	30
5.6	equipment	21
5.7	Additional safety requirements and/or protective measures associated with specific	3 I
5. <i>1</i>	· · · · · · · · · · · · · · · · · · ·	32
5.7.1	Presses where whole body access is possible between the movable guard or the light	32
5.7.1	curtain for the mould area and the mould area itself	22
E 7 0		
5.7.2	Presses where whole body access is possible to the mould area	
5.7.3	Shuttle/turntable machines	
5.7.4	Carousel machines	35
5.8	Additional safety requirements and/or protective measures when using ancillary	
	equipment	36
6	Verification of the safety requirements and/or protective measures	37
	• •	
7	Information for use	
7.1	General	
7.2	Instruction handbook	
7.2.1	General	
7.2.2	General instructions	
7.2.3	Emergency stop and rescue procedure	
7.2.4	Light curtains	40
7.2.5	Stopping distance and stopping time	
7.2.6	Flexible hose assemblies	
7.2.7	Noise emission	
7.2.8	Exhaust ventilation system	
7.2.9	Maintenance of the hydraulic system	
	Presses equipped with two-hand control devices	41
7.2.11	Additional mechanical restraint device for downstroking presses with two hydraulic	
	restraint devices	
	Movements of cores and ejectors and their drive mechanisms	
	Personal protective equipment against thermal hazards	
	Presence detecting devices in the mould area	
7.2.15	Key lockable switch	
7.2.16	Ancillary equipment	
7.2.17	Mould clamping	
7.2.18	Magnetic mould clamping	
7.2.19	Maximum additional mass	
7.2.20	Setting of carousel machines	
7.2.21	Machines with upstroking platen	
7.3	Marking	
7.4	Warning signs and alarm signals	44
Annex	A (normative) Acknowledgement systems	45
A .1	Single acknowledgement system	45
~··	Onigio domio viologonioni ayatom	

A.2	Double acknowledgement system	45
Annex	B (normative) Noise test code	46
B.1	Introduction	46
B.2	Measurement of the A-weighted emission sound pressure level at the operator's or other specified positions	46
B.3	Determination of the A-weighted sound power level	46
B.4	Installation and mounting conditions for noise measurement	46
B.5	Operating conditions	47
B.6	Information to be recorded and reported	47
B.6.1	General	47
B.6.2	General data	47
B.6.3	Technical data of the press	47
B.6.4	Standards	48
B.6.5	Mounting and operating conditions	48
B.6.6	Acoustic data	48
B.7	Declaration and verification of noise emission values	48
Annex	ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	49
Biblio	graphy	50

Foreword

This document (EN 289:2014) has been prepared by Technical Committee CEN/TC 145 "Plastics and rubber machines", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2014, and conflicting national standards shall be withdrawn at the latest by December 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 289:2004+A1:2008.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive, see informative Annex ZA, which is an integral part of this document.

Compared with EN 289:2004+A1:2008, the following significant changes have been made:

- a) modification of main element of the title;
- b) replacement of safeguard groups I, II and III by more precise specifications of the safeguards in the respective clauses;
- specification of the safety related parts of control systems with reference to EN ISO 13849-1:2008 instead of specified types I, II and III and EN 954 and deletion of corresponding normative Annexes A, B, C, D, E and H;
- d) addition of safety requirements for:
 - 1) electromagnetic interference;
 - 2) machines with electrical axes;
 - 3) platen movements by gravity on upstroking presses;
 - 4) magnetic clamping systems;
 - 5) carousel machines;
 - 6) power operated mould changing equipment;
 - 7) hazards generated by neglecting ergonomic principles in machine design;
- e) deletion of Annex G.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document is a type C standard as stated in EN ISO 12100:2010.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this document.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

1 Scope

This European Standard specifies the essential safety requirements for compression moulding machines and transfer moulding machines for the moulding of plastics and/or rubber with a closing movement more than 6 mm.

In this document a compression moulding machine or transfer moulding machine as described above is designated by the term "press" (see 3.1).

This document deals with all significant hazards, hazardous situations and events relevant to presses, when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer (see Clause 4).

The safety requirements are specified for the additional hazards arising from:

- shuttle/turn tables used for loading/unloading and/or cooling,
- magnetic clamping systems.

For other ancillary equipment, as defined in 3.7, that is not part of the press, only the requirements for the interaction between presses and ancillary equipment, especially loading and unloading devices are specified.

The following machines or units are excluded:

- pneumatic presses for plastic and rubber;
- injection moulding machines (see EN 201:2009);
- tyre curing machines (see prEN 16474);
- presses for curing inner tubes and curing bags;
- hydraulic presses for the cold working of metals as covered by EN 693:2001+A2:2011;
- mechanical presses for the cold working of metals as covered by EN 692:2005+A1:2009;
- pneumatic presses for the cold working of metals as covered by EN 13736:2003+A1:2009;
- thermoforming machines (see EN 12409:2008+A1:2011);
- reaction injection moulding (RIM) machines (see EN 1612-1:1997+A1:2008);
- the extruder of the carousel machine(see EN 1114-1:2011).

This standard does not cover:

- hazards caused by the processing of materials which may lead to a risk of explosion, see 7.2.2;
- the requirements of Directive 94/9/CE concerning equipment and protective systems intended for use in potentially explosive atmospheres;
- requirements for the design of exhaust ventilation systems, see 5.3.5 and 7.2.8.

This document is not applicable to presses manufactured before the date of its publication as EN.



This is a free preview	 Purchase the entire 	e publication at the link below:
------------------------	---	----------------------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation