



NSAI
Standards

Irish Standard
I.S. EN 60238:2004

Edison screw lampholders (IEC 60238:2004 (EQV))

I.S. EN 60238:2004

Incorporating amendments/corrigenda issued since publication:

EN 60238:2005/AC:2005
EN 60238:2004/A1:2008
EN 60238:2004/A2:2011

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 60238:1998 + A1:1999 + A2:2002	<i>This document is based on:</i> EN 60238:2004	<i>Published:</i> 2 December, 2004
This document was published under the authority of the NSAI and comes into effect on: 19 January, 2005		ICS number: 29.140.10
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

English version

Edison screw lampholders
(IEC 60238:2004/A2:2011)

Douilles à vis Edison pour lampes
(CEI 60238:2004/A2:2011)

Lampenfassungen mit Edisongewinde
(IEC 60238:2004/A2:2011)

This amendment A2 modifies the European Standard EN 60238:2004; it was approved by CENELEC on 2011-03-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

I.S. EN 60238:2004

EN 60238:2004/A2:2011

- 2 -

Foreword

The text of document 34B/1577/FDIS, future amendment 2 to IEC 60238:2004, prepared by SC 34B, Lamp caps and holders, of IEC TC 34, Lamps and related equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as amendment A2 to EN 60238:2004 on 2011-03-30.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2011-12-30
- latest date by which the national standards conflicting with the amendment have to be withdrawn (dow) 2014-03-30

Endorsement notice

The text of amendment 2:2011 to the International Standard IEC 60238:2004 was approved by CENELEC as an amendment to the European Standard without any modification.



Corrigendum to EN 60238:2004

English version

Annex ZA

Add at the end:

IEC 60695-2-2	1991	Fire hazard testing – Part 2: Test methods – Section 2: Needle-flame test	EN 60695-2-2	1994
IEC 60695-2-10	2000	Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure	EN 60695-2-10	2001
IEC 60695-2-11	2000	Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products	EN 60695-2-11	2001
IEC 61058-1 + A1 (mod)	2000 2001	Switches for appliances – Part 1: General requirements	EN 61058-1	2002
ISO 4046-4	2002	Paper, board, pulp and related terms – Vocabulary – Part 4: Paper and board grades and converted products	–	–

January 2005

This page is intentionally left BLANK.

I.S. EN 60238:2004

EUROPEAN STANDARD

EN 60238

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2004

ICS 29.140.10

Supersedes EN 60238:1998 + A1:1999 + A2:2002
Incorporates Corrigendum January 2005

English version

Edison screw lampholders
(IEC 60238:2004)

Douilles à vis Edison pour lampes
(CEI 60238:2004)

Lampenfassungen mit Edisongewinde
(IEC 60238:2004)

This European Standard was approved by CENELEC on 2004-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

I.S. EN 60238:2004

EN 60238:2004

- 2 -

Foreword

The text of document 34B/1151/FDIS, future edition 8 of IEC 60238, prepared by SC 34B, Lamp caps and holders, of IEC TC 34, Lamps and related equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60238 on 2004-10-01.

This European Standard supersedes EN 60238:1998 + corrigendum February 1999 + A1:1999 + A2:2002 + A2:2002/corrigendum July 2003.

In this edition the new requirements for creepage distances and clearances have been adopted which are currently circulated by IEC/SC 34D to amend the EN 60598 family of luminaire standards.

Additionally guidances for requirements in EN 61058-1 applicable to switches in lampholders (see Annex B) and for special requirements in appliance standards (see Annex C) have been included.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2005-07-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2007-10-01

Annex ZA has been added by CENELEC.

The contents of the corrigendum of January 2005 have been included in this copy.

Endorsement notice

The text of the International Standard IEC 60238:2004 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE Where an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60061 (mod)	Series	Lamp caps and holders together with gauges for the control of interchangeability and safety	EN 60061	Series
IEC 60061-1 (mod)	- ¹⁾	Part 1: Lamp caps	EN 60061-1	1993 ²⁾
IEC 60061-2 (mod)	- ¹⁾	Part 2: Lampholders	EN 60061-2	1993 ²⁾
IEC 60061-3 (mod)	- ¹⁾	Part 3: Gauges	EN 60061-3	1993 ²⁾
IEC 60068-2-20	1979	Basic environmental testing procedures Part 2: Tests - Test T: Soldering	HD 323.2.20 S3 ³⁾	1988
IEC 60068-2-32	1975	Part 2: Tests - Test Ed: Free fall	EN 60068-2-32 ⁴⁾	1993
IEC 60068-2-75	1997	Part 2-75: Tests - Test Eh: Hammer tests	EN 60068-2-75	1997
IEC 60112	1979	Method for determining the comparative and the proof tracking indices of solid insulating materials under moist conditions	HD 214 S2 ⁵⁾	1980
IEC 60227 ⁶⁾	Series	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V	-	-
IEC 60245 ⁷⁾ (mod)	Series	Cables of rated voltages up to and including 450/750 V and having cross-linked insulation	-	-

1) Undated reference.

2) Valid edition at date of issue.

3) HD 323.2.20 S3 includes A1:1987 to IEC 60068-2-20.

4) EN 60068-2-32 includes A2:1990 to IEC 60068-2-32.

5) HD 214 S2 is superseded by EN 60112:2003, which is based on IEC 60112:2003.

6) The HD 21 series, which is related to, but not directly equivalent with the IEC 60227 series, applies instead.

7) The HD 22 series, which is related to, but not directly equivalent with the IEC 60245 series, applies instead.

I.S. EN 60238:2004

EN 60238:2004

- 4 -

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60335-1 (mod)	2001	Household and similar electrical appliances - Safety Part 1: General requirements	EN 60335-1 + A11	2002 2004
IEC 60352-1	1997	Solderless connections Part 1: Wrapped connections - General requirements, test methods and practical guidance	EN 60352-1	1997
IEC 60399	- ¹⁾	Barrel thread for lampholders with shade holder ring	EN 60399	2004 ²⁾
IEC 60417	database	Graphical symbols for use on equipment	-	-
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529 + corr. May	1991 1993
A1	1999		A1	2000
IEC 60598 (mod)	Series	Luminaires	EN 60598	Series
IEC 60598-1	- ¹⁾	Part 1: General requirements and tests	EN 60598	2004 ²⁾
IEC 60664-1 + A1 + A2	1992 2000 2002	Insulation coordination for equipment within low-voltage systems Part 1: Principles, requirements and tests	EN 60664-1	2003
IEC 60695-2-2	1991	Fire hazard testing – Part 2: Test methods – Section 2: Needle-flame test	EN 60695-2-2	1994
IEC 60695-2-10	2000	Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure	EN 60695-2-10	2001
IEC 60695-2-11	2000	Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products	EN 60695-2-11	2001
IEC 61058-1 + A1 (mod)	2000 2001	Switches for appliances – Part 1: General requirements	EN 61058-1	2002
ISO 4046-4	2002	Paper, board, pulp and related terms – Vocabulary – Part 4: Paper and board grades and converted products	–	–

CONTENTS

FOREWORD.....	4
1 General	6
2 Definitions	8
3 General requirement	11
4 General conditions for tests	12
5 Standard ratings	13
6 Classification	14
7 Marking	15
8 Dimensions.....	17
9 Protection against electric shock.....	19
10 Terminals	21
11 Provision for earthing.....	25
12 Construction	26
13 Switched lampholders	31
14 Moisture resistance, insulation resistance and electric strength	32
15 Mechanical strength.....	34
16 Screws, current-carrying parts and connections	38
17 Creepage distances and clearances.....	40
18 Normal operation	43
19 General resistance to heat	44
20 Resistance to heat, fire and tracking	46
21 Resistance to excessive residual stresses (season cracking) and to rusting	49
Annex A (normative) Season cracking/corrosion test	50
Annex B (informative) Guidance for requirements in IEC 61058-1 applicable to switches in lampholders (see 13.2).....	52
Annex C (informative) Guidance for special requirements in appliance standards – Household and similar electrical appliances.....	54
Figure 1a – Nipple thread for lampholders. Basic profile and design profile for the nut and for the screw	56
Figure 1b – Nipple thread for lampholders. Basic profile and design profile for the nut and for the screw	57
Figure 2a – Gauges for metric thread for nipples	59
Figure 2b – Gauges for ISO standard pipe thread for nipples	60
Figure 3 – Gauge for holes for backplate lampholder screws	61
Figure 4 – Normal operation test apparatus	62
Figure 5 – Test caps for the test of clause 18	63
Figure 6 – Torque apparatus	64
Figure 7 – Tumbling barrel	65
Figure 8 – Impact-test apparatus.....	66

I.S. EN 60238:2004

60238 © IEC:2004+A1:2008+A2:2011

– 3 –

Figure 8a – Mounting support	66
Figure 9 – Pressure apparatus	67
Figure 10 – Ball-pressure test apparatus	67
Figure 11 – Test cap for the tests of 14.4 and 19.3	68
Figure 12 – Bending apparatus.....	69
Figure 13 – Test cap A and test cap B for lampholders E14	70
Figure 13 – Test cap A and test cap B for lampholders E14 (<i>continued</i>)	71
Figure 14 – Test cap for lampholders E27	72
Figure 15 – Test cap for lampholders E40	73
Figure 16 – Standard test finger (according to IEC 60529)The drawings are intended only to show typical parts of a lampholder and should not limit the design.	74
Figure 17 – Clarification of some definitions	75
Figure 18 – Preparation of specimens for the needle-flame test of 20.4	76
Table 1 – Thickness of screw shells and contacts.....	18
Table 2 – Minimum effective screw lengths.....	18
Table 3 – Dimensions of threaded entries and set screws.....	19
Table 4 – Minimum dimensions of pillar-type terminals	23
Table 5 – Minimum dimensions of screw-type terminals.....	23
Table 6 – Pull and torque values	29
Table 7 – Insertion torque	30
Table 8 – Minimum and maximum removal torques	31
Table 9 – Test cap dimensions.....	35
Table 10 – Heights of fall	36
Table 11 – Maximum deformation values.....	37
Table 12 – Torque values.....	39
Table 13a – Minimum distances for a.c. (50/60 Hz) sinusoidal voltages Impulse withstand category II	41
Table 13b – Minimum distances for a.c. (50/60 Hz) sinusoidal voltages Impulse withstand category III	42
Table 14 – Minimum distances for non-sinusoidal pulse voltages	42
Table 15 – Heating cabinet temperatures	45
Table A.1 – pH adjustment	50

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EDISON SCREW LAMPHOLDERS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60238 has been prepared by subcommittee 34B: Lamp caps and holders, of IEC technical committee 34: Lamps and related equipment.

This consolidated version of IEC 60238 consists of the eighth edition (2004) [documents 34B/1151/FDIS and 34B/1170/RVD], its amendment 1 (2008) [documents 34B/1381/FDIS and 34B/1397/RVD] and its amendment 2 (2011) [documents 34B/1577/FDIS and 34B/1593/RVD].

The technical content is therefore identical to the base edition and its amendments and has been prepared for user convenience.

It bears the edition number 8.2.

A vertical line in the margin shows where the base publication has been modified by amendments 1 and 2.

In this edition the new requirements for creepage distances and clearances have been adopted which are currently circulated by SC34D to amend the IEC 60598 family of luminaire standards.

I.S. EN 60238:2004

60238 © IEC:2004+A1:2008+A2:2011 – 5 –

Additionally guidances for requirements in IEC 61058-1 applicable to switches in lampholders (see Annex B) and for special requirements in appliance standards (see Annex C) have been included.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

EDISON SCREW LAMPHOLDERS

1 General

1.1 Scope

This International Standard applies to lampholders with Edison thread E14, E27 and E40, designed for connection to the supply of lamps and semi-luminaires* only.

It also applies to switched-lampholders for use in a.c. circuits only, where the working voltage does not exceed 250 V r.m.s.

This standard also applies to lampholders with Edison thread E5 designed for connection to the supply mains of series connected lamps, with a working voltage not exceeding 25 V, to be used indoors, and to lampholders with Edison thread E10 designed for connection to the supply mains of series connected lamps, with a working voltage not exceeding 60 V, to be used indoors or outdoors. It also applies to lampholders E10 for building-in, for the connection of single lamps to the supply. These lampholders are not intended for retail sale.

As far as it reasonably applies, this standard also covers lampholders other than lampholders with Edison thread designed for connection of series-connected lamps to the supply.

NOTE This type of lampholder is for example used in Christmas tree lighting chains.

As far as it reasonably applies, this standard also covers adapters.

This standard also covers lampholders which are, wholly or partly, integral with a luminaire or intended to be built into appliances. It covers the requirements for the lampholder only. For all other requirements, such as protection against electric shock in the area of the terminals or of the lamp cap, the requirements of the relevant appliance standard shall be observed and tested after building into the appropriate equipment, when that equipment is tested according to its own standard. Such lampholders as well as lampholders provided with a snap-on outer shell, for use by luminaire manufacturers only, are not for retail sale.

This standard applies to lampholders to be used indoors or outdoors in residential as well as in industrial lighting installations. It also applies to candle lampholders. In locations where special conditions prevail, as for street lighting, on board ships, in vehicles and in hazardous locations, e.g. where explosions are liable to occur, special constructions may be required.

NOTE 1 This standard does not apply to three-light lampholders E26d.

NOTE 2 This standard is based on the following data relative to lamps for general lighting service:

- caps E14 are used for lamps with a current not exceeding 2 A;
- caps E27 are used for lamps with a current not exceeding 4 A;
- caps E40 are used for lamps with a current not exceeding 16 A.

NOTE 3 If the nominal voltage of the supply does not exceed 130 V, the maximum current for caps E40 is 32 A (see 4.5 and 5.3).

NOTE 4 Where lampholders are used in luminaires, their maximum operating temperatures are specified in IEC 60598.

* Requirements for lampholders suitable for semi-luminaires are under consideration.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-