This is a free page sample. Access the full version online.



Irish Standard I.S. EN 50173-6:2013

Information technology - Generic cabling systems -- Part 6: Distributed building services

 $\ensuremath{\mathbb C}$ CENELEC 2013 $\hfill No copying without NSAI permission except as permitted by copyright law.$

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> EN 50173-6:2013	<i>Publisi</i> 6 Sept	<i>hed:</i> ember, 2013	
This document was published under the authority of the NSAI and comes into effect on: 13 September, 2013				
NSAI T +353 1 807 3800 Sales: 1 Swift Square, F +353 1 807 3838 T +353 1 857 673 Northwood, Santry E standards@nsai.ie F +353 1 857 672 Dublin 9 W NSAI.ie W standards.ie		857 6730 857 6729 rds.ie		
Údarás um Chaighdeáin Náisiúnta na hÉireann				

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 50173-6

September 2013

ICS 35.110

English version

Information technology -Generic cabling systems -Part 6: Distributed building services

Technologies de l'information -Systèmes de câblage générique -Partie 6 : Services distribués dans les bâtiments Informationstechnik -Anwendungsneutrale Kommunikationskabelanlagen -Teil 6: Verteilte Gebäudedienste

This European Standard was approved by CENELEC on 2013-07-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2013 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Ref. No. EN 50173-6:2013 E

I.S. EN 50173-6:2013 - 2 -

Contents

For	eword		4
Intro	oducti	on	4
1	Scop	e and conformance	9
	1.1	Scope	9
	1.2	Conformance	9
2	Norm	native references	10
3	Term	s, definitions and abbreviations	10
	3.1	Terms and definitions	10
4	Struc	ture of the generic cabling for distributed building services	
-	4 1	General	
	4.2	Functional elements	
	4.3	General structure and hierarchy	12
	4.4	Cabling subsystems	
	4.5 4.6	Interfaces	
	4.7	Dimensioning and configuring	19
	4.8	Relevant building services	23
5	Chan	nel performance for generic cabling for distributed building services	23
	5.1	General	23
	5.2 5.3	Environmental performance.	24 24
6	Refe	rence implementations for distributed building services	24
U	6 1	General	25
	6.2	Balanced cabling	25
	6.3	Optical fibre backbone cabling	30
7	Cable	e requirements	30
	7.1	General	
	7.2 7.3	Balanced cables	30 30
8	Conr	optical libre cables	
U	8 1	General requirements	30
	8.2	Connecting hardware for balanced cabling	
	8.3	Connecting hardware for optical fibre cabling	31
9	Requ	irements for cords and jumpers	31
	9.1	Jumpers	31
	9.2	Balanced cords	31
۸nn	9.5	(normative) Link performance limits	
		General	33 ຊຊ
	A.1 A.2	Balanced cabling	
	A.3	Optical fibre cabling	33
Ann	ex B	(informative) Services and applications	34
	B.1	Introduction	34
	B.2	Telecommunications – Wireless networks	34
	ы. В.4	Energy management	35 36
	B.5	Personnel management	
	B.6	Personal information and alarms	37
Ann	ex C	(informative) Overlay	38

- 3 -

C.1	Functional elements	
Annex D (informative) Optical fibre within the Type B area feeder cabling subsystem	
D.1	Overview	
D.2	Implementation recommendations	39

Figures

Figure 1 — Schematic relationship between EN 50173 series and other relevant standards	7
Figure 2 — Structure of Type A generic cabling	13
Figure 3 — Hierarchical structure of Type A generic cabling	13
Figure 4 — Structure of Type B generic cabling	14
Figure 5 — Hierarchical structure of Type B generic cabling	14
Figure 6 — Accommodation of functional elements	17
Figure 7 — Accommodation of TEs (Type B generic cabling)	17
Figure 8 — Test and equipment interfaces (Type A generic cabling)	18
Figure 9 — Test and equipment interfaces (Type B generic cabling)	18
Figure 10 — Example of a Type A generic cabling system with combined BD and SD	20
Figure 11 — Connection of functional elements providing redundancy for Type A generic cabling	20
Figure 12 — Transmission performance of a service distribution channel	23
Figure 13 — Example of a system showing the location of cabling interfaces	24
Figure 14 — Service distribution cabling models	27
Figure A.1 — Link options	33
Figure B.1 — Wireless application coverage area grid	35
Figure D.1 — Combined optical fibre backbone/horizontal channels	40

Tables

Table 2 – Maximum channel lengths for Type A reference implementations21Table 3 – Maximum channel lengths for Type B reference implementations22Table 4 – Service distribution channel formulae29Table B.1 – Supported wireless applications34Table B.2 – Areas served by SCPs36Table D.1 - Channel length formulae for optical fibre cabling41	Table 1 — Contextual relationship between EN 50173 series and other standards relevant for information technology cabling systems	8
Table 3 – Maximum channel lengths for Type B reference implementations 22 Table 4 – Service distribution channel formulae 29 Table B.1 – Supported wireless applications 34 Table B.2 – Areas served by SCPs 36 Table D.1 - Channel length formulae for optical fibre cabling 41	Table 2 – Maximum channel lengths for Type A reference implementations	21
Table 4 – Service distribution channel formulae 29 Table B.1 – Supported wireless applications. 34 Table B.2 – Areas served by SCPs 36 Table D.1 - Channel length formulae for optical fibre cabling 41	Table 3 – Maximum channel lengths for Type B reference implementations	22
Table B.1 – Supported wireless applications	Table 4 – Service distribution channel formulae	29
Table B.2 – Areas served by SCPs36Table D.1 - Channel length formulae for optical fibre cabling41	Table B.1 – Supported wireless applications	34
Table D.1 - Channel length formulae for optical fibre cabling 41	Table B.2 – Areas served by SCPs	36
	Table D.1 - Channel length formulae for optical fibre cabling	41

I.S. EN 50173-6:2013 - 4 -

EN 50173-6:2013

Foreword

This document (EN 50173-6:2013) has been prepared by CLC/TC 215, "Electrotechnical aspects of telecommunication equipment".

The following dates are fixed:

- latest date by which this document (dop) 2014-07-22 has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national (dow) 2016-07-22 standards conflicting with this document have to be withdrawn

The European Standards EN 50173:1995 and EN 50173-1:2002 have been developed to enable the application-independent cabling to support ICT applications in office premises. Their basic principles, however, are applicable to other types of applications and in other types of premises.

Therefore, CLC/TC 215 has established relevant European Standards which address the specific requirements of these premises. In order to point out the commonalities of these cabling design standards, these European Standards are published as individual parts of the EN 50173 series, thus also acknowledging that standards users recognise the designation "EN 50173" as a synonym for generic cabling design.

At the time of publication of this European Standard, EN 50173 series comprises the following standards:

- EN 50173-1 Information technology Generic cabling systems Part 1: General requirements
- EN 50173-2 Information technology Generic cabling systems Part 2: Office premises
- EN 50173-3 Information technology Generic cabling systems Part 3: Industrial premises
- EN 50173-4 Information technology Generic cabling systems Part 4: Homes
- EN 50173-5 Information technology Generic cabling systems Part 5: Data centres
- EN 50173-6 Information technology Generic cabling systems Part 6: Distributed building services

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

- 5 -

EN 50173-6:2013

Introduction

The importance of the information technology cabling infrastructure is similar to that of other utilities such as heating, lighting and electricity supplies. As with other utilities, interruptions to service can have serious impact. Poor quality of service due to lack of planning, use of inappropriate components, incorrect installation, poor administration or inadequate support can threaten an organisation's effectiveness.

Historically, the cabling within premises comprised both application-specific and multipurpose networks. Standards within the EN 50173 series have enabled a controlled migration to generic cabling (with an associated reduction in the use of application-specific cabling) and supported the development of high data rate applications based upon defined cabling models.

This European Standard, EN 50173-6, specifies generic cabling that supports a wide range of communication services within premises that comprise single or multiple buildings on a campus. It has been prepared to reflect the increasing use of generic cabling in support of non-user specific services, many of which require the use of remote powered devices including:

- I) telecommunications, e.g. wireless access points;
- II) energy management, e.g. lighting, power distribution, incoming utility metering;
- III) environmental control, e.g. temperature, humidity;
- IV) personnel management, e.g. access control, cameras, passive infra-red (PIR) detectors, time and attendance monitoring, electronic signage, audio-visual (AV) projectors;
- V) personal information and alarms, e.g. paging, patient monitoring, nurse call, infant security.

The distribution of these services is provided:

- i) using the balanced cabling channel Classes of EN 50173-2 and the all-silica optical fibre cabling channel Classes of EN 50173-1;
- ii) to locations other than those specified by premises-specific standards in the EN 50173 series either as a stand-alone structure and configuration or as an overlay to an EN 50173 structure and configuration.

This European Standard is not intended to replace the application of other premises-specific standards in EN 50173 series but has been prepared in recognition of the fact that, although certain functional elements of service distribution cabling may be co-located with those of other generic cabling infrastructures, service distribution cabling may be:

- specified, installed and operated by different entities than those responsible for other generic cabling infrastructures that may be installed within the premises;
- specified and installed at a different time than other generic cabling infrastructures that may be installed within the premises.

This European Standard provides:

- a) users with an application independent generic cabling system and an open market for cabling components;
- b) users with a flexible cabling scheme such that modifications are both easy and economical;
- building professionals (for example, architects) with guidance allowing the accommodation of cabling before specific requirements are known; i.e. in the initial planning either for construction or refurbishment;
- d) industry and standardization bodies with a cabling system which supports current products and provides a basis for future product development and applications standardization.

EN 50173-6:2013

This European Standard specifies multi-vendor cabling, and is related to:

- standards for cabling components developed by Technical Committees of CENELEC and/or IEC;
- standards for the quality assurance and installation of information technology cabling (EN 50174 series) and testing of installed cabling (EN 50346);
- applications developed by the Technical Committees of IEC (including the subcommittees of ISO/IEC JTC 1) and study groups of ITU-T.

The applications listed in EN 50173-1:2011, Annex F, have been analysed to determine the requirements for a generic cabling system. These requirements, together with statistics concerning premises geography from different countries and the models described in Clause 6, have been used to develop the requirements for cabling components and to stipulate their arrangement into cabling systems.

As a result, generic cabling defined within this European Standard is targeted at, but not limited to, office premises. It is anticipated that the generic cabling system meeting the minimum requirements of this European Standard will have a life expectancy in excess of ten years.

Figure 1 and Table 1 show the schematic and contextual relationships between the standards produced by CLC/TC 215 for information technology cabling, namely:

- 1) this part and other parts of EN 50173 series;
- 2) application dependent cabling design (e.g. EN 50098 series);
- 3) installation (EN 50174 series);
- 4) testing of installed cabling (EN 50346);
- 5) equipotential bonding requirements (EN 50310).

In addition, a number of Technical Reports have been developed to support or extend the application of these standards, including:

- CLC/TR 50173-99-1, Cabling guidelines in support of 10 GBASE-T;
- CLC/TR 50173-99-2, Information technology Implementation of BCT applications using cabling in accordance with EN 50173-4;
- CLC/TR 50173-99-3, Information technology Generic cabling systems Part 99-3: Home cabling infrastructures up to 50 m in length to support simultaneous and non simultaneous provision of applications.



-7-

EN 50173-6:2013



NOTE For the purposes of the standards in EN 50173 and EN 50174 series, the term "information technology" includes ICT, BCT and CCCB applications.

Figure 1 — Schematic relationship between EN 50173 series and other relevant standards

EN 50173-6:2013

Table 1 — Contextual relationship between EN 50173 series and other standards relevant for information technology cabling systems

Building design phase	Generic cabling design phase	Specification phase	Installation phase	Operation phase
EN 50310	EN 50173 series except EN 50173-4	EN 50174-1		EN 50174-1
6. Bonding networks	4: Structure 5: Channel performance 7: Cable	4 Requirements for specifying installa- tions of information technology cabling		4: Requirements for specifying installations of information technology cabling
	requirements	5: Requirements for installers of infor- mation technology cabling		
	8: Connecting hardware requirements			
	9: Requirements for cords and jumpers			
	A: Link performance limits			
		Planning phase		
	and EN 50173-4	EN 50174-2	EN 50174-2	
	 4 and 5: Structure 6: Channel performance 8: Cable requirements 9: Connecting hardware requirements 10: Requirements for cords and jumpers A: Link performance limits 	4: Requirements for planning installations of information technology cabling 6: Segregation of metallic information technology cabling and mains power cabling 7: Electricity distribution systems and lightning protection and EN 50174-3 and (for equipotential bonding) EN 50210	5: Requirements for the installation of information technology cabling 6: Segregation of metallic information technology cabling and mains power cabling 8: Office (commercial) premises 9: Industrial premises 10: Homes 11: Data centres and EN 50174-3 and (for equipotential bonding)	
		EN 50310	EN 50310 and EN 50346	
			4: General requirements	
			5: Test parameters for balanced cabling	
			6: Test parameters for optical fibre cabling	

-9-

1 Scope and conformance

1.1 Scope

This European Standard specifies generic cabling that supports a wide range of communication services within premises that comprise single or multiple buildings on a campus. It addresses the increasing use of generic cabling in support of non-user specific services, many of which require the use of remote powered devices including telecommunications, energy management, environmental control, personnel management, personal information and alarms.

The distribution of these services is provided to locations (e.g. for wireless access points, remote powered devices and building management systems) other than those specified in premises-specific standards in EN 50173 series by means of either:

- a) an overlay structure and configuration to that specified within EN 50173 series, or
- b) a stand-alone structure and configuration.

It covers balanced cabling and optical fibre cabling.

This European Standard is based upon and references the requirements of EN 50173-1, and in addition specifies implementation options.

Safety (electrical safety and protection, optical power, fire, etc.) and electromagnetic compatibility (EMC) requirements are outside the scope of this European Standard and are covered by other standards and regulations. However, information given in this European Standard may be of assistance in meeting these standards and regulations.

1.2 Conformance

For a cabling system to conform to this European Standard:

- a) the structure and configuration shall conform to the requirements of Clause 4;
- b) the interfaces to the cabling at the service outlets (SO) and service concentration points (SCP) shall conform to the requirements of Clause 8 with respect to mating interfaces;
- c) connecting hardware at other places in the cabling structure shall meet the requirements specified in Clause 8;
- d) the performance of channels shall conform to the requirements of Clause 5. This shall be achieved by one of the following:
 - 1) a channel design and implementation ensuring that the prescribed channel performance Class of Clause 5 is met;
 - attachment of appropriate components to a link design meeting the prescribed performance Class of Annex A. Channel performance shall be ensured where a channel is created by adding more than one cord to either end of a link meeting the requirements of Annex A;
 - 3) using the reference implementations of Clause 6 and compatible cabling components conforming to the requirements of Clauses 7, 8 and 9, based upon a statistical approach of performance modelling.
- e) local regulations concerning safety shall be met.

In addition, the requirements of EN 50174 series shall be met.

The test parameters to be measured and the sampling levels to be applied for a particular installation shall be defined in the installation specification and quality plans for that installation prepared in accordance with EN 50174-1.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation