



NSAI
Standards

Irish Standard
I.S. EN 60068-2-57:2013

Environmental testing -- Part 2-57:
Tests - Test Ff: Vibration - Time-history
and sine-beat method (IEC 60068-2
-57:2013 (EQV))

I.S. EN 60068-2-57:2013

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 60068-2-57:2000 EN 60068-2-57:1993	<i>This document is based on:</i> EN 60068-2-57:2013 EN 60068-2-57:1993	<i>Published:</i> 2 August, 2013 8 April, 1993
This document was published under the authority of the NSAI and comes into effect on: 12 August, 2013		ICS number: 19.040
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

English version

**Environmental testing -
Part 2-57: Tests -
Test Ff: Vibration -
Time-history and sine-beat method
(IEC 60068-2-57:2013)**

Essais d'environnement -
Partie 2-57: Essais -
Essai Ff: Vibrations -
Méthode par accélérogrammes et
sinusoïdes modulées
(CEI 60068-2-57:2013)

Umgebungseinflüsse -
Teil 2-57: Prüfungen -
Prüfung Ff: Schwingen -
Zeitlaufverfahren und Sinusimpulse
(IEC 60068-2-57:2013)

This European Standard was approved by CENELEC on 2013-05-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 104/595/FDIS, future edition 3 of IEC 60068-2-57, prepared by IEC TC 104 "Environmental conditions, classification and methods of test" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60068-2-57:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-02-28
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-05-30

This document supersedes EN 60068-2-57:2000 and EN 60068-2-59:1993.

EN 60068-2-57:2013 includes the following significant technical changes with respect to EN 60068-2-57:2000 and EN 60068-2-59:1993:

– editorially combines EN 60068-2-57 and EN 60068-2-59;

– the title has been modified to include a sine beat method.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60068-2-57:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-2-59:1990	NOTE Harmonised as EN 60068-2-59:1993 (not modified).
IEC 60068-2-81	NOTE Harmonised as EN 60068-2-81.
ISO/IEC 17025	NOTE Harmonised as EN ISO/IEC 17025.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068	Series	Environmental testing	EN 60068	Series
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 60068-2-6	2007	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	2008
IEC 60068-2-47	2005	Environmental testing - Part 2-47: Tests - Mounting of specimens for vibration, impact and similar dynamic tests	EN 60068-2-47	2005
IEC 60068-2-64	2008	Environmental testing - Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance	EN 60068-2-64	2008
IEC 60068-3-3	1991	Environmental testing - Part 3: Guidance - Seismic test methods for equipments	EN 60068-3-3	1993
IEC 60068-3-8	-	Environmental testing - Part 3-8: Supporting documentation and guidance - Selecting amongst vibration tests	EN 60068-3-8	-

This page is intentionally left BLANK.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	8
4 Test requirements and associated parameters.....	15
4.1 General	15
4.2 Requirements for testing	15
4.3 Vibration response investigation.....	16
4.3.1 General	16
4.3.2 Basic motion.....	16
4.3.3 Transverse motion.....	16
4.3.4 Rotational motion	16
4.3.5 Measuring points	16
4.3.6 Vibration amplitude tolerances.....	17
4.3.7 Frequency tolerances	17
4.3.8 Sweeping	17
4.3.9 Damping ratio.....	17
4.4 Time-history testing.....	18
4.4.1 Basic motion.....	18
4.4.2 Transverse motion.....	18
4.4.3 Rotational motion	18
4.4.4 Tolerance zone for the required response spectrum	18
4.4.5 Frequency range	19
4.5 Sine-beat testing	19
4.5.1 General description	19
4.5.2 Vibration amplitude tolerances.....	19
4.5.3 Test frequency tolerances	19
4.5.4 Transverse motion.....	19
4.6 Mounting	20
5 Severities	20
5.1 General	20
5.2 Time history	20
5.3 Test frequency range.....	21
5.4 Required response spectrum.....	21
5.5 Number and duration of time-histories	21
5.5.1 Number of time histories.....	21
5.5.2 Time-history duration.....	21
5.5.3 Duration of the strong part of the time history	22
5.5.4 Number of high stress cycles.....	22
5.6 Sine-beat test level.....	23
5.6.1 General	23
5.6.2 Test frequency determination	29
5.6.3 Sine-beat test wave	29
5.6.4 Number of cycles in the sine beat	29
5.6.5 Modulating frequency	30

5.6.6	Number of sine beats.....	31
5.6.7	High-stress low-cycle fatigue effects.....	31
6	Preconditioning	31
7	Initial measurements	31
8	Testing	31
8.1	General.....	31
8.2	Vibration response investigation.....	31
8.3	Time-history testing.....	32
8.4	Sine-beat testing.....	32
8.5	Multi-axis testing.....	32
8.5.1	General.....	32
8.5.2	Single axis testing.....	32
8.5.3	Biaxial testing.....	32
8.5.4	Triaxial testing.....	32
9	Intermediate measurements	33
10	Recovery.....	33
11	Final measurements	33
12	Information to be given in the relevant specification.....	33
13	Information to be given in the test report	34
	Annex A (informative) Guidance for time-history and sine-beat methods.....	35
	Bibliography.....	41
	Figure 1 – Sequence of five sine beats with five cycles.....	7
	Figure 2 – Number of cycles per sine beat.....	13
	Figure 3 – Typical time history.....	14
	Figure 4 – Typical logarithmic plot of a required response spectrum, test response spectrum and tolerance zone.....	14
	Figure 5 – Typical response of an oscillator excited by a specific time history during a test.....	22
	Figure 6 – Recommended test level with crossover frequency at 0,8 Hz.....	24
	Figure 7 – Recommended test level with crossover frequency at 1,6 Hz.....	26
	Figure 8 – Recommended test level with crossover frequency at 8 Hz.....	28
	Figure 9 – Amplification factors of different sine beats, continuous sine and a typical natural time-history.....	30
	Figure A.1 – Recommended shape of a required response spectrum in generalized form.....	37
	Figure A.2 – Standardized presentation of matched sine beats of acceleration, velocity and displacement (five cycles within the sine beat of acceleration).....	40
	Table 1 – Comparison of tolerances.....	15
	Table 2 – Recommended test frequency ranges.....	21
	Table 3 – Recommended test levels with a crossover frequency of 0,8 Hz (see Figure 6).....	23
	Table 4 – Recommended test levels with a crossover frequency of 1,6 Hz (see Figure 7).....	25
	Table 5 – Recommended test levels with a crossover frequency of 8 Hz (see Figure 8).....	27

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENVIRONMENTAL TESTING –

**Part 2-57: Tests – Test Ff: Vibration –
Time-history and sine-beat method**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60068-2-57 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test.

This third edition cancels and replaces the second edition, published in 1999. It also replaces IEC 60068-2-59:1990, which will be withdrawn.

This edition includes only minor technical changes with respect to the previous edition:

- editorially combines IEC 60068-2-57 and IEC 60068-2-59;
- the title has been modified to include a sine beat method.

The text of this standard is based on the following documents:

FDIS	Report on voting
104/595/FDIS	104/612/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60068 series, published under the general title *Environmental testing*, can be found on the IEC website.

This standard is to be used in conjunction with IEC 60068-1.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This part of IEC 60068 details methods for testing components, equipment and other electrotechnical products (hereinafter referred to as “specimens”) which in service can be subjected to random or oscillating type dynamic forces of short duration, typical examples of which are the stresses induced in equipment as a result of earthquakes, explosions and certain phases of transportation, or by transient, short time vibration in machinery.

The characteristics of these forces and the damping of the specimen may be such that the vibration response of the specimen will not reach a steady-state condition.

The time-history test consists, after any preliminary vibration response investigation with sinusoidal or random vibration, in subjecting the specimen to a vibration (acceleration, velocity or displacement) the time history being specified by a response spectrum with characteristics simulating the effects of the dynamic forces.

A time history may be developed or obtained from

- a natural event (natural time history),
 - a random sample
 - a synthesized signal
- } artificial time history.


In general, to adapt to the required testing severity, some modification is necessary.

The use of a time history allows a single test wave to envelop a broadband response spectrum.

It is possible for all the modes of the structure in the excitation axis (or axes) to be excited at the same time and consequently the stresses derived from the combined effects of the coupled modes are generally taken into account.

In the sine beat test, the specimen is excited at fixed frequencies with a preset number of sine beats (see Figure 1). These fixed test frequencies are predetermined test frequencies, or critical frequencies identified by means of a sinusoidal vibration test (IEC 60068-2-6), or both. Pauses are provided between the individual sine beats in order to allow decay of the free response of the specimen.

In Clause 12 specification writers will find a list of details to be considered for inclusion in specifications and, in Annex A, guidance giving necessary extra information.



IEC 907/13

Figure 1 – Sequence of five sine beats with five cycles

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-