

Irish Standard I.S. EN ISO 4895:2014

Plastics - Liquid epoxy resins - Determination of tendency to crystallize (ISO 4895:2014)

© CEN 2014 No copying without NSAI permission except as permitted by copyright law.

I.S. EN ISO 4895:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN ISO 4895:2014 *Published:* 2014-07-16

This document was published			ICS number:
and comes into effect on:			83.080.10
2014-08-02			
		NOTE: If bl	ank see CEN/CENELEC cover page
NSAI	T +353 1 807 3800		Sales:
1 Swift Square,	F +353 1 807 3838		T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie		F +353 1 857 6729
Dublin 9	W NSAI.ie		W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN ISO 4895

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2014

ICS 83.080.10

Supersedes EN ISO 4895:1999

English Version

Plastics - Liquid epoxy resins - Determination of tendency to crystallize (ISO 4895:2014)

Plastiques - Résines époxydes liquides - Détermination de la tendance à la cristallisation (ISO 4895:2014) Kunststoffe - Flüssige Epoxidharze - Bestimmung der Kristallisationsneigung (ISO 4895:2014)

This European Standard was approved by CEN on 28 June 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Ref. No. EN ISO 4895:2014 E

EN ISO 4895:2014 (E)

Contents	Page
Foreword	3

Foreword

This document (EN ISO 4895:2014) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2015, and conflicting national standards shall be withdrawn at the latest by January 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 4895:1999.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 4895:2014 has been approved by CEN as EN ISO 4895:2014 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

INTERNATIONAL STANDARD

ISO 4895

Third edition 2014-07-15

Plastics — Liquid epoxy resins — Determination of tendency to crystallize

Plastiques — Résines époxydes liquides — Détermination de la tendance à la cristallisation



Reference number ISO 4895:2014(E) ISO 4895:2014(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Page

Contents

Forev	wordiv
Intro	ductionv
1	Scope1
2	Normative references 1
3	Principle1
4	Reagents1
5	Apparatus1
6	Procedure2
7	Expression of results
8	Precision 3
9	Test report

ISO 4895:2014(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 61, *Plastics*, Subcommittee SC 12, *Thermosetting materials*.

This third edition cancels and replaces the second edition (ISO 4895:1997), which has been technically revised.

Introduction

The tendency of liquid epoxy resins to crystallize varies depending on factors such as basic composition, purity, additives, homogeneity and water content, in addition to external factors such as storage history and ambient temperature.

As it is rather difficult to indicate the tendency quantitatively by observation and comparison, the tendency is therefore to express the results by observing, at intervals, the changes in fluidity and appearance of samples.

This is a free page sample. Access the full version online. I.S. EN ISO $4895{:}2014$

Plastics — Liquid epoxy resins — Determination of tendency to crystallize

SAFETY STATEMENT — Persons using this document should be familiar with normal laboratory practice, if applicable. This document does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any regulatory requirements.

1 Scope

This International Standard specifies a method for determining the tendency of liquid epoxy resins to crystallize. The tendency to crystallize is determined by observing, at specified time intervals, changes in fluidity and the onset of crystallization.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6353-2:1983, Reagents for chemical analysis — Part 2: Specifications — First series

ISO 6353-3:1987, Reagents for chemical analysis — Part 3: Specifications — Second series

3 Principle

Calcium carbonate powder is mixed with the liquid epoxy resin dissolved in ethanol. The mixture is kept at a specified low temperature and observed at specified time intervals to compare the changes in fluidity and crystallization.

4 Reagents

- **4.1 Calcium carbonate**, as specified in ISO 6353-3:1987, R 53.
- **4.2 Ethanol**, as specified in ISO 6353-2:1983, R 11.

5 Apparatus

5.1 Refrigerator or **cold enclosure**, maintained at (10 ± 2) °C.

5.2 Glass test tube, of capacity approximately 100 ml, 40 mm in diameter and 80 mm in height, with a polyethylene-covered stopper.

- **5.3 Glass rod**, of hard glass, approximately 10 mm in diameter.
- **5.4** Oven.
- **5.5** Analytical balance, accurate to 0,01g.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation