



NSAI
Standards

Irish Standard
I.S. EN ISO 10414-2:2011

Petroleum and natural gas industries - Field testing of drilling fluids - Part 2: Oil- based fluids (ISO 10414-2:2011)

I.S. EN ISO 10414-2:2011

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
EN ISO 10414-2:2011

Published:
27 June, 2011

This document was published
under the authority of the NSAI
and comes into effect on:
27 June, 2011

ICS number:
75.180.10

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

ICS 75.180.10

English Version

Petroleum and natural gas industries - Field testing of drilling fluids - Part 2: Oil-based fluids (ISO 10414-2:2011)

Industries du pétrole et du gaz naturel - Essais in situ des fluides de forage - Partie 2: Fluides à base d'huiles (ISO 10414-2:2011)

Erdöl- und Erdgasindustrie - Feldprüfung von Bohrflüssigkeiten - Teil 2: Flüssigkeiten auf Ölbasis (ISO 10414-2:2011)

This European Standard was approved by CEN on 28 April 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
----------------------	----------

Foreword

This document (EN ISO 10414-2:2011) has been prepared by Technical Committee ISO/TC 67 “Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries” in collaboration with Technical Committee CEN/TC 12 “Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2011, and conflicting national standards shall be withdrawn at the latest by December 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 10414-2:2011 has been approved by CEN as a EN ISO 10414-2:2011 without any modification.

This page is intentionally left BLANK.

I.S. EN ISO 10414-2:2011
**INTERNATIONAL
STANDARD**

**ISO
10414-2**

Second edition
2011-06-15

**Petroleum and natural gas industries —
Field testing of drilling fluids —**

**Part 2:
Oil-based fluids**

Industries du pétrole et du gaz naturel — Essais in situ des fluides de forage —

Partie 2: Fluides à base d'huiles



Reference number
ISO 10414-2:2011(E)

© ISO 2011



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction.....	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Symbols and abbreviated terms	3
4.1 Symbols.....	3
4.2 Abbreviated terms	9
5 Determination of drilling fluid density (mud weight)	10
5.1 Principle.....	10
5.2 Apparatus	10
5.3 Procedure	10
5.4 Calculation	10
6 Alternative method for determination of drilling fluid density	12
6.1 Principle.....	12
6.2 Apparatus	12
6.3 Procedure	13
6.4 Calculation	14
7 Viscosity and gel strength.....	14
7.1 Principle.....	14
7.2 Determination of viscosity using the Marsh funnel	14
7.3 Determination of viscosity and gel strength using a direct-reading viscometer	15
8 Static filtration	18
8.1 Principle.....	18
8.2 High-temperature/high-pressure test up to 175 °C (350 °F)	18
8.3 High-temperature/high-pressure test 175 °C (350 °F) up to and including 230 °C (450 °F)	21
9 Retort test for oil, water and solids concentrations	23
9.1 Principle.....	23
9.2 Apparatus	24
9.3 Procedure — Volumetric method	25
9.4 Calculation — Volumetric method	26
9.5 Procedure — Gravimetric method	27
9.6 Calculation — Gravimetric method	29
9.7 Calculation — Volume fractions of oil, water and solids	30
10 Chemical analysis of oil-based drilling fluids	32
10.1 Principle.....	32
10.2 Reagents and apparatus.....	33
10.3 Base alkalinity demand, V_B	34
10.4 Whole-drilling-fluid alkalinity, V_K	35
10.5 Whole-drilling-fluid chloride concentration.....	37
10.6 Whole-drilling-fluid calcium concentration	38
11 Electrical stability test.....	39
11.1 Principle.....	39
11.2 Apparatus	39
11.3 Equipment calibration/performance test	40
11.4 Procedure	40

12	Lime, salinity and solids calculations	41
12.1	Principle	41
12.2	Apparatus	42
12.3	Whole-drilling-fluid calculations	42
12.4	Aqueous phase calculations	44
12.5	Soluble and insoluble whole-drilling-fluid sodium chloride calculations	48
12.6	Calculation — Solids in the whole drilling fluid	49
Annex A (informative)	Measurement of shear strength using shearometer tube	54
Annex B (informative)	Determination of oil and water retained on cuttings.....	56
Annex C (informative)	Determination of aqueous-phase activity of emulsified water using an electrohygrometer	61
Annex D (informative)	Determination of aniline point	64
Annex E (informative)	Lime, salinity and solids calculations.....	67
Annex F (informative)	Sampling, inspection and rejection of drilling materials	88
Annex G (informative)	Rig-site sampling	90
Annex H (informative)	Determination of cutting activity by the Chenevert method	93
Annex I (informative)	Chemical analysis of active sulfides by the Garrett gas train method	97
Annex J (informative)	Calibration and verification of glassware, thermometers, viscometers, retort kit cup and drilling fluid balances	102
Annex K (informative)	High-temperature/high-pressure filtration testing of oil-based drilling fluids using the permeability plugging apparatus and cells equipped with set-screw secured end caps	107
Annex L (informative)	High-temperature/high-pressure filtration testing of oil-based drilling fluids using the permeability plugging apparatus and cells equipped with threaded end caps	117
Annex M (informative)	Compatibility of elastomeric materials with non-aqueous-based drilling fluids	127
Annex N (informative)	Sand content procedure for non-aqueous fluids	131
Annex O (informative)	Identification and monitoring of weight-material sag	132
Annex P (informative)	Oil-based drilling fluid report form.....	155
Bibliography		156

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10414-2 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for the petroleum, petrochemical and natural gas industries*, Subcommittee SC 3, *Drilling and completion fluids, and well cements*.

This second edition cancels and replaces the first edition (ISO 10414-2:2002), which has been technically revised.

ISO 10414 consists of the following parts, under the general title *Petroleum and natural gas industries — Field testing of drilling fluids*:

- *Part 1: Water-based fluids*
- *Part 2: Oil-based fluids*

Introduction

This part of ISO 10414 is based on API RP 13B-2:2005, *Recommended practice for field testing of oil-based drilling fluids*.

As with any laboratory procedure requiring the use of potentially hazardous chemicals and equipment, the user is expected to have received proper training and knowledge in the use and disposal of these potentially hazardous materials. The user is responsible for compliance with all applicable local, regional and national requirements for worker and local health, safety and environmental liability.

In this part of ISO 10414, quantities expressed in the International System (SI) of units are also, where practical, expressed in United States Customary (USC) units in parentheses for information. The units do not necessarily represent a direct conversion of SI units to USC units, or USC units to SI units. Consideration has been given to the precision of the instrument making the measurement. For example, thermometers are typically marked in one degree increments, thus temperature values have been rounded to the nearest degree.

Calibrating an instrument refers to ensuring the accuracy of the measurement. Accuracy is the degree of conformity of a measurement of a quantity to its actual or true value. Accuracy is related to precision, or reproducibility, of a measurement. Precision is the degree to which further measurements or calculations will show the same or similar results. Precision is characterized in terms of the standard deviation of the measurement. The results of calculations or a measurement can be accurate but not precise, precise but not accurate, neither accurate nor precise, or both accurate and precise. A result is valid if it is both accurate and precise.

Petroleum and natural gas industries — Field testing of drilling fluids —

Part 2: Oil-based fluids

1 Scope

This part of ISO 10414 provides standard procedures for determining the following characteristics of oil-based drilling fluids:

- a) drilling fluid density (mud weight);
- b) viscosity and gel strength;
- c) filtration;
- d) oil, water and solids concentrations;
- e) alkalinity, chloride concentration and calcium concentration;
- f) electrical stability;
- g) lime and calcium concentrations, calcium chloride and sodium chloride concentrations;
- h) low-gravity solids and weighting material concentrations.

The annexes provide additional test methods or examples that can optionally be used for the determination of:

- shear strength (Annex A);
- oil and water concentrations from cuttings (Annex B);
- drilling fluid activity (Annex C);
- aniline point (Annex D);
- lime, salinity and solids concentration (Annex E);
- sampling, inspection and rejection (Annex F);
- rig-site sampling (Annex G);
- cuttings activity (Annex H);
- active sulphides (Annex I);
- calibration and verification of glassware, thermometers, viscometers, retort kit cups and drilling fluid balances (Annex J);

ISO 10414-2:2011(E)

- permeability plugging apparatus with set-screw secured end cap (Annex K);
- permeability plugging apparatus with threaded end cap (Annex L);
- elastomer compatibility (Annex M);
- sand content of oil-based fluid (Annex N);
- identification and monitoring of weight-material sag (Annex O);
- oil-based drilling fluid test report form (Annex P).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10414-1:2008¹⁾, *Petroleum and natural gas industries — Field testing of drilling fluids — Part 1: Water-based fluids*

ISO 13501²⁾, *Petroleum and natural gas industries — Drilling fluids — Processing equipment evaluation*

API RP 13D:2010, *Recommended practice on the rheology and hydraulics of oil-well drilling fluids*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

ACS reagent grade

grade of chemical meeting the purity standards specified by the American Chemical Society (ACS) and listed in the Chemical Abstracting Service (CAS)

3.2

density of water

density of 1 g/ml (8,334 lb/gal) for deionized or distilled water and 1 g/ml (8,345 lb/gal) for clean tap water

NOTE Deionized or distilled water is used for all equipment calibration. The volume of 1 kg of water is 1 l for the purposes of this part of ISO 10414, and the volume of water is numerically equivalent to the volume of the water measured in cubic centimetres or millilitres, i.e. 1 g = 1 ml.

3.3

spurt loss

volume of fluid that passes through the filtration medium before a filter cake is formed

3.4

pound

U.S. customary unit used to indicate pound-mass (weight), as opposed to pound-force (shear stress)

1) For the purposes of this part of ISO 10414, API RP 13B-1:2009, *Recommended practice for field testing water-based drilling fluids*, is equivalent.

2) For the purposes of this part of ISO 10414, API RP 13C, *Recommended practice on drilling fluids processing systems evaluation*, is equivalent.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-