



NSAI
Standards

Irish Standard
I.S. EN ISO 19901-7:2013

Petroleum and natural gas industries -
Specific requirements for offshore
structures - Part 7: Stationkeeping
systems for floating offshore structures
and mobile offshore units (ISO 19901
-7:2013)

I.S. EN ISO 19901-7:2013

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:
EN ISO 19901-7:2005

| | |
|---|---|
| <i>This document is based on:</i> EN ISO 19901-7:2013 EN ISO 19901-7:2005 | <i>Published:</i> 16 May, 2013 1 December, 2005 |
|---|---|

This document was published under the authority of the NSAI and comes into effect on:
16 May, 2013

ICS number:
75.180.10

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

English Version

Petroleum and natural gas industries - Specific requirements for offshore structures - Part 7: Stationkeeping systems for floating offshore structures and mobile offshore units (ISO 19901-7:2013)

Industries du pétrole et du gaz naturel - Exigences spécifiques relatives aux structures en mer - Partie 7: Systèmes de maintien en position des structures en mer flottantes et des unités mobiles en mer (ISO 19901-7:2013)

Erdöl- und Erdgasindustrie - Spezielle Anforderungen an Offshore-Anlagen - Teil 7: Betriebssysteme für das Positionshalten schwimmender Anlagen und mobiler Offshore-Einheiten (ISO 19901-7:2013)

This European Standard was approved by CEN on 5 January 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....3

Foreword

This document (EN ISO 19901-7:2013) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2013, and conflicting national standards shall be withdrawn at the latest by November 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 19901-7:2005.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 19901-7:2013 has been approved by CEN as EN ISO 19901-7:2013 without any modification.

This page is intentionally left BLANK.

I.S. EN ISO 19901-7:2013
**INTERNATIONAL
STANDARD**

**ISO
19901-7**

Second edition
2013-05-01

**Petroleum and natural gas industries —
Specific requirements for offshore
structures —**

Part 7:
**Stationkeeping systems for floating
offshore structures and mobile offshore
units**

*Industries du pétrole et du gaz naturel — Exigences spécifiques
relatives aux structures en mer —*

*Partie 7: Systèmes de maintien en position des structures en mer
flottantes et des unités mobiles en mer*



Reference number
ISO 19901-7:2013(E)

© ISO 2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

| | |
|---|-----------|
| Foreword | v |
| Introduction..... | vii |
| 1 Scope | 1 |
| 2 Normative references | 2 |
| 3 Terms and definitions | 2 |
| 4 Symbols and abbreviated terms | 7 |
| 4.1 Symbols..... | 7 |
| 4.2 Abbreviated terms | 8 |
| 5 Overall considerations | 9 |
| 5.1 Functional requirements..... | 9 |
| 5.2 Safety requirements | 9 |
| 5.3 Planning requirements..... | 10 |
| 5.4 Inspection and maintenance requirements | 10 |
| 5.5 Analytical tools | 10 |
| 6 Design requirements | 10 |
| 6.1 Exposure levels | 10 |
| 6.2 Limit states..... | 11 |
| 6.3 Defining design situations | 11 |
| 6.4 Design situations..... | 12 |
| 7 Actions..... | 14 |
| 7.1 General | 14 |
| 7.2 Site-specific data requirements | 14 |
| 7.3 Environmental actions on mooring lines..... | 15 |
| 7.4 Indirect actions | 16 |
| 8 Mooring analysis | 18 |
| 8.1 Basic considerations | 18 |
| 8.2 Floating structure offset | 19 |
| 8.3 Floating structure response | 20 |
| 8.4 Mooring line response | 25 |
| 8.5 Line tension | 26 |
| 8.6 Line length and geometry constraints | 26 |
| 8.7 Anchor forces | 27 |
| 8.8 Typical mooring configuration analysis and assessment | 27 |
| 8.9 Thruster-assisted moorings | 28 |
| 8.10 Transient analysis of floating structure motions..... | 29 |
| 9 Fatigue analysis..... | 30 |
| 9.1 Basic considerations | 30 |
| 9.2 Fatigue resistance | 30 |
| 9.3 Fatigue analysis procedure | 32 |
| 10 Design criteria..... | 37 |
| 10.1 Floating structure offset | 37 |
| 10.2 Line tension limit | 38 |
| 10.3 Grounded line length | 38 |
| 10.4 Anchoring systems | 38 |
| 10.5 Fatigue safety factor | 41 |
| 10.6 Corrosion and wear..... | 41 |
| 10.7 Clearances | 42 |

| | | |
|---------------------|--|------------|
| 10.8 | Supporting structures | 42 |
| 11 | Mooring hardware..... | 42 |
| 11.1 | Mooring line components | 42 |
| 11.2 | Winching equipment | 43 |
| 11.3 | Monitoring equipment..... | 43 |
| 12 | In-service inspection, monitoring and maintenance..... | 44 |
| 12.1 | General..... | 44 |
| 12.2 | Mobile moorings | 44 |
| 12.3 | Permanent moorings | 44 |
| 13 | Dynamic positioning system | 46 |
| 13.1 | Basic considerations..... | 46 |
| 13.2 | Design and analysis | 47 |
| 13.3 | Design, test and maintenance | 48 |
| 13.4 | Operating personnel..... | 48 |
| 13.5 | Determination of stationkeeping capability | 48 |
| 14 | Synthetic fibre rope mooring..... | 48 |
| 14.1 | Basic considerations..... | 48 |
| 14.2 | Fibre rope mooring analysis..... | 49 |
| 14.3 | Fatigue analysis | 50 |
| 14.4 | Creep analysis..... | 50 |
| 14.5 | Design criteria..... | 50 |
| 14.6 | Model testing..... | 51 |
| Annex A | (informative) Additional information and guidance | 52 |
| Annex B | (informative) Regional information | 169 |
| Bibliography | | 176 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19901-7 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 7, *Offshore structures*.

This second edition cancels and replaces the first edition (ISO 19901-7:2005), which has been technically revised.

This second edition of ISO 19901-7 includes several major additions and changes, primarily to Annex A (informative). The largest change is the addition of detailed informative text incorporated directly from API RP 2SK on all types of anchor design. In the first edition of this International Standard, this material was previously addressed only by reference to API RP 2SK. Informative material has also been added from API RP 2SK regarding the analysis and mitigation of vortex-induced motions of large cylindrical hulls. Consequently, the normative text has been modified to remove reference to API RP 2SK and to cross-reference portions of the expanded informative annex.

The other significant change is the updating of guidance on polyester rope mooring design to conform to the provisions of the recent amendment to API RP 2SM. The changes include new definitions of stiffness, recognition of effective filter barriers, removal of the prohibition against the rope touching the sea floor, and more detail on minimum tension requirements, among others. Additionally, minor corrections were made to the text in 7.4.4 (Wind actions) and 8.3.4 (Riser considerations), and the terminology "most probable maximum" has been standardized throughout. Finally, the Norwegian clause of Annex B has been updated at the request of Norway, and a new Canadian clause has been added.

ISO 19901 consists of the following parts, under the general title *Petroleum and natural gas industries — Specific requirements for offshore structures*:

- *Part 1: Metocean design and operating considerations*
- *Part 2: Seismic design procedures and criteria*
- *Part 3: Topsides structure*
- *Part 4: Geotechnical and foundation design considerations*
- *Part 5: Weight control during engineering and construction*
- *Part 6: Marine operations*
- *Part 7: Stationkeeping systems for floating offshore structures and mobile offshore units*

ISO 19901-7:2013(E)

The following parts are under preparation:

- *Part 8: Marine soil investigations*

ISO 19901 is one of a series of International Standards for offshore structures. The full series consists of the following International Standards:

- ISO 19900, *Petroleum and natural gas industries — General requirements for offshore structures*
- ISO 19901 (all parts), *Petroleum and natural gas industries — Specific requirements for offshore structures*
- ISO 19902, *Petroleum and natural gas industries — Fixed steel offshore structures*
- ISO 19903, *Petroleum and natural gas industries — Fixed concrete offshore structures*
- ISO 19904-1, *Petroleum and natural gas industries — Floating offshore structures — Part 1: Monohulls, semi-submersibles and spars*
- ISO 19905-1, *Petroleum and natural gas industries — Site-specific assessment of mobile offshore units — Part 1: Jack-ups*
- ISO/TR 19905-2, *Petroleum and natural gas industries — Site-specific assessment of mobile offshore units — Part 2: Jack-ups commentary and detailed sample calculation*
- ISO 19905-3, *Petroleum and natural gas industries — Site-specific assessment of mobile offshore units — Part 3: Floating units¹⁾*
- ISO 19906, *Petroleum and natural gas industries — Arctic offshore structures*

1) Under preparation.

Introduction

The series of International Standards applicable to types of offshore structure, ISO 19900 to ISO 19906, constitutes a common basis covering those aspects that address design requirements and assessments of all offshore structures used by the petroleum, petrochemical and natural gas industries worldwide. Through their application, the intention is to achieve reliability levels appropriate for manned and unmanned offshore structures, whatever type of structure and nature or combination of materials used.

It is important to recognize that structural integrity is an overall concept comprising models for describing actions, structural analyses, design rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design in isolation can disturb the balance of reliability inherent in the overall concept or structural system. The implications involved in modifications therefore need to be considered in relation to the overall reliability of all offshore structural systems.

The series of International Standards applicable to types of offshore structure is intended to provide wide latitude in the choice of structural configurations, materials and techniques without hindering innovation. Sound engineering judgement is therefore necessary in the use of these International Standards.

This part of ISO 19901 was developed in response to the worldwide offshore industry's demand for a coherent and consistent definition of methodologies to analyse, design and evaluate stationkeeping systems used for floating production and/or storage platforms of various types (e.g. semi-submersibles, spar platforms, ship-shaped structures) and to assess site-specific applications of mobile offshore units (such as mobile offshore drilling units, pipelay units, construction units).

Stationkeeping is a generic term covering systems for keeping a floating structure, which is under the constant influence of external actions, on a pre-defined location and/or heading with limited excursions. Stationkeeping systems resist external actions by means of any combination of the following:

- mooring systems (e.g. spread moorings or single point moorings);
- dynamic positioning systems (generally consisting of thrusters).

The external actions generally consist of wind, wave, current and ice actions on the floating structure, mooring and/or risers.

Some background to, and guidance on, the use of this part of ISO 19901 is provided in informative Annex A. The clause numbering in Annex A is the same as in the normative text to facilitate cross-referencing.

Regional information, where available, is provided in informative Annex B.

Petroleum and natural gas industries — Specific requirements for offshore structures —

Part 7: Stationkeeping systems for floating offshore structures and mobile offshore units

1 Scope

This part of ISO 19901 specifies methodologies for

- a) the design, analysis and evaluation of stationkeeping systems for floating structures used by the oil and gas industries to support
 - 1) production,
 - 2) storage,
 - 3) drilling, well intervention and production,
 - 4) production and storage,
 - 5) drilling, well intervention, production and storage, and
- b) the assessment of stationkeeping systems for site-specific applications of mobile offshore units (e.g. mobile offshore drilling units, construction units, and pipelay units).

Most stationkeeping systems used with the class of floating structures covered by a) are termed “permanent mooring systems”, for which this part of ISO 19901 is applicable to all aspects of the life cycle and includes requirements relating to the manufacture of mooring components, as well as considerations for in-service inspections. Most stationkeeping systems used with mobile offshore units, the class covered by b), are termed “mobile mooring systems”. Throughout this part of ISO 19901, the term “floating structure”, sometimes shortened to “structure”, is used as a generic term to indicate any member of the two classes, a) and b).

This part of ISO 19901 is applicable to the following types of stationkeeping systems, which are either covered directly in this part of ISO 19901 or through reference to other guidelines:

- spread moorings (catenary, taut-line and semi-taut-line moorings);
- single point moorings, anchored by spread mooring arrangements;
- dynamic positioning systems;
- thruster-assisted moorings.

Descriptions of the characteristics and of typical components of these systems are given in Annex A.

The requirements of this part of ISO 19901 mainly address spread mooring systems and single point mooring systems with mooring lines composed of steel chain and wire rope. This part of ISO 19901 also provides

guidance on the application of the methodology to synthetic fibre rope mooring systems, and includes additional requirements related to the unique properties of synthetic fibre ropes.

This part of ISO 19901 is applicable to single anchor leg moorings (SALMs) and other single point mooring systems (e.g. tower soft yoke systems) only to the extent to which the requirements are relevant.

This part of ISO 19901 is not applicable to the vertical moorings of tension leg platforms (TLPs).

The methodology described in this part of ISO 19901 identifies a set of coherent analysis tools that, combined with an understanding of the site-specific metocean conditions, the characteristics of the floating structure under consideration, and other factors, can be used to determine the adequacy of the stationkeeping system to meet the functional requirements of this part of ISO 19901.

NOTE For moorings deployed in ice-prone environments, additional requirements are given in ISO 19906.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19900, *Petroleum and natural gas industries — General requirements for offshore structures*

ISO 19901-1, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 1: Metocean design and operating considerations*

ISO 19904-1, *Petroleum and natural gas industries — Floating offshore structures — Part 1: Monohulls, semi-submersibles and spars*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 action

external load applied to the structure (direct action) or an imposed deformation or acceleration (indirect action)

EXAMPLE An imposed deformation can be caused by fabrication tolerances, settlement, temperature change or moisture variation.

NOTE An earthquake typically generates imposed accelerations.

[ISO 19900:2002]

3.2 action effect

effect of actions on structural components

[ISO 19900:2002]

EXAMPLE Internal forces, moments, stresses, strains, rigid body motions or elastic deformations.

3.3 catenary mooring

mooring system where the restoring action is provided by the distributed weight of mooring lines

[ISO 19900:2002]

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-