

Irish Standard I.S. EN 61158-5-21:2012

Industrial communication networks -Fieldbus specifications -- Part 5-21: Application layer service definition -Type 21 elements (IEC 61158-5-21:2010 (EQV))

© NSAI 2012

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:				

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

Irish Standard - national specification based on the consensus of an expert panel and subject to public consultation.

Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

A rapidly developed recommendatory document based on the consensus of the SWiFT xxx: participants of an NSAI workshop.

This document replaces:	This document is based or EN 61158-5-21:2012	n: Publisi 8 June	
This document was published under the authority of the NSAI an 15 June, 2012	ICS number: 25.040.40 35.100.70 35.110		
NSAI T+	353 1 807 3800 Sales:		

F +353 1 807 3838 T +353 1 857 6730 1 Swift Square, F +353 1 857 6729 Northwood, Santry E standards@nsai.ie Dublin 9 W standards.ie

W NSALie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 61158-5-21

NORME EUROPÉENNE EUROPÄISCHE NORM

June 2012

ICS 25.040.40; 35.100.70; 35.110

English version

Industrial communication networks Fieldbus specifications Part 5-21: Application layer service definition Type 21 elements

(IEC 61158-5-21:2010)

Réseaux de communication industriels -Spécifications des bus de terrain -Partie 5-21: Définition des services des couches d'application -Eléments de type 21 (CEI 61158-5-21:2010) Industrielle Kommunikationsnetze -Feldbusse -Teil 5-21: Dienstfestlegungen des Application Layer (Anwendungsschicht) -Typ 21-Elemente (IEC 61158-5-21:2010)

This European Standard was approved by CENELEC on 2012-03-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

EN 61158-5-21:2012

- 2 -

Foreword

The text of document 65C/606/FDIS, future edition 1 of IEC 61158-5-21, prepared by SC 65C, "Industrial networks", of IEC/TC 65, "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61158-5-21:2012.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by	(dop)	2012-12-28
•	publication of an identical national standard or by endorsement latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2015-03-28

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61158-5-21:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC/TR 61158-1:2010 NOTE Harmonized as CLC/TR 61158-1:2010 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60559	-	Binary floating-point arithmetic for microprocessor systems	HD 592 S1	-
IEC 61158-2	2010	Industrial communication networks - Fieldbus specifications - Part 2: Physical layer specification and service definition	EN 61158-2 e	2010
IEC 61158-3-21	2010	Industrial communication networks - Fieldbus specifications - Part 3-21: Data-link layer service definition - Type 21 elements	EN 61158-3-21	2012
IEC 61158-4-21	2010	Industrial communication networks - Fieldbus specifications - Part 4-21: Data-link layer protocol specification - Type 21 elements	EN 61158-4-21	2012
IEC 61158-6-21	2010	Industrial communication networks - Fieldbus specifications - Part 6-21: Application layer protocol specification - Type 21 elements	EN 61158-6-21	2012
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	-	-
ISO/IEC 7498-3	-	Information technology - Open Systems Interconnection - Basic Reference Model: Naming and addressing	-	-
ISO/IEC 8822	-	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 9545	-	Information technology - Open Systems Interconnection - Application Layer structure	-	-
ISO/IEC 10731	1994	Information technology - Open Systems Interconnection - Basic reference model - Conventions for the definition of OSI services	-	-

This is a free page sample. Access the full version online.

I.S. EN 61158-5-21:2012

This page is intentionally left BLANK.

- 2 - 61158-5-21 © IEC:2010(E)

CONTENTS

FOI	REWC)RD	4
INT	RODU	JCTION	6
1	Scop	e	7
	1.1	Overview	7
	1.2	Specifications	8
	1.3	Conformance	8
2	Norm	ative references	8
3	Term	s, definitions, symbols, abbreviations, and conventions	9
	3.1	Terms and definitions from other ISO/IEC standards	9
	3.2	Fieldbus data link layer terms	9
	3.3	Fieldbus application layer specific definitions	
	3.4	Abbreviations and symbols	
	3.5	Conventions	
4		epts	
	4.1	Common concepts	
_	4.2	Type specific concepts	
5		type ASE	
	5.1	General definition of data time chicate	
	5.2 5.3	Formal definition of data type objects	
	5.4	Data type ASE service specification	
6		nunication model specification	
	6.1	ASEs	
	6.2	ARs	
	6.3	Summary of FAL classes	
	6.4	Permitted FAL services by AREP role	
Bib	liogra	ohy	
_		- Relationship to the OSI Basic Reference Model	
Fig	ure 2 -	- Architectural positioning of the fieldbus application layer	20
Fig	ure 3 -	- Client/server interactions	.23
Fig	ure 4 -	- Pull model interactions	24
Fig	ure 5 -	- Push model interactions	.24
Fig	ure 6 -	- APOs services conveyed by the FAL	26
Fig	ure 7 -	- Application entity structure	.28
Fig	ure 8 -	- FAL management of objects	.29
_		- ASE service conveyance	
_		– Defined and established AREPs	
_		- FAL architectural components	
		- Interaction between FAL and DLL	
_		- Publisher-subscriber communication model	
_			
		Client-server communication model	
_		- Object model	
Fig	ure 16	- ASEs of a Type 21 application	.39

61158-5-21 © IEC:2010	(E)	- 3 -
-----------------------	-----	-------

Figure 17 – Data type class hierarchy example	40
Figure 18 – The AR ASE conveys APDUs between APs	61
Table 1 – Types of timeliness	25
Table 2 – Overall structure of the OD	
Table 3 – Identify service	
Table 4 – Status service	52
Table 5 – Access rights for object	54
Table 6 – Read service	55
Table 7 – Write service	57
Table 8 – TB-transfer	60
Table 9 – COS-transfer	60
Table 10 – Conveyance of service primitives by AREP role	62
Table 11 – Valid combinations of AREP roles involved in an AR	62
Table 12 – AR-unconfirmed send	66
Table 13 – AR-confirmed send	67
Table 14 – FAL class summary	71
Table 15 - Services by ARED role	72

-4 -

61158-5-21 © IEC:2010(E)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-21: Application layer service definition – Type 21 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the profile parts. Use of the various protocol types in other combinations may require permission of their respective intellectual-property-right holders.

International Standard IEC 61158-5-21:2010 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This standard cancels and replaces IEC/PAS 62573 published in 2008. This first edition constitutes a technical revision.

61158-5-21 © IEC:2010(E)

- 5 -

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/606/FDIS	65C/620/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial* communication networks – Fieldbus specifications, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under http://webstore.iec.ch in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- · withdrawn;
- replaced by a revised edition, or
- amended.

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

-6-

61158-5-21 © IEC:2010(E)

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC/TR 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This standard defines the application service characteristics that fieldbus applications and/or system management may exploit.

Throughout the set of fieldbus standards, the term "service" refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this standard is a conceptual architectural service, independent of administrative and implementation divisions.

61158-5-21 © IEC:2010(E)

-7 -

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-21: Application layer service definition – Type 21 elements

1 Scope

1.1 Overview

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be considered a window between corresponding application programs.

This standard provides the common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment as well as material specific to the Type 21 protocol. The term "time-critical" is used to represent the presence of a time-window within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant, and possibly human life.

This standard defines, in an abstract way, the externally visible service provided by the FAL in terms of:

- a) an abstract model for defining application resources (objects) capable of being manipulated by users *via* the FAL service;
- b) the primitive actions and events of the service;
- c) the parameters associated with each primitive action and event, and the form that they take:
- d) the interrelationship between these actions and events, and their valid sequences.

The purpose of this standard is to define the services provided to:

- a) the FAL-user at the boundary between the user and the application layer of the fieldbus Reference Model;
- b) systems management at the boundary between the application layer and systems management of the fieldbus Reference Model.

This standard describes the structure and services of the IEC FAL, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI Application layer Structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application entities (AEs) contained in the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for management of the instances of FAL classes.

Although these services specify how requests and responses are issued and delivered from the perspective of applications, they do not include a specification of what the requesting and responding applications are to do with them. That is, these services only define what requests and responses applications can send or receive, not the functions of the applications themselves. This permits greater flexibility to the FAL-users in standardizing such object

- 8 -

61158-5-21 © IEC:2010(E)

behavior. In addition to these services, some supporting services are also defined in this standard to provide access to the FAL to control certain aspects of its operation.

1.2 Specifications

The principal objective of this standard is to specify the characteristics of conceptual application layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of application layer protocols for time-critical communications.

A secondary objective is to provide migration paths from previously existing industrial communications protocols. This latter objective gives rise to the diversity of services standardized as the various types of IEC 61158, and the corresponding protocols standardized in subparts of IEC 61158-6.

This standard may be used as the basis for formal application programming interfaces. Nevertheless, it is not a formal programming interface, and any such interface must address implementation issues not covered by this standard, including:

- a) sizes and octet ordering of various multi-octet service parameters;
- b) correlation of paired primitives for request and confirmation, or indication and response.

1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of application layer entities in industrial automation systems.

There is no conformance of equipment to this application layer service definition standard. Instead, conformance is achieved through the implementation of conforming application layer protocols that fulfill any given type of application layer services as defined in this standard.

2 Normative references

The following documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies,.

IEC 60559, Binary floating-point arithmetic for microprocessor systems

IEC 61158-2:20101, Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition

IEC 61158-3-21:2010¹, Industrial communication networks – Fieldbus specifications – Part 3-21: Data-link layer service definition – Type 21 elements

IEC 61158-4-21:2010¹, Industrial communication networks – Fieldbus specifications – Part 4-21: Data-link layer protocol specification – Type 21 elements

IEC 61158-6-21:2010¹, Industrial communication networks – Fieldbus specifications – Part 6-21: Application layer protocol specification – Type 21 elements

ISO/IEC 7498-1, Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model

¹ To be published.



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation