



**NSAI**  
Standards

Standard Recommendation  
S.R. 70:2015

# Timber in construction - Eurocode 5 - Trussed rafters

## S.R. 70:2015

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> I.S. 193:2006	<i>This document is based on:</i> S.R. 70:2015 I.S. 193:2006	<i>Published:</i> 20 March, 2015 29 December, 2006
---	--	--

This document was published under the authority of the NSAI and comes into effect on:  20 March, 2015	ICS number: 91.060.20
---	--------------------------

<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	<b>Sales:</b> T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie
---	---

Údarás um Chaighdeáin Náisiúnta na hÉireann

## Contents

	Page
<b>Foreword .....</b>	<b>4</b>
<b>1 Scope.....</b>	<b>5</b>
<b>2 References .....</b>	<b>5</b>
<b>3 Terms and definitions .....</b>	<b>6</b>
<b>4 Materials .....</b>	<b>8</b>
<b>4.1 Timber.....</b>	<b>8</b>
<b>4.1.1 Grades .....</b>	<b>8</b>
<b>4.1.2 Resawn timber .....</b>	<b>8</b>
<b>4.1.3 Finger jointed timber.....</b>	<b>8</b>
<b>4.2 Mechanical fasteners and straps.....</b>	<b>9</b>
<b>4.2.1 General .....</b>	<b>9</b>
<b>4.2.2 Fasteners.....</b>	<b>9</b>
<b>4.2.3 Straps.....</b>	<b>9</b>
<b>4.3 Timber treatments .....</b>	<b>9</b>
<b>4.3.1 Preservation.....</b>	<b>9</b>
<b>4.3.2 Flame retardant treatment .....</b>	<b>9</b>
<b>4.3.3 Effects of timber treatment.....</b>	<b>9</b>
<b>5 Assessment of structural adequacy.....</b>	<b>10</b>
<b>6 Design assumptions .....</b>	<b>10</b>
<b>6.1 General design responsibilities .....</b>	<b>10</b>
<b>6.2 Basic requirements .....</b>	<b>10</b>
<b>6.3 Requirements for timber members.....</b>	<b>11</b>
<b>6.4 Design loading .....</b>	<b>11</b>
<b>6.5 Wall plate.....</b>	<b>12</b>
<b>6.6 Application of loads .....</b>	<b>12</b>
<b>7 Roof truss design .....</b>	<b>12</b>
<b>7.1 General .....</b>	<b>12</b>
<b>7.2 Joint modelling .....</b>	<b>12</b>
<b>7.3 Load sharing .....</b>	<b>12</b>
<b>7.4 Multi-ply trusses .....</b>	<b>13</b>
<b>7.4.1 Torsion.....</b>	<b>13</b>
<b>7.5 Joints .....</b>	<b>13</b>
<b>7.5.1 General .....</b>	<b>13</b>
<b>7.5.2 Joint eccentricity .....</b>	<b>13</b>
<b>7.5.3 Anchorage area .....</b>	<b>13</b>
<b>7.5.4 Plated butt or splice joints .....</b>	<b>13</b>
<b>7.5.5 Positional tolerances .....</b>	<b>14</b>
<b>7.5.6 Minimum plate bite .....</b>	<b>14</b>
<b>7.5.7 Joints supporting floors .....</b>	<b>14</b>
<b>7.6 Deflection .....</b>	<b>14</b>
<b>7.6.1 General .....</b>	<b>14</b>
<b>7.6.2 Nail slip .....</b>	<b>14</b>
<b>7.6.3 Deflection formula .....</b>	<b>14</b>
<b>7.6.4 Fink trusses – ceiling tie deflection formula .....</b>	<b>15</b>
<b>7.6.5 Deflection limits.....</b>	<b>15</b>
<b>7.7 Simplified design method .....</b>	<b>15</b>
<b>7.7.1 General .....</b>	<b>15</b>

**S.R. 70:2015**

<b>7.7.2</b>	<b>Compression members.....</b>	<b>15</b>
<b>8</b>	<b>Limitations for roof truss spans and sizes .....</b>	<b>17</b>
<b>8.1</b>	<b>General.....</b>	<b>17</b>
<b>9</b>	<b>Fabrication.....</b>	<b>18</b>
<b>9.1</b>	<b>General.....</b>	<b>18</b>
<b>9.2</b>	<b>Assembly .....</b>	<b>18</b>
<b>9.2.1</b>	<b>General.....</b>	<b>18</b>
<b>9.2.2</b>	<b>Joints formed with metal plate fasteners .....</b>	<b>18</b>
<b>9.3</b>	<b>Marking .....</b>	<b>19</b>
<b>10</b>	<b>Information for design and fabrication.....</b>	<b>19</b>
<b>10.1</b>	<b>Roof design responsibilities.....</b>	<b>19</b>
<b>10.2</b>	<b>Information required by the truss designer .....</b>	<b>19</b>
<b>10.3</b>	<b>Information required by the building designer.....</b>	<b>20</b>
<b>11</b>	<b>Handling and storage .....</b>	<b>21</b>
<b>11.1</b>	<b>General.....</b>	<b>21</b>
<b>11.2</b>	<b>Handling.....</b>	<b>21</b>
<b>11.3</b>	<b>Storage.....</b>	<b>21</b>
<b>11.3.1</b>	<b>General.....</b>	<b>21</b>
<b>11.3.2</b>	<b>Vertical storage .....</b>	<b>21</b>
<b>11.3.3</b>	<b>Horizontal storage .....</b>	<b>21</b>
<b>12</b>	<b>Site work.....</b>	<b>22</b>
<b>12.1</b>	<b>General.....</b>	<b>22</b>
<b>12.2</b>	<b>Delivery inspection.....</b>	<b>22</b>
<b>12.3</b>	<b>Modification and repair .....</b>	<b>22</b>
<b>12.4</b>	<b>Erection.....</b>	<b>23</b>
<b>12.4.1</b>	<b>General.....</b>	<b>23</b>
<b>12.4.2</b>	<b>Vertical measurement .....</b>	<b>23</b>
<b>12.4.3</b>	<b>Parallel measurement.....</b>	<b>23</b>
<b>12.4.4</b>	<b>Position to end walls .....</b>	<b>23</b>
<b>12.4.5</b>	<b>Fixings at points of permanent support.....</b>	<b>23</b>
<b>12.4.6</b>	<b>Fastening of girder trusses .....</b>	<b>23</b>
<b>12.5</b>	<b>Wall plates .....</b>	<b>24</b>
<b>12.5.1</b>	<b>General.....</b>	<b>24</b>
<b>12.5.2</b>	<b>Position.....</b>	<b>24</b>
<b>12.6</b>	<b>Bracing.....</b>	<b>24</b>
<b>12.6.1</b>	<b>General.....</b>	<b>24</b>
<b>12.6.2</b>	<b>Minimum bracing requirements .....</b>	<b>25</b>
<b>12.6.3</b>	<b>Temporary bracing during erection.....</b>	<b>25</b>
<b>12.7</b>	<b>Support of water cisterns and fixed plant.....</b>	<b>25</b>
<b>12.7.1</b>	<b>General.....</b>	<b>25</b>
<b>12.7.2</b>	<b>Minimum support.....</b>	<b>25</b>
<b>12.7.3</b>	<b>Multiple cisterns.....</b>	<b>26</b>
<b>12.8</b>	<b>Openings at ceiling tie and rafter levels.....</b>	<b>26</b>
<b>12.8.1</b>	<b>General.....</b>	<b>26</b>
<b>12.8.2</b>	<b>Openings in excess of 600 mm .....</b>	<b>26</b>
<b>12.9</b>	<b>Tiling battens.....</b>	<b>27</b>
<b>12.9.1</b>	<b>Minimum batten sizes .....</b>	<b>27</b>
<b>12.9.2</b>	<b>Batten spacing .....</b>	<b>27</b>
<b>12.9.3</b>	<b>Battens used for lateral stability .....</b>	<b>27</b>
<b>12.9.4</b>	<b>Batten joints .....</b>	<b>27</b>
<b>12.9.5</b>	<b>Batten fixing .....</b>	<b>27</b>
<b>12.9.6</b>	<b>Truss alignment .....</b>	<b>27</b>
<b>12.10</b>	<b>Gable ladders .....</b>	<b>27</b>
<b>12.11</b>	<b>Hip roofs .....</b>	<b>28</b>
<b>13</b>	<b>General.....</b>	<b>28</b>
<b>13.1</b>	<b>Records.....</b>	<b>28</b>

13.2	Design for future alterations and changes of use .....	28
13.3	Chimneys and small windows .....	28
13.4	Re-roofing .....	28
<b>Annex A (informative) Roof bracing.....</b>		<b>29</b>
A.1	General .....	29
A.2	Minimum bracing details .....	29
<b>Annex B (informative) Figures .....</b>		<b>31</b>
<b>Annex C (informative) Typical roof truss construction checklist .....</b>		<b>52</b>
<b>Annex D (informative) Erection of roof trusses .....</b>		<b>53</b>
D.1	General .....	53
D.2	Procedure for erecting roof trusses .....	53
<b>Bibliography.....</b>		<b>55</b>

## Foreword

This Standard Recommendation was developed by NSAI Timber Standards Consultative Committee, Working Group 2, Task Group 2 "Trussed rafters and timber in buildings". The secretariat for the Task Group was held by NSAI.

This Standard Recommendation gives requirements in relation to design and site work relating to timber trussed rafters.

This Standard Recommendation, which replaces I.S. 193:2006 (withdrawn in 2010), is intended to provide non-conflicting complementary information (NCCI) for timber trussed rafters designed in accordance with I.S. EN 1995-1-1 and fabricated in accordance with I.S. EN 14250 "*Timber structures – Product requirements for prefabricated structural members assembled with punched metal plate fasteners*".

It is important for designers, specifiers and purchasers to understand the Construction Products Regulation (CPR), the meaning of the Declaration of Performance (DoP) and CE Marking of construction products. The appropriate specification and use of 'proper' construction products plays a fundamental role in ensuring compliance with the Building Regulations.

I.S. EN 14250:2010 is a harmonised standard under the Construction Products Regulation (EU) No. 305/2011 (CPR). In brief, it requires manufacturers, when placing construction products on the market which are covered by harmonised European product standards (hENs), to make a Declaration of Performance for the product and affix the CE Mark.

Within the terms of this Standard Recommendation general definitions are given for "building designer", "roof designer" and "truss designer", however, work contracts may define these differently. Other definitions and responsibilities may exist under Safety, Health and Welfare (Construction) Regulations and may take precedence.

During all construction related activities account should be taken of the Safety, Health and Welfare at Work (Construction) Regulations.

This Standard Recommendation does not purport to include all necessary provisions of a contract. Users are responsible for its correct application.

**Compliance with this Standard Recommendation does not of itself confer immunity from legal obligations.**

In line with international standards the decimal point is shown as a comma (,) throughout this Standard Recommendation.

## TIMBER IN CONSTRUCTION - EUROCODE 5 - TRUSSED RAFTERS

### 1 Scope

This Standard Recommendation specifies requirements for materials, fabrication and the use of timber trussed rafters with punched metal plate fasteners for roofs in:

- service classes 1 and 2; and
- consequence class 1 and class 2a lower risk group buildings.

Additionally, this Standard Recommendation gives voluntary guidance on design, structural analysis, bracing and site work for both trusses and roofs. Limitations are also given for truss spans and bay lengths based on timber thickness and member sizes.

This Standard Recommendation contains non-contradictory complementary information (NCCI) as guidance material for use, in Ireland, of I.S. EN 1995-1-1.

### 2 References

The following referenced documents are indispensable for the application of this Standard Recommendation. For dated references, only the edition cited applies. For undated references, the latest edition of the publication referred to applies (including any amendments). For referenced Eurocodes, the requirements of the corresponding National Annexes apply.

I.C.P. 2, *Slating and tiling*

S.R. 325, *Recommendations for the design of masonry structures in Ireland to Eurocode 6*

I.S. 127, *Structural timber – Visual strength grading – Sawn softwoods with rectangular cross-section*

I.S. EN 301, *Adhesives, phenolic and aminoplastic, for load-bearing timber structures - Classification and performance requirements*

I.S. EN 336, *Structural timber – Sizes, permitted deviations*

I.S. EN 338, *Structural timber – Strength classes*

I.S. EN 595, *Timber structures - Test methods - Test of trusses for the determination of strength and deformation behaviour*

I.S. EN 845-1, *Specification for ancillary components for masonry - Part 1: Wall ties, tension straps, hangers and brackets*

I.S. EN 1912, *Structural timber – Strength classes – Assignment of visual grades and species*

I.S. EN 1990:2002, *Eurocode - Basis of structural design*

I.S. EN 1991, *Eurocode 1: Actions on structures (All parts)*

I.S. EN 1995-1-1:2004, *Eurocode 5: Design of timber structures*

I.S. EN 1999, *Eurocode 9: Design of aluminium structures (All parts)*

I.S. EN 14080, *Timber structures - Glued laminated timber and glued solid timber - Requirements*



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- Looking for additional Standards? Visit Intertek Inform Infostore
- Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation