

Irish Standard I.S. EN 60349-1:2010

Electric traction - Rotating electrical machines for rail and road vehicles -- Part 1: Machines other than electronic converter-fed alternating current motors (IEC 60349-1:2010 (EQV))

© NSAI 2010 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:	

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces: EN 60349-1:2000

This document is based on:

EN 60349-1:2010 EN 60349-1:2000 Published:

12 November, 2010 18 February, 2000

This document was published

under the authority of the NSAI and comes into effect on:

ICS number: 45.060

23 November, 2010

NSAI

T +353 1 807 3800 F +353 1 807 3838 Sales:

1 Swift Square, Northwood, Santry

E standards@nsai.ie

T +353 1 857 6730 F +353 1 857 6729

Dublin 9

W NSALie

W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 60349-1

NORME FUROPÉENNE

EUROPÄISCHE NORM

November 2010

ICS 45.060

Supersedes EN 60349-1:2000 + A1:2002

English version

Electric traction -Rotating electrical machines for rail and road vehicles -Part 1: Machines other than electronic converter-fed alternating current motors

(IEC 60349-1:2010)

Traction électrique -Machines électriques tournantes des véhicules ferroviaires et routiers -Partie 1: Machines autres que les moteurs à courant alternatif alimentés par convertisseur électronique (CEI 60349-1:2010)

Elektrische Zugförderung -Drehende elektrische Maschinen für Bahn- und Straßenfahrzeuge -Teil 1: Elektrische Maschinen ausgenommen umrichtergespeiste Wechselstrommotoren (IEC 60349-1:2010)

This European Standard was approved by CENELEC on 2010-11-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

EN 60349-1:2010

- 2 -

Foreword

The text of document 9/1415/FDIS, future edition 2 of IEC 60349-1, prepared by IEC TC 9, Electrical equipment and systems for railways, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60349-1 on 2010-11-01.

This European Standard supersedes EN 60349-1:2000 + A1:2002.

The main technical changes with regard to EN 60349-1:2000 + A1:2002 are as follows:

- As the limits of vibration velocities have been changed in EN 60034-14, the limits valid for traction motors are now directly stated in this standard.
- In addition to the existing method for measuring and calculating the sound power level, the methods described in EN ISO 3741, EN ISO 3743 (all parts), EN ISO 3744, EN ISO 3745 and EN ISO 9614 (all parts) are also allowed. However the maximum sound power levels and the correction for pure tones remain unchanged in C.7 and C.8.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2011-08-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2013-11-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60349-1:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60034-2-1	NOTE	Harmonized as EN 60034-2-1.
IEC 60034-9	NOTE	Harmonized as EN 60034-9.
IEC 60034-14	NOTE	Harmonized as EN 60034-14.
IEC 61260	NOTE	Harmonized as EN 61260.
IEC 61287 series	NOTE	Harmonized in EN 61287 series (not modified).
IEC 61373	NOTE	Harmonized as EN 61373.
IEC 61377-2	NOTE	Harmonized as EN 61377-2.
IEC 61672	NOTE	Harmonized as EN 61672.
ISO 3741	NOTE	Harmonized as EN ISO 3741.
ISO 3743-1	NOTE	Harmonized as EN ISO 3743-1.
ISO 3743-2	NOTE	Harmonized as EN ISO 3743-2.

This is a free page sample. Access the full version online.

I.S. EN 60349-1:2010

- 3 - EN 60349-1:2010

ISO 3744	NOTE	Harmonized as EN ISO 3744.
ISO 3745	NOTE	Harmonized as EN ISO 3745.
ISO 3746	NOTE	Harmonized as EN ISO 3746.
ISO 3747	NOTE	Harmonized as EN ISO 3747.
ISO 9614-1	NOTE	Harmonized as EN ISO 9614-1.
ISO 9614-2	NOTE	Harmonized as EN ISO 9614-2.

- 4 -

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60034-1 (mod)	-	Rotating electrical machines - Part 1: Rating and performance	EN 60034-1	-
IEC 60034-8	-	Rotating electrical machines - Part 8: Terminal markings and direction of rotation	EN 60034-8	-
IEC 60085	-	Electrical insulation - Thermal evaluation and designation	EN 60085	-
IEC 60638	-	Criteria for assessing and coding of the commutation of rotating electrical machines for traction	-	-
IEC 62498-1	-	Railway applications - Environmental conditions for equipment - Part 1: Equipment on board rolling stock	-	-

-2-

60349-1 © IEC:2010

CONTENTS

FOI	REWC	RD		5
1	Scope	e and o	bject	7
2	Norm	ative re	ferences	8
3	Term	s and d	efinitions	8
4	Envir	onment	al conditions	13
5	Chara	acteristi	CS	13
	5.1		al	
	5.2		nce temperature	
	5.3		ncy characteristics	
	5.4		utator type traction motor characteristics	
	5.5		enerator characteristics	
	5.6	Auxilia	ry motor characteristics	15
	5.7	Auxilia	ry generator characteristics	15
	5.8	Auxilia	ry motor-generator set and rotary converter characteristics	15
6	Marki	ng		15
	6.1	Namep	late	15
	6.2	Termin	al and lead markings	16
7	Test	categori	ies and summary of tests	16
	7.1	Test ca	ategories	16
		7.1.1	General	16
		7.1.2	Type tests	16
		7.1.3	Routine tests	16
		7.1.4	Investigation tests	16
	7.2	Summa	ary of tests	17
8	Туре	tests		19
	8.1	Tempe	rature-rise tests	19
		8.1.1	General	19
		8.1.2	Ventilation during temperature-rise tests	19
		8.1.3	Judgement of results	19
		8.1.4	Limits of temperature rise	20
		8.1.5	Short-time overload temperature-rise test	20
	8.2	Charac	teristic tests and tolerances	21
		8.2.1	General	21
		8.2.2	Commutator type traction motors	21
		8.2.3	Main generators (refer to Figure 2)	22
		8.2.4	Auxiliary motors	
		8.2.5	Auxiliary generators	
		8.2.6	Auxiliary motor-generator sets and rotary converters	
	8.3		utation tests	
		8.3.1	General	
		8.3.2	Traction motors (refer to Figure 1)	
		8.3.3	Main generators (refer to Figure 2)	
	0.4	8.3.4	Auxiliary motors and generators and motor-generator sets	
	8.4		ent tests	
		8.4.1	General	26

60349-1 © IEC:2010

– 3 –

		8.4.2	Traction motors and motors of main motor-generator sets	26
		8.4.3	Auxiliary motors, auxiliary motor-generator sets and auxiliary rotary converters	26
		8.4.4	Voltage jump test on auxiliary motors, auxiliary motor-generator sets and auxiliary rotary converters	
8	3.5	Short-c	ircuit tests on main and auxiliary alternators	
	3.6		tests	
		8.6.1	General	
		8.6.2	Single-phase a.c. locomotive motors	
		8.6.3	Main motor-generator sets	
		8.6.4	Auxiliary motors, auxiliary motor-generator sets and auxiliary rotary converters	
8	3.7	Oversp	eed tests	
	3.8		on tests	
		8.8.1	Internally generated vibration characteristics	28
9 F	Routi	ne tests	· · · · · · · · · · · · · · · · · · ·	
9	9.1	Short-t	ime soundness test	29
		9.1.1	General	
		9.1.2	Test conditions	
		9.1.3	Plotting of heating and cooling curves	
		9.1.4	Judgement of results	
9	9.2		teristic tests and tolerances	
		9.2.1	General	30
		9.2.2	Commutator type traction motors (see Figure 1)	
		9.2.3	Main generators (refer to Figure 2)	
		9.2.4	Alternative tests for alternators	
		9.2.5	Auxiliary motors	
		9.2.6	Auxiliary generators	
		9.2.7	Auxiliary motor-generator sets and converters	
9	9.3	Commi	utation routine tests	32
		9.3.1	General	32
		9.3.2	Traction motors (refer to Figure 1)	32
		9.3.3	Main generators (refer to Figure 2)	
		9.3.4	Auxiliary motors and generators and motor-generator sets	32
9	9.4	Oversp	eed tests	32
		9.4.1	General	32
		9.4.2	Traction motors	32
		9.4.3	Main or auxiliary engine-driven generators	32
		9.4.4	Generators driven by a vehicle axle	33
		9.4.5	Main or auxiliary motor-generator sets, auxiliary converters and auxiliary motors	33
9	9.5	Dielect	ric tests	33
9	9.6	Vibratio	on tests (imbalance)	34
9	9.7	Commi	utator radial run-out measurement	34
Anne	x A (normat	ve) Measurement of temperature	37
			tive) Methods of determining losses and efficiency	
		•	itive) Noise measurement and limits	
			ive) Supply voltages of traction systems	
		•		
Anne	:ス ⊏ (,iiiiOiiii8	tive) Agreement between user and manufacturer	60

-4-

60349-1 © IEC:2010

Bibliography	62
Figure 1 – Commutator type traction motor test points	35
Figure 2 – Main generator test points	36
Figure B.1 – Circuit for determining loss and efficiency by the regenerative method with the machines connected in parallel	42
Figure B.2 – Circuit for determining loss and efficiency by the regenerative method with the machines connected in series	43
Figure B.3 – Circuit for determining loss and efficiency by the regenerative method with the machines connected in series and with mechanical drive	44
Figure B.4 – Circuit for determining loss and efficiency of single-phase a.c. commutator motors by the regenerative method with the machines connected in series	44
Figure B.5 – Circuit for determining loss and efficiency of pulsating current motors by the regenerative method with the machines connected in series	45
Figure B.6 – Circuit for determining loss and efficiency of pulsating current motors by the regenerative method with the machines connected in parallel	46
Figure B.7 – Circuit for the measurement of the a.c. losses of pulsating current motors	46
Figure B.8 – Correction factor for additional load loss of uncompensated d.c machines	48
Figure B.9 – Correction factor for pulsating current I ² R loss	48
Figure B.10 – Conventional values of traction motor transmission losses	48
Figure C.1 – Limiting mean sound power level for airborne noise emitted by traction motors	56
Figure C.2 – Location of measuring points and prescribed paths for horizontal machines	57
Figure C.3 – Location of measuring points and prescribed paths for vertical machines	58
Table 1 – Summary of tests	18
Table 2 – Limits of temperature rise for continuous or other ratings	20
Table 3 – Temperature rise for short-time overload rating	21
Table 4 – Tolerances on the speed of commutator type traction motors	22
Table 5 – Dielectric test voltages	33
Table 6 – Limits of commutator radial run-out	34
Table C.1 – Corrections	52
Table C.2 – Corrections	55
Table C.3 – Correction for pure tones	56

60349-1 © IEC:2010

- 5 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRIC TRACTION – ROTATING ELECTRICAL MACHINES FOR RAIL AND ROAD VEHICLES –

Part 1: Machines other than electronic converter-fed alternating current motors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
 consensus of opinion on the relevant subjects since each technical committee has representation from all
 interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60349-1 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This second edition cancels and replaces the first edition, published in 1999, and its amendment 1 (2002) of which it constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

- As the limits of vibration velocities have been changed in IEC 60034-14, the limits valid for traction motors are now directly stated in this standard.
- In addition to the existing method for measuring and calculating the sound power level, the methods described in ISO 3741, ISO 3743, ISO 3744, ISO 3745 and ISO 9614 are also allowed. However the maximum sound power levels and the correction for pure tones remain unchanged in Clauses C.7 and C.8.

-6-

60349-1 © IEC:2010

The text of this standard is based on the following documents:

FDIS	Report on voting
9/1415/FDIS	9/1465/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of IEC 60349 series, published under the general title, *Electric traction – Rotating electrical machines for rail and road vehicles*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

60349-1 © IEC:2010

-7-

ELECTRIC TRACTION – ROTATING ELECTRICAL MACHINES FOR RAIL AND ROAD VEHICLES –

Part 1: Machines other than electronic converter-fed alternating current motors

1 Scope and object

This part of IEC 60349 is applicable to rotating electrical machines, other than electronic converter-fed alternating current motors, forming part of the equipment of electrically propelled rail and road vehicles. The vehicles may obtain power either from an external supply or from an internal source.

The object of this standard is to enable the performance of a machine to be confirmed by tests and to provide a basis for assessment of its suitability for a specified duty and for comparison with other machines.

Where further testing is to be undertaken in accordance with IEC 61377-2, it may be preferable, to avoid duplication, that some type and investigation tests be carried out on the combined test bed.

NOTE 1 This standard also applies to machines installed on trailers hauled by electrically propelled vehicles.

NOTE 2 The basic requirements of this standard may be applied to rotating electrical machines for special purpose vehicles such as mine locomotives, but it does not cover flameproof or other special features that may be required.

NOTE 3 It is not intended that this standard should apply to machines on small road vehicles such as battery-fed delivery vehicles, works trucks, etc. Neither does it apply to minor machines such as windscreen wiper motors, etc. that may be used on all types of vehicles.

NOTE 4 Industrial type machines complying with the IEC 60034 series may be suitable for certain auxiliary applications.

Electrical inputs or outputs of machines covered by this standard may be as follows:

- a) direct current (including rectified polyphase alternating current);
- b) pulsating current (rectified single-phase alternating current);
- c) unidirectional chopper-controlled current;
- d) single-phase alternating current;
- e) polyphase alternating current (in general three-phase).

In this standard, the electrical machines concerned are classified as follows.

- 1) Traction motors Motors for propelling rail or road vehicles.
- 2) Engine-driven main generators Generators for supplying power to traction motors on the same vehicle or train.
- 3) Main motor-generator sets Machines obtaining power from a line or battery, and supplying power to traction motors on the same vehicle or train.
- 4) Auxiliary motors Motors for driving compressors, fans, auxiliary generators or other auxiliary machines.
- 5) Auxiliary generators Generators for supplying power for auxiliary services such as air conditioning, heating, lighting, battery charging, etc.

- 8 -

60349-1 © IEC:2010

6) Auxiliary motor-generator sets and auxiliary rotary converters – Machines which obtain their power from the line or other source to provide an electrical supply for auxiliary services.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, Rotating electrical machines – Part 1: Rating and performance

IEC 60034-8, Rotating electrical machines – Part 8: Terminal markings and direction of rotation

IEC 60085, Thermal evaluation and designation

IEC 60638, Criteria for assessing and coding of the commutation of rotating electrical machines for traction

IEC 62498-1, Railway applications – Environmental conditions for equipment – Part 1: Equipment on board rolling stock

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-131, IEC 60050-411 and IEC 60050-811, as well as the following apply.

3.1

rating of a machine

combination of simultaneous values of electrical and mechanical quantities, with their duration and sequence, assigned to a machine by the manufacturer

3.1.1

rated value

numerical value of any quantity included in a rating

NOTE For traction machines, certain special quantities are often included such as current ripple factor for a pulsating current motor, excitation condition for a variable field motor, etc.

3.1.2

continuous rating

electrical load the machine can withstand on the test bed for an unlimited period under the conditions specified in 8.1 without exceeding the limits of temperature rise given in Table 2, all other appropriate requirements in this standard also being satisfied

3.1.2.1

continuous ratings of an engine-driven main generator

an engine-driven main generator normally has two continuous ratings which are defined below:

- a) continuous rating "at lower voltage"
 - continuous rating determined by the temperature rise of the windings through which the load current flows (higher value of load current and lower voltage)
- b) continuous rating "at higher voltage"



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation