

Irish Standard I.S. EN ISO 14405-1:2010

Geometrical product specifications (GPS) -Dimensional tolerancing - Part 1: Linear sizes (ISO 14405-1:2010)

© NSAI 2010

No copying without NSAI permission except as permitted by copyright law.

| Incorporating amendments/corrigenda issued since publication: | |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
EN ISO 14405-1:2010

Published:
15 December, 2010

ICS number:
17.040.10

NSAI Sales:

and comes into effect on:

7 January, 2011

 1 Swift Square,
 T +353 1 807 3800
 T +353 1 857 6730

 Northwood, Santry
 F +353 1 807 3838
 F +353 1 857 6729

 Dublin 9
 E standards@nsai.ie
 W standards.ie

W NSALie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN ISO 14405-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2010

ICS 17.040.10

English Version

Geometrical product specifications (GPS) - Dimensional tolerancing - Part 1: Linear sizes (ISO 14405-1:2010)

Spécification géométrique des produits (GPS) -Tolérancement dimensionnel - Partie 1: Tailles linéaires (ISO 14405-1:2010) Geometrische Produktspezifikation (GPS) - Dimensionelle Tolerierung - Teil 1: Längenmaße (ISO 14405-1:2010)

This European Standard was approved by CEN on 13 November 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 14405-1:2010 (E)

| Contents | Page |
|----------|------|
| | |
| Foreword | |

EN ISO 14405-1:2010 (E)

Foreword

This document (EN ISO 14405-1:2010) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with the Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2011, and conflicting national standards shall be withdrawn at the latest by June 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 14405-1:2010 has been approved by CEN as a EN ISO 14405-1:2010 without any modification.

This is a free page sample. Access the full version online.

I.S. EN ISO 14405-1:2010

This page is intentionally left BLANK.

This is a free page sample. Access the full version online.

I.S. EN ISO 14405-1:2010 INTERNATIONAL STANDARD

ISO 14405-1

First edition 2010-12-15

Geometrical product specifications (GPS) — Dimensional tolerancing —

Part 1: Linear sizes

Spécification géométrique des produits (GPS) — Tolérancement dimensionnel —

Partie 1: Tailles linéaires



ISO 14405-1:2010(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

ISO 14405-1:2010(E)

Contents Page Forewordiv Introduction......v 1 Scope......1 2 Normative references 2 3 Terms and definitions3 Specification modifiers and symbols......14 4 5 Default specification operator for size......16 5.1 ISO default specification operator for size17 5.2 5.3 Drawing indication for special specification operators for size.......18 6.1 General18 6.2 Indication with one or more specification operators......20 Indication of the toleranced feature on which the size characteristic is defined23 Complete toleranced feature of size......23 7.1 Specific fixed restricted portion of the feature of size24 7.2 Any restricted portion of the feature of size of a specified length......25 7.3 7.4 7.5 Requirement applied individually for more than one feature of size.......28 7.6 7.7 Requirement applied simultaneously for more than one feature and considered as one feature of size ______28 7.8 Flexible/non-rigid parts......29 Annex A (normative) Proportions and dimensions of graphical symbols30

ISO 14405-1:2010(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14405-1 was prepared by Technical Committee ISO/TC 213, Dimensional and geometrical product specifications and verification.

ISO 14405 consists of the following parts, under the general title *Geometrical product specification (GPS)* — *Dimensional tolerancing*:

- Part 1: Linear sizes
- Part 2: Dimensions other than linear sizes

ISO 14405-1:2010(E)

Introduction

This part of ISO 14405 is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO/TR 14638). It influences chain links 1 to 3 of the chain of standards on size.

The ISO/GPS Masterplan given in ISO/TR 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For more detailed information of the relation of this part of ISO 14405 to other standards and the GPS matrix model, see Annex D.

Produced workpieces exhibit deviations from the ideal geometric form. The real value of the dimension of a feature of size is dependent on the form deviations and on the specific type of size applied.

The type of size to be applied to a feature of size depends on the function of the workpiece.

The type of size can be indicated on the drawing by a specification modifier for controlling the feature definition and evaluation method to be used.

This is a free page sample. Access the full version online.

I.S. EN ISO 14405-1:2010

Geometrical product specifications (GPS) — Dimensional tolerancing —

Part 1:

Linear sizes

1 Scope

This part of ISO 14405 establishes the default specification operator for linear size and defines a number of special specification operators for linear size for feature of size types "cylinder" and "two parallel opposite planes". It also defines the specification modifiers and the drawing indications for these linear sizes. This part of ISO 14405 covers the following linear sizes:

| local size; | | | |
|----------------------|---|--|--|
| _ | two-point size; | | |
| | spherical size; | | |
| _ | section size; | | |
| _ | portion size; | | |
| global size; | | | |
| _ | direct global linear size; | | |
| | — least-squares size; | | |
| | maximum inscribed size; | | |
| | — minimum circumscribed size; | | |
| — | indirect global linear size; | | |
| calculated size; | | | |
| _ | circumference diameter; | | |
| | area diameter; | | |
| _ | volume diameter; | | |
| ranl | k-order size; | | |
| _ | maximum size; | | |
| — | minimum size; | | |
| _ | average size; | | |
| | median size; | | |

ISO 14405-1:2010(E)

| mid-range | size; |
|---------------|-------|

— range size.

This part of ISO 14405 defines tolerances of linear sizes when there is:

- a + and/or limit deviation (e.g. 0/–0,019) (see Figure 9);
- an upper limit of size (ULS) and/or lower limit of size (LLS) (e.g. 15,2 max., 12 min. or 30,2/30,181) (see Figure 11);
- an ISO tolerance class code in accordance with ISO 286-1 (e.g. 10 h6) (see Figure 10)

with or without modifiers (see Tables 1 and 2).

This part of ISO 14405 provides a set of tools to express several types of size characteristic. It does not present any information on the relationship between a function or a use and a size characteristic.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 286-1:2010, Geometrical product specifications (GPS) — ISO code system for tolerances on linear sizes — Part 1: Basis of tolerances, deviations and fits

ISO 10579:2010, Geometrical product specifications (GPS) — Dimensioning and tolerancing — Non-rigid parts

ISO 8015:—1), Geometrical product specifications (GPS) — Fundamentals — Concepts, principles and rules

ISO 14660-1:1999, Geometrical product specifications (GPS) — Geometrical features — Part 1: General terms and definitions

ISO 14660-2:1999, Geometrical product specifications (GPS) — Geometrical features — Part 2: Extracted median line of a cylinder and a cone, extracted median surface, local size of an extracted feature

ISO 17450-1:—²), Geometrical product specifications (GPS)— General concepts— Part 1: Model for geometrical specification and verification

ISO 17450-2:—³⁾, Geometrical product specifications (GPS) — General concepts — Part 2: Basic tenets, specifications, operators and uncertainties

ISO 81714-1:—⁴⁾, Design of graphical symbols for use in the technical documentation of products — Part 1: Basic rules

¹⁾ To be published. (Revision of ISO 8015:1985)

²⁾ To be published. (Revision of ISO/TS 17450-1:2005)

³⁾ To be published. (Revision of ISO/TS 17450-2:2002)

⁴⁾ To be published. (Revision of ISO 81714-1:1999)



| | This is a free preview. | Purchase the e | entire publication | at the link below: |
|--|-------------------------|----------------|--------------------|--------------------|
|--|-------------------------|----------------|--------------------|--------------------|

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation