

Irish Standard I.S. EN ISO 7866:2012&AC:2014

Gas cylinders - Refillable seamless aluminium alloy gas cylinders - Design, construction and testing (ISO 7866:2012)

© CEN 2014 No copying without NSAI permission except as permitted by copyright law.

I.S. EN ISO 7866:2012&AC:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

EN ISO 7866:2012/AC:2014

2014-05-03

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: Published:

EN ISO 7866:2012 2012-09-01

This document was published ICS number:

under the authority of the NSAI
and comes into effect on:
23.020.30

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN ISO 7866:2012/AC

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2014 Avril 2014 April 2014

ICS 23.020.30

English version Version Française Deutsche Fassung

Gas cylinders - Refillable seamless aluminium alloy gas cylinders - Design, construction and testing - Technical Corrigendum 1 (ISO 7866:2012/Cor 1:2014)

Bouteilles à gaz - Bouteilles à gaz sans soudure en alliage d'aluminium destinées à être rechargées - Conception, construction et essais - Rectificatif technique 1 (ISO 7866:2012/Cor 1:2014) Gasflaschen - Wiederbefüllbare nahtlose Gasflaschen aus Aluminiumlegierungen -Auslegung, Bau und Prüfung (ISO 7866:2012/Cor 1:2014)

This corrigendum becomes effective on 23 April 2014 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 23 avril 2014 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 23. April 2014 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2014 CEN

All rights of exploitation in any form and by any means reserved worldwide for CEN national Members. Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux membres nationaux du CEN.

Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern von CEN vorbehalten.

EN ISO 7866:2012/AC:2014 (E)

Contents	Page
Foreword	

EN ISO 7866:2012/AC:2014 (E)

Foreword

This document (EN ISO 7866:2012/AC:2014) has been prepared by Technical Committee ISO/TC 58 "Gas cylinders" in collaboration with Technical Committee CEN/TC 23 "Transportable gas cylinders" the secretariat of which is held by BSI.

Endorsement notice

The text of ISO 7866:2012/Cor 1:2014 has been approved by CEN as EN ISO 7866:2012/AC:2014 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

ISO

INTERNATIONAL STANDARD ISO 7866:2012 TECHNICAL CORRIGENDUM 1

Published 2014-04-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Gas cylinders — Refillable seamless aluminium alloy gas cylinders — Design, construction and testing

TECHNICAL CORRIGENDUM 1

Bouteilles à gaz — E	3outeilles à gaz san	s soudure en alli	iage d'aluminium (destinées à être	rechargées —
Conception, construc	ction et essais				

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO 7866:2012 was prepared by Technical Committee ISO/TC 58, *Gas cylinders*, Subcommittee SC 3, *Cylinder design*.

Page 34, A.2.4.2

Replace:

E is the modulus of elasticity, in megapascals (= 70 MPa approximately);

with:

E is the modulus of elasticity, in megapascals (= 70 000 MPa approximately);

ICS 23.020.30

Ref. No. ISO 7866:2012/Cor.1:2014(E)

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD

EN ISO 7866

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2012

ICS 23.020.30

English Version

Gas cylinders - Refillable seamless aluminium alloy gas cylinders - Design, construction and testing (ISO 7866:2012)

Bouteilles à gaz - Bouteilles à gaz sans soudure en alliage d'aluminium destinées à être rechargées - Conception, construction et essais (ISO 7866:2012)

Gasflaschen - Wiederbefüllbare nahtlose Gasflaschen aus Aluminiumlegierungen - Auslegung, Bau und Prüfung (ISO 7866:2012)

This European Standard was approved by CEN on 4 August 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 7866:2012 (E)

Contents	Page
Foreword	

EN ISO 7866:2012 (E)

Foreword

This document (EN ISO 7866:2012) has been prepared by Technical Committee ISO/TC 58 "Gas cylinders" in collaboration with Technical Committee CEN/TC 23 "Transportable gas cylinders" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2013, and conflicting national standards shall be withdrawn at the latest by March 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 7866:2012 has been approved by CEN as a EN ISO 7866:2012 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

INTERNATIONAL STANDARD

ISO 7866

Second edition 2012-09-01

Gas cylinders — Refillable seamless aluminium alloy gas cylinders — Design, construction and testing

Bouteilles à gaz — Bouteilles à gaz sans soudure en alliage d'aluminium destinées à être rechargées — Conception, construction et essais



Reference number ISO 7866:2012(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Forewo	ord	v
Introdu	ıction	vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols	2
5	Inspection and testing	
6	Materials	
6.1	General requirements	
6.2	Thermal treatments	
6.3	Test requirements	
6.4	Failure to meet test requirements	6
7	Design	
7.1	General requirements	
7.2	Calculation of cylindrical shell thickness	
7.3 7.4	Design of ends (heads and bases)	
7.4 7.5	Neck design Foot rings	
7.5 7.6	Neck rings	
7.7	Design drawing	
7.8	High-strength and/or low-elongation gas cylinder designs	
8	Construction and workmanship	
8.1	General	
8.2	End forming	
8.3	Wall thickness	
8.4	Surface imperfections and defects	.12
8.5	Neck threads	
8.6	Out-of-roundness	
8.7	Exposure to heat	
8.8 8.9	Straightness	
0.9	Mean diameter	
9	Type approval procedure	
9.1	General requirements	
9.2	Prototype tests	
9.3	Type approval certificate	.15
10	Batch tests	
10.1	General requirements	
10.2	Tensile test	
10.3	Bend test and flattening test	
10.4 10.5	Hydraulic burst test Test requirements for high-strength and/or low-elongation gas cylinder designs	
11	Gas cylinder tests and examinations	
11.1 11.2	General	
11.2	Hardness test	
11.4	Leakage testing	

ISO 7866:2012(E)

11.5	Examination for neck folds	23
11.6	Marking verification	
11.7	Aluminium alloy gas cylinder surface features at time of manufacture	
12	Certification	24
13	Marking	25
Annex	A (normative) Corrosion tests	26
Annex	B (normative) Test method to determine the sustained-load cracking resistance of aluminium alloy gas cylinders	36
Annex	C (informative) Typical type approval certificate	43
Annex	D (informative) Acceptance certificate	44
Annex	E (normative) Specific requirements for gas cylinders made of high-strength and/or low-elongation aluminium alloy	46
Annex	F (informative) Description and evaluation of manufacturing surface imperfections and conditions for rejection of seamless aluminium alloy gas cylinders at time of product acceptance	52
Annex	G (normative) Batch size	59
Annex	H (normative) Specific provisions for acetylene cylinder shells	60
Biblio	graphy	61

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 7866 was prepared by Technical Committee ISO/TC 58, *Gas cylinders*, Subcommittee SC 3, and by Technical Committee CEN/TC 23, *Transportable gas cylinders* in collaboration.

This second edition cancels and replaces the first edition (ISO 7866:1999), which has been technically revised.

The following significant technical changes have been carried out:

- a new subclause (11.7) has been added to address unacceptable manufacturing defects and unacceptable surface features at the time of manufacture and changes have been made to other subclauses to compliment the new subclause;
- terms and definitions and the symbols have been revised;
- terminology changes included: "stress" changed to "strength";
- various editorial errors were corrected;
- equipment calibration requirements were added;
- defining "defect" as a feature caused by the manufacturing/manufacturer; and
- defining "imperfection" as damage or feature not caused by manufacturing/manufacturer.

Introduction

The purpose of this International Standard is to provide a specification for the design, manufacture, inspection and testing of a seamless aluminium alloy gas cylinder for worldwide usage. The objective is to balance design and economic efficiency against international acceptance and universal utility.

This International Standard aims to eliminate the concern about climate, duplicate inspections and restrictions currently existing because of lack of definitive International Standards. This International Standard should not be construed as reflecting on the suitability of the practice of any nation or region.

Following publication, this International Standard will be submitted for reference in the UN Recommendations on the Transport of Dangerous Goods – Model Regulations.

Gas cylinders — Refillable seamless aluminium alloy gas cylinders — Design, construction and testing

1 Scope

This International Standard specifies minimum requirements for the material, design, construction and workmanship, manufacturing processes and tests at time of manufacture of refillable seamless aluminium alloy gas cylinders of water capacities up to and including 150 litres for compressed, liquefied and dissolved gases for worldwide use (normally up to $+65\,^{\circ}$ C).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6506-1, Metallic materials — Brinell hardness test — Part 1: Test method

ISO 6508-1, Metallic materials — Rockwell hardness test — Part 1: Test method (scales A, B, C, D, E, F, G, H, K, N, T)

ISO 6892-1, Metallic materials — Tensile testing — Part 1: Method of test at room temperature

ISO 7438, Metallic materials — Bend test

ISO 7539-6:2011, Corrosion of metals and alloys — Stress corrosion testing — Part 6: Preparation and use of pre-cracked specimens for tests under constant load or constant displacement

ISO 10461, Gas cylinders — Seamless aluminium-alloy gas cylinders — Periodic inspection and testing

ISO 11117, Gas cylinders — Valve protection caps and valve guards — Design, construction and tests

ISO 13341, Gas cylinders — Fitting of valves to gas cylinders

ISO 13769, Gas cylinders — Stamp marking

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

artificial ageing

heat treatment process in which the solute phase is precipitated to give an increased yield strength and tensile strength

3.2

bar·litres

product of the test pressure (in bars) and the water capacity (in litres)



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation