



NSAI
Standards

Irish Standard
I.S. EN 60794-5-20:2014

Optical fibre cables - Part 5-20: Family specification - Outdoor microduct fibre units, microducts and protected microducts for installation by blowing

I.S. EN 60794-5-20:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 60794-5-20:2014

Published:

2014-05-16

*This document was published
under the authority of the NSAI
and comes into effect on:*

2014-06-09

ICS number:

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 60794-5-20

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2014

ICS 33.180.01; 33.180.10

English Version

**Optical fibre cables - Part 5-20: Family specification - Outdoor
microduct fibre units, microducts and protected microducts for
installation by blowing
(IEC 60794-5-20:2014)**

To be completed
(CEI 60794-5-20:2014)

Lichtwellenleiterkabel - Teil 5-20: Familienspezifikation für
Mikrorohr-LWL-Einheiten, Mikrorohre und geschützte
Mikrorohre zur Installation durch Einblasen für die
Anwendung im Freien
(IEC 60794-5-20:2014)

This European Standard was approved by CENELEC on 2014-03-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 86A/1497/CDV, future edition 1 of IEC 60794-5-20, prepared by SC 86A "Fibres and cables" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60794-5-20:2014.

The following dates are fixed:

- latest date by which the document has to be (dop) 2014-12-21
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2017-03-21
standards conflicting with the
document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60794-5-20:2014 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60304	-	Standard colours for insulation for low-frequency cables and wires	HD 402 S2	-
IEC 60793-1-40 (mod)	-	Optical fibres - Part 1-40: Measurement methods and test procedures - Attenuation	EN 60793-1-40	-
IEC 60793-1-53	-	Optical fibres - Part 1-53: Measurement methods and test procedures - Water immersion tests	EN 60793-1-53	-
IEC 60793-2-10	-	Optical fibres - Part 2-10: Product specifications - Sectional specification for category A1 multimode fibres	EN 60793-2-10	-
IEC 60793-2-50	-	Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single-mode fibres	EN 60793-2-50	-
IEC 60794-1-1	-	Optical fibre cables - Part 1-1: Generic specification - General	EN 60794-1-1	-
IEC 60794-1-2	-	Optical fibre cables - Part 1-2: Generic specification - Cross reference table for optical cable test procedures	EN 60794-1-2	-
IEC 60794-1-21	-	Optical fibre cables - Part 1-21: Generic specification - Basic optical cable test procedures - Mechanical tests methods	EN 60794-1-21	-
IEC 60794-1-22	-	Optical fibre cables - Part 1-22: Generic specification - Basic optical cable test procedures - Environmental test methods	EN 60794-1-22	-
IEC 60794-3	2001	Optical fibre cables - Part 3: Sectional specification - Outdoor cables	EN 60794-3	2002
IEC 60794-5	-	Optical fibre cables - Part 5: Sectional specification - Microduct cabling for installation by blowing	EN 60794-5	-
IEC 60794-5-10	-	Optical fibre cables - Part 5-10: Family specification - Outdoor microduct optical fibre cables, microducts and protected microducts for installation by blowing	EN 60794-5-10	-

EN 60794-5-20:2014

- 4 -

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60811-202	-	Electric and optical fibre cables - Test methods for non-metallic materials - Part 202: General tests - Measurement of thickness of non-metallic sheath	EN 60811-202	-
IEC 60811-203	-	Electric and optical fibre cables - Test methods for non-metallic materials - Part 203: General tests - Measurement of overall dimensions	EN 60811-203	-
IEC 60811-501	-	Electric and optical fibre cables - Test methods for non-metallic materials - Part 501: Mechanical tests - Tests for determining the mechanical properties of insulating and sheathing compounds	EN 60811-501	-
IEC 60811-601	-	Electric and optical fibre cables - Test methods for non-metallic materials - Part 601: Physical tests - Measurement of the drop point of filling compounds	EN 60811-601	-
IEC 60811-602	-	Electric and optical fibre cables - Test methods for non-metallic materials - Part 602: Physical tests - Separation of oil in filling compounds	EN 60811-602	-
IEC 60811-604	-	Electric and optical fibre cables - Test methods for non-metallic materials - Part 604: Physical tests - Measurement of absence of corrosive components in filling compounds	EN 60811-604	-
ISO/IEC 11801	-	Information technology - Generic cabling for customer premises	EN ISO/IEC 11801	-



IEC 60794-5-20

Edition 1.0 2014-02

INTERNATIONAL STANDARD



**Optical fibre cables –
Part 5-20: Family specification – Outdoor microduct fibre units, microducts and
protected microducts for installation by blowing**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 60794-5-20

Edition 1.0 2014-02

INTERNATIONAL STANDARD



**Optical fibre cables –
Part 5-20: Family specification – Outdoor microduct fibre units, microducts and
protected microducts for installation by blowing**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE



ICS 33.180.01, 33.180.10

ISBN 978-2-8322-1420-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Symbols	7
4 General requirements	8
4.1 Construction	8
4.1.1 General	8
4.1.2 Microduct fibre units	9
4.1.3 Microducts	9
4.1.4 Protected microducts	9
4.1.5 Microduct fittings	9
4.1.6 Microduct hardware	10
4.2 Optical fibres	10
4.3 Installation performance tests	10
4.3.1 Installation conditions	10
4.3.2 Tests applicable	11
4.3.3 Mechanical and environmental tests	11
5 Microduct fibre unit.....	11
5.1 Tests applicable.....	11
5.2 Family requirements and test conditions for microduct fibre unit tests	12
5.3 Tensile performance	12
5.4 Crush.....	12
5.5 Repeated bending.....	13
5.6 Torsion	13
5.7 Kink	13
5.8 Bend.....	13
5.9 Temperature cycling	13
5.10 Ageing	14
5.11 Water immersion.....	14
5.12 Buffer removal	14
6 Microduct	14
6.1 Tests applicable.....	14
6.2 Tensile performance	15
6.3 Crush.....	15
6.4 Impact	16
6.5 Repeated bending.....	16
6.6 Torsion	16
6.7 Kink	16
6.8 Bend.....	16
6.9 Microduct route verification test	17
6.10 Microduct pressure withstand.....	17
6.11 Ageing	17
7 Protected microducts	17
7.1 Tests applicable.....	17
7.2 Tensile performance	18
7.3 Crush.....	18

7.4	Impact	19
7.5	Repeated bending.....	19
7.6	Kink	19
7.7	Bend.....	19
7.8	Microduct route verification test	19
7.9	Microduct pressure withstand.....	20
7.10	Ageing	20
Annex A (informative)	Examples of microduct fibre units, microducts, and protected microducts.....	21
Annex B (informative)	Product descriptions (blank detail specification and minimum requirements)	22
Annex C (normative)	Product constructions	25
Annex D (normative)	Transmission requirements	28
D.1	Attenuation of cabled fibre	28
D.2	Fibre bandwidth requirements	29
Annex E (normative)	IEC 60794-1-21 Method Exx – Microduct inner clearance test	30
E.1	Object.....	30
E.2	General.....	30
E.3	Sample	30
E.4	Test equipment	30
E.5	Procedure	30
E.6	Requirements	30
E.7	Details to be recorded.....	31
Figure A.1	– Protected microducts, tight package	21
Figure A.2	– Microduct fibre units	21
Table 1	– Tests applicable for installation performance	11
Table 2	– Tests applicable for mechanical and environmental performance of microduct fibre unit	11
Table 3	– Tests applicable for mechanical and environmental performance of microduct	15
Table 4	– Tests applicable for mechanical and environmental performance of protected microduct	18
Table B.1	– Microduct fibre unit description	22
Table B.2	– Microduct description	23
Table B.3	– Protected microduct description	24
Table C.1	– Typical microduct fibre unit construction	25
Table C.2	– Microduct construction	26
Table C.3	– Protected microduct construction	27
Table D.1	– Multimode maximum cable attenuation coefficient (dB/km)	28
Table D.2	– Single-mode maximum cable attenuation coefficient (dB/km) – Premises cabling applications	28
Table D.3	– Single-mode maximum cable attenuation coefficient (dB/km) – All other applications	29
Table D.4	– Minimum multimode fibre bandwidth (MHz×km)	29

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES –

**Part 5-20: Family specification –
Outdoor microduct fibre units, microducts and
protected microducts for installation by blowing**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60794-5-20 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

The text of this standard is based on the following documents:

CDV	Report on voting
86A/1497/CDV	86A/1543/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

OPTICAL FIBRE CABLES –

Part 5-20: Family specification – Outdoor microduct fibre units, microducts and protected microducts for installation by blowing

1 Scope

This part of IEC 60794 is a family specification that covers outdoor microduct fibre units and corresponding microducts and protected microducts for installation by blowing. The protected microducts are intended for duct, directly buried or lashed applications.

Microduct fibre units differ from microduct optical fibre cables (see IEC 60794-5-10) in that they provide less protection to the fibres that they contain. Specifically, microduct fibre units rely on the structure of the microduct, protected microduct or appropriate housing to support installation and to provide additional mechanical protection for the optical fibre over the lifetime of the product.

Systems built with components covered by this standard are subject to the requirements of sectional specification IEC 60794-5 where applicable.

Annex A gives examples of microduct optical fibre units and microducts.

Annex B describes a blank detail specification for outdoor microduct fibre units and the associated microducts and incorporates some minimum requirements. Detail product specifications may be prepared on the basis of this family specification using Annex B as a guide. Annex C provides normative product constructions for microduct optical fibre units, microducts and protected microducts.

The parameters specified in this standard may be affected by measurement uncertainty arising either from measurement errors or calibration errors due to lack of suitable standards. Acceptance criteria should be interpreted with respect to this consideration.

The number of fibres tested is intended to be representative of the microduct fibre unit design and should be agreed between the customer and supplier.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60304, *Standard colours for insulation for low-frequency cables and wires*

IEC 60793-1-40, *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*

IEC 60793-1-53, *Optical fibres – Part 1-53: Measurement methods and test procedures – Water immersion*

IEC 60793-2-10, *Optical fibres – Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-