



**NSAI**  
Standards

Irish Standard  
I.S. EN ISO 19152:2012

# Geographic information - Land Administration Domain Model (LADM) (ISO 19152:2012)

© CEN 2012

No copying without NSAI permission except as permitted by copyright law.

## I.S. EN ISO 19152:2012

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces:*

*This document is based on:*  
EN ISO 19152:2012

*Published:*  
10 December, 2012

This document was published  
under the authority of the NSAI  
and comes into effect on:  
10 December, 2012

**ICS number:**  
35.240.70

**NSAI**  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

**Sales:**  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

I.S. EN ISO 19152:2012

EUROPEAN STANDARD

**EN ISO 19152**

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2012

ICS 35.240.70

English Version

## Geographic information - Land Administration Domain Model (LADM) (ISO 19152:2012)

Information géographique - Modèle du domaine de  
l'administration des terres (LADM) (ISO 19152:2012)

Geoinformation - Land Administration Domain Model  
(LADM) (ISO 19152:2012)

This European Standard was approved by CEN on 14 November 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

## **Contents**

Page

<b>Foreword.....</b>	<b>3</b>
----------------------	----------

## **Foreword**

This document (EN ISO 19152:2012) has been prepared by Technical Committee ISO/TC 211 “Geographic information/Geomatics” in collaboration with Technical Committee CEN/TC 287 “Geographic Information” the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2013, and conflicting national standards shall be withdrawn at the latest by May 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **Endorsement notice**

The text of ISO 19152:2012 has been approved by CEN as a EN ISO 19152:2012 without any modification.

*This page is intentionally left BLANK.*

**I.S. EN ISO 19152:2012**  
**INTERNATIONAL**  
**STANDARD**

**ISO**  
**19152**

First edition  
2012-12-01

---

---

**Geographic information — Land  
Administration Domain Model (LADM)**

*Information géographique — Modèle du domaine de l'administration  
des terres (LADM)*



Reference number  
ISO 19152:2012(E)

© ISO 2012



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland



# Contents

Page

Foreword .....	v
Introduction.....	vi
1 Scope .....	1
2 Conformance .....	1
3 Normative references .....	2
4 Terms, definitions, and abbreviations.....	2
4.1 Terms and definitions .....	2
4.2 Abbreviations.....	6
5 Overview of the LADM .....	7
5.1 Packages and subpackages of the LADM .....	7
5.2 Basic classes of the LADM.....	8
5.3 Party Package.....	9
5.4 Administrative Package .....	9
5.5 Spatial Unit Package .....	10
5.6 Surveying and Representation Subpackage .....	11
6 Content of classes of the LADM and their associations .....	12
6.1 Introduction.....	12
6.2 Special classes .....	12
6.2.1 VersionedObject .....	12
6.2.2 Fraction.....	14
6.2.3 Oid.....	14
6.2.4 LA_Source.....	15
6.3 Classes of Party Package .....	16
6.3.1 LA_Party .....	16
6.3.2 LA_GroupParty .....	18
6.3.3 LA_PartyMember .....	18
6.3.4 Code lists for Party Package .....	18
6.4 Classes of Administrative Package .....	19
6.4.1 LA_BAUnit.....	19
6.4.2 LA_RRR .....	21
6.4.3 LA_Right.....	22
6.4.4 LA_Restriction .....	23
6.4.5 LA_Responsibility .....	23
6.4.6 LA_Mortgage.....	23
6.4.7 LA_AdministrativeSource.....	24
6.4.8 LA_RequiredRelationshipBAUnit .....	24
6.4.9 Code lists for Administrative Package .....	25
6.5 Classes of Spatial Unit Package .....	26
6.5.1 LA_SpatialUnit .....	26
6.5.2 LA_SpatialUnitGroup .....	27
6.5.3 LA_LegalSpaceBuildingUnit .....	28
6.5.4 LA_LegalSpaceUtilityNetwork .....	29
6.5.5 LA_Level.....	30
6.5.6 LA_RequiredRelationshipSpatialUnit.....	30
6.5.7 Data types for Spatial Unit Package .....	31
6.5.8 Code lists for Spatial Unit Package .....	31
6.6 Classes of Surveying and Representation Subpackage .....	32
6.6.1 LA_Point.....	32
6.6.2 LA_SpatialSource .....	33

<b>6.6.3</b>	<b>LA_BoundaryFaceString</b> .....	<b>34</b>
<b>6.6.4</b>	<b>LA_BoundaryFace</b> .....	<b>35</b>
<b>6.6.5</b>	<b>Data types for Surveying and Representation Subpackage</b> .....	<b>35</b>
<b>6.6.6</b>	<b>Code lists for Surveying and Representation Subpackage</b> .....	<b>36</b>
<b>6.7</b>	<b>Associations between classes</b> .....	<b>38</b>
<b>Annex A</b> (normative)	<b>Abstract test suite</b> .....	<b>40</b>
<b>Annex B</b> (normative)	<b>2D and 3D representations of spatial units</b> .....	<b>48</b>
<b>Annex C</b> (informative)	<b>Instance level cases</b> .....	<b>50</b>
<b>Annex D</b> (informative)	<b>Country profiles</b> .....	<b>71</b>
<b>Annex E</b> (informative)	<b>Spatial units and spatial profiles</b> .....	<b>82</b>
<b>Annex F</b> (informative)	<b>Legal profiles</b> .....	<b>88</b>
<b>Annex G</b> (informative)	<b>The LADM and INSPIRE</b> .....	<b>91</b>
<b>Annex H</b> (informative)	<b>The LADM and LPIS</b> .....	<b>93</b>
<b>Annex I</b> (informative)	<b>Social Tenure Domain Model (STDM)</b> .....	<b>99</b>
<b>Annex J</b> (informative)	<b>Code lists</b> .....	<b>101</b>
<b>Annex K</b> (informative)	<b>External classes</b> .....	<b>103</b>
<b>Annex L</b> (informative)	<b>Interface classes</b> .....	<b>108</b>
<b>Annex M</b> (informative)	<b>Modelling land administration processes</b> .....	<b>110</b>
<b>Annex N</b> (informative)	<b>History and dynamic aspects</b> .....	<b>111</b>
<b>Annex O</b> (informative)	<b>LADM and other ISO/TC 211 international standards</b> .....	<b>112</b>
<b>Bibliography</b> .....		<b>117</b>

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19152 was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

## Introduction

This International Standard defines the Land Administration Domain Model (LADM). The LADM is a conceptual model, and not a data product specification (in the sense of ISO 19131).

The purpose of the LADM is not to replace existing systems, but rather to provide a formal language for describing them, so that their similarities and differences can be better understood. This is a descriptive standard, not a prescriptive standard.

Land administration is a large field; the focus of this International Standard is on that part of land administration that is interested in rights, responsibilities and restrictions affecting land (or water), and the geometrical (geospatial) components thereof. The LADM provides a reference model which will serve two goals:

- to provide an extensible basis for the development and refinement of efficient and effective land administration systems, based on a Model Driven Architecture (MDA), and
- to enable involved parties, both within one country and between different countries, to communicate, based on the shared vocabulary (that is, an ontology), implied by the model.

The second goal is relevant for creating standardized information services in a national or international context, where land administration domain semantics have to be shared between regions, or countries, in order to enable necessary translations. Four considerations during the design of the model were that:

- it will cover the common aspects of land administration all over the world;
- it will be based on the conceptual framework of 'Cadastre 2014' of the International Federation of Surveyors (FIG) <sup>[14]</sup>;
- it will be as simple as possible in order to be useful in practice;
- the geospatial aspects follow the ISO/TC 211 conceptual model.

Until now, most countries (or states, or provinces) have developed their own land administration system. One country operates a deeds registration system, another a title registration system. Some systems are centralized, and others decentralized. Some systems are based on a general boundaries approach, others on fixed boundaries. Some systems have a fiscal background, others a legal one. The different implementations (foundations) of the various land administration systems do not make meaningful communication across borders easy. However, looking from a distance, one will observe that the different systems are in principle largely the same: they are all based on the relationships between people and land, linked by (ownership or use) rights, and are in most countries influenced by developments in Information and Communication Technology (ICT). Furthermore, the two main functions of every land administration (including cadastre and/or land registry) are:

- keeping the contents of these relationships up-to-date (based on regulations and related transactions); and
- providing information from the (national) registers.

Land administration is described as the process of determining, recording and disseminating information about the relationship between people and land. If ownership is understood as the mechanism through which rights to land are held, we can also speak about land tenure. A main characteristic of land tenure is that it reflects a social relationship regarding rights to land, which means that in a certain jurisdiction the relationship between people and land is recognised as a legally valid one. These recognised rights are in principle eligible

for registration, with the purpose being to assign a certain legal meaning to the registered right (e.g. a title). Therefore, land administration systems are not just 'handling geographic information', as they represent a lawfully meaningful relationship amongst people, and between people and land.

As land administration activity on the one hand deals with huge amounts of data, which moreover are of a dynamic nature, and on the other hand requires a continuous maintenance process, then the role of ICT is of strategic importance. Without the availability of information systems it will be difficult to guarantee good performance with respect to meeting changing customer demands. Organizations are now increasingly confronted with rapid developments in technology, a technology push (the Internet, geospatial databases, modelling standards, open systems, and GIS), as well with a growing demand for new services, a market pull (e-governance, sustainable development, electronic conveyance, and the integration of public data and systems). Modelling is a basic tool, facilitating appropriate system development and reengineering and, in addition, it forms the basis for meaningful communication between different systems.

Standardization has become a well-known process in the work of land administrations and land registries. In both paper-based systems and computerized systems, standards are required to identify objects, transactions, relationships between objects (e.g. parcels, generally referred to as spatial units) and persons (e.g. citizens, legally referred to as subjects and generally referred to as parties), classification of land use, land value, map representations of objects, and so on. Computerized systems require further standardization when topology and the identification of single boundaries are introduced. In existing land administrations and land registries, standardization is generally limited to the region, or jurisdiction, where the land administration (including cadastre and/or land registry) is in operation. Open markets, globalization, and effective and efficient development and maintenance of flexible (generic) systems, require further standardization.

The scope of this International Standard is provided in Clause 1. Conformance in relation to this International Standard is given in Clause 2, and a conformance test is specified in Annex A. Normative references are presented in Clause 3 and the used terms, definitions and abbreviations in Clause 4. Clause 5 gives a global overview of packages. Clause 6 introduces the classes, attributes and associations in detail. Annex B explains the 2D and 3D representations of spatial units. A comprehensive set of informative examples (using instance level classes) is available in Annex C.

It must be noted that this is a generic domain model. It is expandable and it is likely that additional attributes, operators, associations, and perhaps even additional classes, will be needed for a specific region or country; see the country profiles in Annex D. Specific parts of the LADM are further detailed: the spatial profiles in Annex E and the legal profiles in Annex F. Some examples of using the LADM in a specific context are: the INSPIRE cadastral parcels in Annex G, the integration of the LADM with the agricultural Land Parcel Identification Systems (LPIS) of the European Union in Annex H, and the Social Tenure Domain Model (STDM) in Annex I. It is possible to use only a subset, or profile, of the LADM for a specific implementation.

Annex J gives an overview of code tables as a basis to describe a flexible enumeration.

The construction of external databases with party data, address data, taxation data, land use data, land cover data, valuation data, physical utility network data, and archive data, is outside the scope of the LADM. However, the LADM provides stereotype classes for these data sets (if available), see Annex K. Interface classes are in Annex L. Annex M makes some remarks in relation to process models. History and dynamic aspects are included in Annex N. Annex O explains the link to other ISO international standards.

**I.S. EN ISO 19152:2012**

# Geographic information — Land Administration Domain Model (LADM)

## 1 Scope

This International Standard:

- defines a reference Land Administration Domain Model (LADM) covering basic information-related components of land administration (including those over water and land, and elements above and below the surface of the earth);
- provides an abstract, conceptual model with four packages related to
  - 1) parties (people and organizations);
  - 2) basic administrative units, rights, responsibilities, and restrictions (ownership rights);
  - 3) spatial units (parcels, and the legal space of buildings and utility networks);
  - 4) spatial sources (surveying), and spatial representations (geometry and topology);
- provides terminology for land administration, based on various national and international systems, that is as simple as possible in order to be useful in practice. The terminology allows a shared description of different formal or informal practices and procedures in various jurisdictions;
- provides a basis for national and regional profiles; and
- enables the combining of land administration information from different sources in a coherent manner.

The following is outside the scope of this International Standard:

- interference with (national) land administration laws that may have any legal implications;
- construction of external databases with party data, address data, valuation data, land use data, land cover data, physical utility network data, archive data and taxation data. However, the LADM provides stereotype classes for these data sets to indicate which data set elements the LADM expects from these external sources, if available; and
- modelling of land administration processes.

## 2 Conformance

The LADM consists of three packages and one subpackage, and for each of them a conformance test is specified in Annex A. Three conformance levels are specified per (sub)package: level 1 (low level), level 2 (medium level), and level 3 (high level). Level 1 tests the basic classes per package and level 2 also includes the more common classes. Level 3 includes all classes. Any LADM claiming conformance to this International Standard shall satisfy the requirements of Annex A.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-