

Irish Standard I.S. EN 62135-1:2015

Resistance welding equipment - Part 1: Safety requirements for design, manufacture and installation

© CENELEC 2015 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 62135-1:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN 62135-1:2015 *Published:* 2015-07-03

This document was published		ICS number:	
under the authority of the NSAI and comes into effect on:		25.160	
2015-07-21			
		NOTE: If blank see CEN/CENELEC cove	er page
		•	
NSAI	T +353 1	1 807 3800 Sales:	
1 Swift Square,	F +353 1	L 807 3838 T +353 1 857 6730)
Northwood, Santry	E standa	ards@nsai.ie F +353 1 857 6729	9
Dublin 9	W NSAI.i	ie W standards.ie	
NSAI 1 Swift Square, Northwood, Santry	F +353 1 E standa	L 807 3800 Sales: L 807 3838 T +353 1 857 6730 ards@nsai.ie F +353 1 857 6729)

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online. I.S. EN 62135-1:2015

EUROPEAN STANDARD

EN 62135-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2015

ICS 25.160

Supersedes EN 62135-1:2008

English Version

Resistance welding equipment - Part 1: Safety requirements for design, manufacture and installation (IEC 62135-1:2015)

Matériels de soudage par résistance - Partie 1: Exigences de sécurité pour la conception, la fabrication et l'installation (IEC 62135-1:2015) Widerstandsschweißeinrichtungen - Teil 1: Sicherheitsanforderungen für die Konstruktion, Herstellung und Errichtung (IEC 62135-1:2015)

This European Standard was approved by CENELEC on 2015-06-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

This is a free page sample. Access the full version online. I.S. EN 62135-1:2015

EN 62135-1:2015

European foreword

The text of document 26/558/FDIS, future edition 2 of IEC 62135-1, prepared by IEC/TC 26 "Electric welding" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62135-1:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at (dop) 2016-03-11 national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2018-06-11 the document have to be withdrawn

This document supersedes EN 62135-1:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This standard covers the Principle Elements of the Safety Objectives for Electrical Equipment Designed for Use within Certain Voltage Limits (LVD - 2006/95/EC).

Endorsement notice

The text of the International Standard IEC 62135-1:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60085	NOTE	Harmonized as EN 60085.
IEC 60112	NOTE	Harmonized as EN 60112.
IEC 60364	NOTE	Harmonized in HD 384 / HD 60364 series (partly modified).
IEC 60990	NOTE	Harmonized as EN 60990.
IEC 62135-2	NOTE	Harmonized as EN 62135-2.
ISO 5826	NOTE	Harmonized as EN ISO 5826.
ISO 5828	NOTE	Harmonized as EN ISO 5828.
ISO 8205-1	NOTE	Harmonized as EN ISO 8205-1.
ISO 8205-2	NOTE	Harmonized as EN ISO 8205-2.
ISO 5828 ISO 8205-1	NOTE	Harmonized as EN ISO 5828. Harmonized as EN ISO 8205-1.

ISO 12100	NOTE	Harmonized as EN ISO 12100.

- ISO 13732-1 NOTE Harmonized as EN ISO 13732-1.
- IEC 13732 NOTE Harmonized in EN 13732 series (not modified).
- ISO 14121-1 ¹⁾ NOTE Harmonized as EN ISO 14121-1 ¹⁾.

¹⁾ Withdrawn.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <u>www.cenelec.eu</u>.

Publication	Year	Title	<u>EN/HD</u>	Year
IEC 60204-1 (mod)	2005	Safety of machinery - Electrical	EN 60204-1	2006
-	-	equipment of machines - Part 1: General requirements	+ corrigendum Feb.	2010
IEC 60364-4-41 (mod)	2005	Low-voltage electrical installations -	HD 60364-4-41	2007
-	-	Part 4-41: Protection for safety - Protection against electric shock	+ corrigendum Jul.	2007
IEC 60364-6	-	Low voltage electrical installations - Part 6: Verification	HD 60364-6	-
IEC 60417-DB	-	Graphical symbols for use on equipment	-	-
IEC 60445	-	Basic and safety principles for man- machine interface, marking and identification - Identification of equipment terminals, conductor terminations and conductors	EN 60445	-
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	EN 60529	-
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60664-3	-	Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating, potting or moulding for protection against pollution	EN 60664-3	-
IEC 61140	-	Protection against electric shock - Common aspects for installation and equipment	EN 61140	-

This is a free page sample. Access the full version online. $I.S.\ EN\ 62135-1:2015$

EN 62135-1:2015

Publication	Year	Title	<u>EN/HD</u>	Year
ISO 669	-	Resistance welding - Resistance welding equipment - Mechanical and electrical requirements	-	-
ISO 13849-1	-	Safety of machinery - Safety-related parts of control systems - Part 1: General principles for design	EN ISO 13849-1	-

This is a free page sample. Access the full version online.

This page is intentionally left blank



IEC 62135-1

Edition 2.0 2015-05

INTERNATIONAL STANDARD



Resistance welding equipment – Part 1: Safety requirements for design, manufacture and installation





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office	Tel.: +41 22 919 02 11
3, rue de Varembé	Fax: +41 22 919 03 00
CH-1211 Geneva 20	info@iec.ch
Switzerland	www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 62135-1

Edition 2.0 2015-05

INTERNATIONAL STANDARD



Resistance welding equipment – Part 1: Safety requirements for design, manufacture and installation

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.160

ISBN 978-2-8322-2664-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	DREWO	RD	6
1	Scop	e	8
2	Norm	ative references	8
3	Term	s and definitions	9
4	Envir	onmental conditions	. 11
5	Tests	S	. 11
	5.1	Test condition	. 11
	5.2	Measuring instruments	
	5.3	Type tests	
	5.4	Routine tests	. 12
6	Prote	ction against electric shock	. 12
	6.1	General	. 12
	6.2	Insulation	. 13
	6.2.1	General	. 13
	6.2.2	Clearances	. 13
	6.2.3	Creepage distances	. 14
	6.2.4		
	6.2.5		
	6.2.6	5	
	6.2.7		
	6.3	Protection against electric shock in normal service (direct contact)	
	6.3.1	General	
	6.3.2 6.3.3		
	6.3.4		
	6.3.5		
	6.3.6	5 1 1	
	6.3.7		
	6.4	Protection against electric shock in case of a fault condition (indirect	
		contact)	. 22
	6.4.1	General	. 22
	6.4.2		
	6.4.3		
	6.4.4		
	6.4.5		
	6.4.6		
	6.4.7	, , , , , , , , , , , , , , , , , , ,	
	6.5 6.6	Additional user requirements Supply voltage	
	6.7	Conductors of the welding circuit	
7		nal requirements	
'	7.1	Heating test	
	7.1.1	Test conditions	
	7.1.2		
	7.1.3		
	7.1.4	5 5 5	

IEC 62135-1:2015 © IEC 2015 - 3 -

7.0		10
7.2 7.2.	Temperature measurement 1 Measurements conditions	
7.2.		-
7.2.		
7.2.		
7.2.	i (a)	
7.2.		
7.2.		
7.3	Limits of temperature rise	
7.3.	5	
7.3.		
7.3.		
7.4	Protection from thermal hazards in normal service (direct contact)	
7.4.		
7.4.		
7.4.		
7.4.		
8 Abn	ormal operation	
8.1	General requirements	45
8.2	Stalled fan test	45
8.3	Cooling system failure	45
8.4	Overload test	46
9 Prov	isions against mechanical hazards	46
9.1	General	46
9.2	Risk analysis	
9.2.	1 General	46
9.2.	2 Ready-to-use equipment as in delivery state	
9.2.	3 Equipment not ready to use as in delivery state	
9.2.	Equipment not ready for use and designed to be incorporated in more	
	complex equipment	47
9.3	Measures	47
9.3.	1 Minimum measures	47
9.3.	2 Additional measures	47
9.4	Conformity of components	48
9.5	Starting for manual operated equipment	48
10 Inst	ructions and markings	49
10.1	Instructions	
10.2	Markings	
10.3	Marking of terminals	
Annex A	(informative) Nominal voltages of supply networks	51
Annex B	(normative) Construction of supply circuit terminals	
B.1	Size of terminals	
B.1 B.2	Spacings between supply circuit terminals	
В.2 В.3	Connections at the terminals	
В.3 В.4	Construction of the terminals	
В.4 В.5	Fixing of the terminals	
-	(normative) Touch current measurement in fault condition	
Annex D	(informative) Extrapolation of temperature to time of shutdown	

– 4 – IEC 62135-1:2015 © IEC 2015

Annex E (infor	native) Example of risk analysis and safety level requirement	57
E.1 Gen	eral	
E.2 Mon	itored hazards	57
E.3 Gen	eral measures	57
Е.4 Турі	cal hazards by type of equipment	57
E.4.1	General	
E.4.2	Spot welding	
E.4.3	Projection welding	
E.4.4	Seam welding	
E.4.5	Butt welding	
	native) Indirect contact protection in resistance welding equipment	
	ection against indirect contact by automatic disconnection of the supply .	
F.1.1	General	
F.1.2	TN system	
F.1.3	TT systems	
	matic disconnection of supply in single phase a.c. current equipment	
F.2.1	TN system	
F.2.2	TT systems	64
	matic disconnection of supply in d.c. current equipment operating at ium frequency (inverter equipment)	64
F.3.1	TN system	
F.3.2	TT systems	
Figure 1 – Mea	surement of welding circuit touch current	18
-	surement of welding circuit touch current	
Figure 2 – Mea	surement of rms values	
Figure 2 – Mea Figure 3 – Exa	surement of rms values mple of metal screen between windings of the supply circuit and the	19
Figure 2 – Mea Figure 3 – Exa welding circuit	surement of rms values mple of metal screen between windings of the supply circuit and the	19
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa	surement of rms values mple of metal screen between windings of the supply circuit and the	19 26
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a.	surement of rms values mple of metal screen between windings of the supply circuit and the mple of protective conductor connected directly to the welding circuit	19 26 27
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa	surement of rms values mple of metal screen between windings of the supply circuit and the mple of protective conductor connected directly to the welding circuit c. current equipment)	19 26 27
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa	surement of rms values mple of metal screen between windings of the supply circuit and the mple of protective conductor connected directly to the welding circuit c. current equipment) mple of protective conductor connected directly to welding circuits . current equipment) mple of protective conductor connected directly to welding circuits	19 26 27 27
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ	surement of rms values mple of metal screen between windings of the supply circuit and the mple of protective conductor connected directly to the welding circuit c. current equipment) mple of protective conductor connected directly to welding circuits . current equipment) mple of protective conductor connected directly to welding circuits ency equipment)	19 26 27 27
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ Figure 7 – Exa	surement of rms values mple of metal screen between windings of the supply circuit and the mple of protective conductor connected directly to the welding circuit c. current equipment) mple of protective conductor connected directly to welding circuits . current equipment) mple of protective conductor connected directly to welding circuits ency equipment) mple of protective conductor connected to welding circuits through	19 26 27 27 28
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ Figure 7 – Exa impedances	surement of rms values mple of metal screen between windings of the supply circuit and the mple of protective conductor connected directly to the welding circuit c. current equipment) mple of protective conductor connected directly to welding circuits . current equipment) mple of protective conductor connected directly to welding circuits ency equipment)	19 26 27 27 28
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ Figure 7 – Exa impedances Figure 8 – Exa	Isurement of rms values mple of metal screen between windings of the supply circuit and the mple of protective conductor connected directly to the welding circuit c. current equipment) mple of protective conductor connected directly to welding circuits . current equipment) mple of protective conductor connected directly to welding circuits ency equipment) mple of protective conductor connected to welding circuits through	19 26 27 27 28 29
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ Figure 7 – Exa impedances Figure 8 – Exa auto-inductanc Figure 9 – Exa	Isurement of rms values	19 26 27 27 28 29 30
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ Figure 7 – Exa impedances Figure 8 – Exa auto-inductanc Figure 9 – Exa auto-inductanc	Issurement of rms values	19 26 27 27 28 29 30 30
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ Figure 7 – Exa impedances Figure 8 – Exa auto-inductanc Figure 9 – Exa auto-inductanc Figure 10 – Ex	Issurement of rms values	19 26 27 27 28 29 30 30 31
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ Figure 7 – Exa impedances Figure 8 – Exa auto-inductanc Figure 9 – Exa auto-inductanc Figure 10 – Ex Figure 11 – Ex	and the surement of rms values in the supply circuit and the supple of metal screen between windings of the supply circuit and the supple of protective conductor connected directly to the welding circuits in the current equipment) is current equipment) in the supple of protective conductor connected directly to welding circuits ency equipment) is connected to welding circuits through the supple of protective conductor connected to welding circuits through the supple of protective conductor connected to welding circuits through the supple of protective conductor connected to welding circuits through the supple of protective conductor connected to welding circuits through the supple of protective conductor connected to welding circuits through the supple of current operated RCD (a.c. current equipment) is analysis of current operated RCD (medium-frequency equipment).	19 26 27 27 28 29 30 30 31 32
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ Figure 7 – Exa impedances Figure 8 – Exa auto-inductanc Figure 9 – Exa auto-inductanc Figure 10 – Ex Figure 11 – Ex Figure 12 – Ex	Isurement of rms values	19 26 27 27 28 29 30 30 31 32
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ Figure 7 – Exa impedances Figure 8 – Exa auto-inductanc Figure 9 – Exa auto-inductanc Figure 10 – Ex Figure 11 – Ex Figure 12 – Ex Figure 13 – Ex	Isurement of rms values	19 26 27 27 28 29 30 30 31 32 33
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ Figure 7 – Exa impedances Figure 8 – Exa auto-inductanc Figure 9 – Exa auto-inductanc Figure 10 – Ex Figure 11 – Ex Figure 12 – Ex Figure 13 – Ex relay	surement of rms values	19 26 27 27 28 29 30 30 31 32 33 34
Figure 2 – Mea Figure 3 – Exa welding circuit Figure 4 – Exa (single-spot, a. Figure 5 – Exa (multi-spot, a.c Figure 6 – Exa (medium-frequ Figure 7 – Exa impedances Figure 8 – Exa auto-inductanc Figure 9 – Exa auto-inductanc Figure 10 – Ex Figure 11 – Ex Figure 12 – Ex Figure 13 – Ex relay	Isurement of rms values	19 26 27 27 28 29 30 30 31 32 33 34 35

IEC 62135-1:2015 © IEC 2015 - 5 -

Figure C.2 – Diagram for touch current measurement on fault condition at operating temperature for single-phase connection of appliances other than those of class II	55
Figure C.3 – Diagram for touch current measurement on fault condition for three- phase four-wire system connection of appliances other than those of class II	55
Figure E.1 – Structure of a mounted machine	58
Figure E.2 – Structure of a hand-held welding gun	58
Figure E.3 – Structure of projection welding machinery	59
Figure E.4 – Structure of seam welding machinery	60
Figure E.5 – Structure of butt welding machinery	60
Figure F.1 – Principle illustration of insulation fault	61
Figure F.2 – Illustrations of TN systems	62
Figure F.3 – Illustrations of TT systems	63
Figure F.4 – Typical fault current	65
Figure F.5 – Time-to-voltage reference curve	67
Table 1 – Minimum clearances for overvoltage category III	13
Table 2 – Minimum creepage distances	15
Table 3 – Insulation resistance	16
Table 4 – Dielectric test voltages	17
Table 5 – Minimum distance through insulation	
Table 5 – Minimum distance through insulationTable 6 – Continuity of the protective bonding circuit	25
-	25 37
Table 6 – Continuity of the protective bonding circuit	25 37 42
Table 6 – Continuity of the protective bonding circuitTable 7 – Limits of temperature rise for windings	25 37 42 43
Table 6 – Continuity of the protective bonding circuitTable 7 – Limits of temperature rise for windingsTable 8 – Limits of temperature risefor external surfaces of hand-held equipment	25 37 42 43 43
Table 6 – Continuity of the protective bonding circuitTable 7 – Limits of temperature rise for windingsTable 8 – Limits of temperature rise for external surfaces of hand-held equipmentTable 9 – Limits of temperature rise for external surfaces of hand-guided equipment	25 37 42 43 43 43
Table 6 – Continuity of the protective bonding circuitTable 7 – Limits of temperature rise for windingsTable 8 – Limits of temperature rise for external surfaces of hand-held equipmentTable 9 – Limits of temperature rise for external surfaces of hand-guided equipmentTable 10 – Limits of temperature rise for external surfaces of fixed equipmentTable 10 – Limits of temperature rise for external surfaces of fixed equipmentTable 10 – Limits of temperature rise for external surfaces of fixed equipmentTable 8.1 – Range of conductor dimensions to be accepted by the supply circuit	25 37 42 43 43 43 52

- 6 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RESISTANCE WELDING EQUIPMENT –

Part 1: Safety requirements for design, manufacture and installation

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62135-1 has been prepared by IEC technical committee 26: Electric welding.

This second edition cancels and replaces the first edition published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- creepage distances for pollution degree 4 are no longer valid (see Table 2);
- insulation requirements for Class II equipment are defined (see Table 3);
- dielectric test voltage interpolation restriction lower limit is changed to 220 V and interpolation for control and welding circuit is clarified (see Table 4);
- maximum temperature for insulation systems are reviewed in accordance with current edition of IEC 60085 (see Table 7);

IEC 62135-1:2015 © IEC 2015

- 7 -

- marking of terminals is defined (see 10.3);
- table for nominal voltages of supply networks is changed adopting Table B.2 of IEC 60664-1:2007 in place of the Table B.1 values referenced in the previous edition to provide for equipment to be connected to both earthed and unearthed systems. The change impacts the creepage and clearance distance requirements for some supply voltage ratings (see Annex A);
- touch current in fault condition are measurement procedures are clarified (see 6.4.4 and Annex C).
- welding circuit touch current is defined (see 6.2.6);
- touch current in normal condition are clarified and moved in protection against electric shock in normal service (see 6.3.7);
- heating test conditions are clarified (see 7.1.1);
- external surface temperature rise limitation is changed (see 7.3.2).

The text of this standard is based on the following documents:

FDIS	Report on voting
26/558/FDIS	26/570/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 62135 series, under the general title *Resistance welding equipment,* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

- 8 -

IEC 62135-1:2015 © IEC 2015

RESISTANCE WELDING EQUIPMENT –

Part 1: Safety requirements for design, manufacture and installation

1 Scope

This part of IEC 62135 applies to equipment for resistance welding and allied processes and includes single and multiple welding stations which may be manually or automatically loaded and/or started.

This part of IEC 62135 covers stationary and portable equipment.

This part of IEC 62135 specifies electrical safety requirements for design, manufacture and installation. It does not cover all non-electrical safety requirements (e.g. noise, vibration).

This part of IEC 62135 does not include electromagnetic compatibility (EMC) requirements, which are included in IEC 62135-2.

To comply with this standard, all safety risks involved in loading, feeding, operating and unloading the equipment, where applicable, should be assessed and the requirements of related standards should be observed.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60204-1:2005, Safety of machinery – Electrical equipment of machines – Part 1: General requirements

IEC 60364-4-41:2005, Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock

IEC 60364-6, Low-voltage electrical installations – Part 6: Verification

IEC 60417-DB:2011¹, *Graphical symbols for use on equipment*

IEC 60445, Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 60664-1:2007, Insulation coordination for equipment within low-voltage systems – Part 1: *Principles, requirements and tests*

¹ "DB" refers to the IEC on-line database.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation