This is a free page sample. Access the full version online.



Irish Standard I.S. EN 60684-2:2011

Flexible insulating sleeving -- Part 2: Methods of test (IEC 60684-2:2011 (EQV))

© NSAI 2011 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 60684-2:1997 EN 60684-2:1997/A2:2005 EN 60684-2:1997/A1:2003	<i>This document is based</i> EN 60684-2:2011 EN 60684-2:1997	<i>d on: Publis</i> 16 Sep 13 Aug	<i>hed:</i> otember, 2011 gust, 1997
This document was published under the authority of the NSAI and 26 September, 2011	comes into effect on:		ICS number: 17.220.99
NSAI T +35 1 Swift Square, F +35 Northwood, Santry E sta Dublin 9 W	3 1 807 3800 Sal 3 1 807 3838 T - ndards@nsai.ie F - W NSAI.ie	les: +353 1 857 6730 +353 1 857 6729 standards.ie	
Údarás um Cha	ghdeáin Náisiúnta na	hÉireann	

EUROPEAN STANDARD

EN 60684-2

NORME EUROPÉENNE EUROPÄISCHE NORM

September 2011

Supersedes EN 60684-2:1997 + A1:2003 + A2:2005

ICS 17.220.99

English version

Flexible insulating sleeving -Part 2: Methods of test (IEC 60684-2:2011)

Gaines isolantes souples -Partie 2: Méthodes d'essai (CEI 60684-2:2011) Isolierschläuche – Teil 2: Prüfverfahren (IEC 60684-2:2011)

This European Standard was approved by CENELEC on 2011-09-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2011 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

EN 60684-2:2011

- 2 -

Foreword

The text of document 15/634/FDIS, future edition 3 of IEC 60684-2, prepared by IEC TC 15, Solid electrical insulating materials, was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60684-2:2011.

This document supersedes EN 60684-2:1997 + A1:2003 + A2:2005.

The main changes from EN 60684-2:1997 + A1:2003 + A2:2005 are as follows: three additional methods for circumferential extension, voltage proof and thermal shock and alignment with North American methods.

The following dates are fixed:

-	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2012-06-14
-	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2014-09-14

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60684-2:2011 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

[2] IEC 60068-2 series	NOTE	Harmonized in EN 60068-2 series (not modified).
[3] IEC 60068-2-10:2005	NOTE	Harmonized as EN 60068-2-10:2005 (not modified).
[4] IEC 60216-2:2005	NOTE	Harmonized as EN 60216-2:2005 (not modified).

- 3 -

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	Year	<u>Title</u>	<u>EN/HD</u>	Year
IEC 60068-2-20	2008	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	2008
IEC 60093	1980	Methods of test for volume resistivity and surface resistivity of solid electrical insulating materials	HD 429 S1 ¹⁾	1983
IEC 60212	2010	Standard conditions for use prior to and during the testing of solid electrical insulating materials	EN 60212	2011
IEC 60216	Series	Electrical insulating materials - Thermal endurance properties	EN 60216	Series
IEC 60216-4-1	2006	Electrical insulating materials - Thermal endurance properties - Part 4-1: Ageing ovens - Single-chamber ovens	EN 60216-4-1	2006
IEC 60216-4-2	2000	Electrical insulating materials - Thermal endurance properties - Part 4-2: Ageing ovens - Precision ovens for use up to 300 °C	EN 60216-4-2	2000
IEC 60243-1	1998	Electrical strength of insulating materials - Test methods - Part 1: Tests at power frequencies	EN 60243-1	1998
IEC 60250 ²⁾	1969	Recommended methods for the determination of the permittivity and dielectric dissipation factor of electrical insulating materials at power, audio and radio frequencies including metre wavelengths	1 -	-
IEC 60426	2007	Electrical insulating materials - Determination of electrolytic corrosion caused by insulating materials - Test methods	EN 60426	2007
IEC 60587	2007	Electrical insulating materials used under severe ambient conditions - Test methods for evaluating resistance to tracking and erosion	EN 60587	2007
IEC 60589	1977	Methods of test for the determination of ionic impurities in electrical insulating materials by extraction with liquids	HD 381 S1	1979

 $^{^{1)}\,\}text{HD}$ 429 S1 is superseded by EN 62631-1:2011, which is based on IEC 62631-1:2011.

²⁾ IEC 60250 is superseded by IEC 62631-1:2011.

- 4 -

EN 60684-2:201

Publication IEC 60684-3	<u>Year</u> Series	<u>Title</u> Flexible insulating sleeving - Part 3: Specification for individual types of sleeving	<u>EN/HD</u> EN 60684-3	<u>Year</u> Series
IEC 60695-6-30	1996	Fire hazard testing - Part 6: Guidance and test methods on the assessment of obscuration hazard of vision caused by smoke opacity from electrotechnical products involved in fires - Section 30: Small-scale static method - Determination of smoke opacity - Description of the apparatus	-	-
IEC/TS 60695-11-21	-	Fire hazard testing - Part 11-21: Test flames - 500 W vertical flame test method for tubular polymeric materials	-	-
IEC 60754-1	1994	Test on gases evolved during combustion of materials from cables - Part 1: Determination of the amount of halogen acid gas	-	-
IEC 60754-2 (mod)	1991	Test on gases evolved during combustion of electric cables - Part 2: Determination of degree of acidity of gases evolved during the combustion of materials taken from electric cables by measuring pH and conductivity	HD 602 S1 ³⁾	1992
ISO 5-1	2009	Photography and graphic technology - Density measurements - Part 1: Geometry and functional notation	/-	-
ISO 5-2	2009	Photography and graphic technology - Density measurements - Part 2: Geometric conditions for transmittance density	/-	-
ISO 5-3	2009	Photography and graphic technology - Density measurements - Part 3: Spectral conditions	/-	-
ISO 5-4	2009	Photography and graphic technology - Density measurements - Part 4: Geometric conditions for reflection density	/-	-
ISO 37	2005	Rubber, vulcanized or thermoplastic - Determination of tensile stress-strain properties	-	-
ISO 62	2008	Plastics - Determination of water absorption	EN ISO 62	2008
ISO 105-A02	-	Textiles - Tests for colour fastness - Part A02: Grey scale for assessing change in colour	-	-
ISO 105-B01	-	Textiles - Tests for colour fastness - Part B01: Colour fastness to light: Daylight	EN ISO 105-B01	-

³⁾ HD 602 S1 is superseded by EN 50267-1:1998 and EN 50267-2-3:1998.

Publication ISO 182-1	<u>Year</u> 1990	<u>Title</u> Plastics - Determination of the tendency of compounds and products based on vinyl homopolymers and copolymers to evolve hydrogen chloride and any other acidic products at elevated temperature - Part 1: Congo red method	<u>EN/HD</u> -	<u>Year</u> -
ISO 182-2	1990	Plastics - Determination of the tendency of compounds and products based on vinyl chloride homopolymers and copolymers to evolve hydrogen chloride and any other acidic products at elevated temperature - Part 2: pH method	EN ISO 182-2	1999
ISO 974	2000	Plastics - Determination of the brittleness temperature by impact	-	-
ISO 1431-1	2004	Rubber, vulcanized or thermoplastic - Resistance to ozone cracking - Part 1: Static and dynamic strain testing	-	-
ISO 4589-2	1996	Plastics - Determination of burning behaviour by oxygen index - Part 2: Ambient-temperature test	EN ISO 4589-2	1999
ISO 4589-3	1996	Plastics - Determination of burning behaviour by oxygen index - Part 3: Elevated-temperature test	EN ISO 4589-3	1996
ISO 13943	2008	Fire safety - Vocabulary	EN ISO 13943	2010

This page is intentionally left BLANK.

- 2 -

60684-2 © IEC:2011

CONTENTS

FOI	REWORD	5
INT	RODUCTION	7
1	General	8
2	Test conditions	. 10
3	Measurements of bore, wall thickness and concentricity	. 10
4	Density	. 12
5	Resistance to splitting after heating	. 13
6	Heat shock (resistance to heat)	. 13
7	Resistance to soldering heat	. 14
8	Loss in mass on heating of uncoated textile glass sleeving	. 14
9	Longitudinal change	. 15
10	Deformation under load (resistance to pressure at elevated temperature)	. 16
11	Thermal stability of PVC sleeving	. 18
12	Volatile content of silicone sleeving	. 19
13	Bending after heating	. 19
14	Bending at low temperature	. 20
15	Brittleness temperature	. 20
16	Dimensional stability on storage (applicable to heat-shrinkable sleeving only)	.21
17	Hydrolysis of coating	. 21
18	Flexibility (extruded sleeving only)	. 22
19	Tensile strength, tensile stress at 100 % elongation, elongation at break and secant modulus at 2 % elongation	. 22
20	Fraying resistance test	. 26
21	Breakdown voltage	. 27
22	Insulation resistance	. 29
23	Volume resistivity	. 30
24	Permittivity and dissipation factor	. 31
25	Resistance to tracking	. 32
26	Flame propagation tests	. 32
27	Oxygen index	. 35
28	Transparency	. 35
29	Ionic impurities test	. 35
30	Silver staining test	. 36
31	Electrolytic corrosion resistance	. 36
32	Corrosion resistance (tensile and elongation)	. 37
33	Copper corrosion (presence of corrosive volatiles)	. 37
34	Colour fastness to light	. 38
35	Resistance to ozone	. 39
36	Resistance to selected fluids	. 39
37	Thermal endurance	.40
38	Mass per unit length	. 40
39	Heat ageing	.41

- 3 -

40	Water absorption	42
41	Restricted shrinkage (applicable to heat-shrinkable sleeving only)	42
42	Colour stability to heat	43
43	Smoke index	43
44	Toxicity index	48
45	Halogen content	53
46	Acid gas generation	55
47	Hot elongation and hot set	55
48	Tension set (applicable to elastomeric sleeving only)	56
49	Tear propagation (applicable to elastomeric sleeving only)	56
50	Long term heat ageing (3000 h)	57
51	Dynamic shear at ambient temperature	57
52	Dynamic shear at elevated temperature	58
53	Dynamic shear after heat shock and heat ageing	58
54	Rolling drum peel to aluminium	59
55	Aluminium rod dynamic shear	59
56	Sealing	60
57	Adhesive T peel strength of two bonded heat-shrinkable substrates	61
58	Circumferential extension	62
59	Voltage proof	63
60	Thermal shock	63
Bib	liography	82
Fig	ure 1 – Specimen for test resistance to soldering heat	64
Fig	ure 2 – Examples of sleeving after being subjected to test for resistance to soldering	
hea	at	65
Fig	ure 3 – Arrangement for the test for resistance to pressure at elevated temperature	65
Fig	ure $4 - Arrangement for deformation under load (Method B)$	66
Fig	ure 5 – Dumb-bell specimen for tensile strength test (ISO 37 Type2)	67
Fig	μ re 6 – Dumb-bell specimen for tensile strength test (ISO 37 Type 1)	67
Fig	ure $7 - $ Sketch of frav test arrangement	68
Eig	ure 9 Specimen for inculation resistance test	60
Eig	ure 0 - Standard propage burger for flame propagation test (costional view)	70
Fig	ure 10 Elama propagation test Mathed A	71
Fig	ure 11 Elamo propagation test Method R	/ 1
Fig	ure 12 Elame propagation test Method C	12
Fig	ure 12 – Flame propagation test – Method C	73
гıg Гіл	ure 13 – Mandrei foi restricted similikage test	74
rig	ure 14 - Schematic details of purfier for smoke index test	/ 5
mo	unted sleeving samples	76
Fig		
I IU	ure 16 – Assembly and fixture for dynamic shear at ambient temperature	77
Fig	ure 16 – Assembly and fixture for dynamic shear at ambient temperature ure 17 – Assembly for heat shock and heat ageing	77
Fig Fig	ure 16 – Assembly and fixture for dynamic shear at ambient temperature ure 17 – Assembly for heat shock and heat ageing ure 18 – Schematic arrangement of rolling drum peel	77 78 78

- 4 -

60684-2 © IEC:2011

Figure 19 – Assembly preparation for aluminium rod dynamic shear	79
Figure 20 – Test specimen for aluminium rod dynamic shear	79
Figure 21 – Assembly for sealing test	
Figure 22 – Mandrel assembly	80
Figure 23 – Slab specimen	81
Figure 24 – T peel strength specimen	81

60684-2 © IEC:2011

- 5 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FLEXIBLE INSULATING SLEEVING –

Part 2: Methods of test

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60684-2 has been prepared by IEC technical committee 15: Solid electrical insulating materials.

This third edition cancels and replaces the second edition published in 1997, and constitutes a minor revision and technical updating. The main changes from the previous edition are as follows: three additional methods for circumferential extension, voltage proof and thermal shock and alignment with North American methods.

The text of this standard is based on the following documents:

FDIS	Report on voting
15/634/FDIS	15/644/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

60684-2 © IEC:2011

A list of all the parts in the IEC 60684 series, under the general title *Flexible insulating sleeving*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

60684-2 © IEC:2011

-7-

INTRODUCTION

This International Standard is one of a series which deals with flexible insulating sleeving. The series consists of three parts:

Part 1: Definitions and general requirements (IEC 60684-1)

Part 2: Methods of test (IEC 60684-2)

Part 3: Specifications for individual types of sleeving (IEC 60684-3)



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation