



NSAI
Standards

Irish Standard
I.S. EN 60079-35-1:2011

Explosive atmospheres -- Part 35-1:
Caplights for use in mines susceptible
to firedamp - General requirements -
Construction and testing in relation to
the risk of explosion (IEC 60079-35
-1:2011 (EQV))

I.S. EN 60079-35-1:2011

Incorporating amendments/corrigenda issued since publication:

EN 60079-35-1:2011/AC:2011

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 62013-1:2006	<i>This document is based on:</i> EN 60079-35-1:2011 EN 62013-1:2006	<i>Published:</i> 12 August, 2011 27 July, 2006
This document was published under the authority of the NSAI and comes into effect on: 17 August, 2011		ICS number: 29.260.20
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		




Corrigendum to EN 60079-35-1:2011

English version

Annex ZY

Marking

The leading "E" is replaced by  (twice).

2011 September

This page is intentionally left BLANK.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60079-35-1

August 2011

ICS 29.260.20

Supersedes EN 62013-1:2006

English version

**Explosive atmospheres -
Part 35-1: Caplights for use in mines susceptible to firedamp -
General requirements -
Construction and testing in relation to the risk of explosion
(IEC 60079-35-1:2011)**

Atmosphères explosives -
Partie 35-1: Lampes-chapeaux utilisables
dans les mines grisouteuses -
Exigences générales -
Construction et essais liés au risque
d'explosion
(CEI 60079-35-1:2011)

Kopfleuchten für die Verwendung in
schlagwettergefährdeten Grubenbauen -
Teil 35-1: Allgemeine Anforderungen -
Konstruktion und Prüfung in Relation zum
Explosionsrisiko
(IEC 60079-35-1:2011)

This European Standard was approved by CENELEC on 2011-06-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

I.S. EN 60079-35-1:2011

EN 60079-35-1:2011

- 2 -

Foreword

The text of document 31/921/FDIS, future edition 1 of IEC 60079-35-1, prepared by IEC TC 31, Equipment for explosive atmospheres, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60079-35-1 on 2011-06-30.

This European Standard supersedes EN 62013-1:2006.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2012-03-30 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2014-06-30 |

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and covers essential requirements of EC Directive ATEX (94/9/EC). See Annex ZZ.

Annexes ZA, ZY and ZZ have been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60079-35-1:2011 was approved by CENELEC as a European Standard without any modification.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	10
3 Terms and definitions	10
4 Level of protection	11
4.1 General.....	11
4.2 Additional requirements for EPL “Ma”	12
4.3 Thermal ignition compliance	12
4.4 Spark ignition compliance.....	12
5 Equipment construction	12
5.1 Enclosures	12
5.1.1 Headpiece enclosure	12
5.1.2 Battery enclosure	13
5.2 Cable	13
5.3 External charging contacts	13
5.4 Internal electrical connections	13
5.5 Solid electrical insulating materials.....	14
5.6 Internal wiring	14
5.7 Supply of electrical power to other equipment	14
5.8 Creepage and clearance distances.....	14
5.9 Assembled electrical connection.....	14
5.10 Thermal protection	14
6 Overcurrent protection.....	15
6.1 General.....	15
6.2 Fuse or thermal circuit-breaker.....	15
6.3 Resistive safety.....	15
7 Cells and batteries	16
8 Type verifications and tests	16
8.1 Impact test	16
8.2 Drop tests	16
8.3 Degree of protection (IP) by enclosures.....	16
8.4 Test to verify the non-ignition of a representative electrolytic gas mixture or firedamp by fuse or thermal circuit-breaker.....	17
8.5 Test to verify the non-ignition of a gas mixture by one strand of the cable between the headpiece and the battery by thermal ignition.....	17
8.6 Test to verify the resistance of the cable sheath to fatty acids	17
8.7 Test to verify the resistance of the cable sheath to fire	17
8.8 Test to verify the strength of cable entries, anchoring devices and cable.....	17
8.9 Electrolyte leakage test for cells and batteries.....	18
8.10 Current-limiting resistor test	18
8.10.1 Current-limiting resistor not protected by a non-replaceable resettable fuse.....	18
8.10.2 Current-limiting resistor protected by a non-replaceable resettable fuse	18
8.10.3 Verification	18

I.S. EN 60079-35-1:2011

60079-35-1 © IEC:2011

– 3 –

9	Marking	18
9.1	General	18
9.2	Examples of marking	19
10	Instructions.....	19
Figure 1 – Example of a caplight assembly		11
Table 1 – Application or exclusion of specific clauses of IEC 60079-0.....		8

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

Part 35-1: Caplights for use in mines susceptible to firedamp – General requirements – Construction and testing in relation to the risk of explosion

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-35-1 has been prepared by IEC technical committee 31: Equipment for explosive atmospheres.

This first edition cancels and replaces the second edition of IEC 62013-1, published in 2005, and constitutes a full technical revision.

In addition to the general revision and updating of IEC 62013-1, the main technical differences with respect to the previous edition are as follows:

- a) the inclusion of Table 1 listing the application or exclusion of specific clauses of IEC 60079-0;
- b) redrafting in the style of other IEC 60079 series standards;
- c) the introduction of a means to achieve an equipment protection level (EPL) of Ma;

- d) the introduction of a single clause relating to equipment construction replacing individual specific clauses for the headpiece, battery, cable and external charging contacts;
- e) the deletion of statements relating to surface temperature, the rewording of statements relating to creepage and clearance and the addition of statements relating to thermal protection, electronic assemblies and additional circuitry;
- f) specific reference to lithium cells;
- g) the addition of statements relating to battery recharging and protection against deep discharge.

The text of this standard is based on the following documents:

FDIS	Report on voting
31/921/FDIS	31/938/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60079-35 series, under the general title: *Explosive atmospheres – Caplights for use in mines susceptible to firedamp*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The general revision and updating of this second edition have been necessitated by the advent of new technologies related to caplight design, in particular those related to lithium batteries and light-emitting diode (LED) light sources, the growing practice of incorporating electronic circuits and the introduction of intrinsically safe caplights which can be certified without reference to performance requirements. It is intended that there should be a stronger link between Part 1 (Construction) and Part 2 (Performance) of this Standard by upgrading the reference in the Scope from a note to a requirement.

In addition, as this standard is now to become part of the IEC 60079 series, changes have been made to bring it more in line with others in the series by cross referencing. This has enabled a reduction in the number and length of clauses in the standard.

EXPLOSIVE ATMOSPHERES –

Part 35-1: Caplights for use in mines susceptible to firedamp – General requirements – Construction and testing in relation to the risk of explosion

1 Scope

This part of IEC 60079-35 specifies requirements for the construction, testing and marking of caplights, including caplights with a point of connection for other equipment, for use in mines susceptible to firedamp (Group I – electrical equipment for explosive gas atmospheres as defined in IEC 60079-0). It deals only with the risk of the caplight becoming a source of ignition.

The requirements for performance are in IEC 60079-35-2.¹

This standard supplements and modifies the general requirements of IEC 60079-0 except as indicated in Table 1. Where a requirement of this standard conflicts with a requirement of IEC 60079-0, the requirements of this standard take precedence.

Compliance with this standard will provide an EPL of Mb (see 4.1 of this standard). If an EPL of Ma is required, the caplight will need to conform to the requirements of 4.2 of this standard, which in turn refers to IEC 60079-11.

It is expected that from time to time, caplights conforming to this standard (EPL Mb) will operate in atmospheres where the firedamp exceeds statutory levels that require the withdrawal of people from the high firedamp atmosphere to a non-hazardous area.

In designing equipment for operation in conditions other than those given above, this standard may be used as guidance; however, additional testing may be required.

Where a caplight is assessed as intrinsically safe equipment, Ex ia, conforming to IEC 60079-11 only the clauses/subclauses listed in 4.2 require application.

¹ IEC 60079-35-2, *Caplights for use in mines susceptible to firedamp – Part 2: Performance and other safety-related matters* (to be published).

I.S. EN 60079-35-1:2011

– 8 –

60079-35-1 © IEC:2011

Table 1 – Application or exclusion of specific clauses of IEC 60079-0

Clause of IEC 60079-0			IEC 60079-0 clause application
Ed. 5.0 ^a (2007)	Ed. 6.0 ^a (2011)	Clause/subclause title (normative)	
1	1	Scope	Applies
2	2	Normative references	Applies
3	3	Terms and definitions	Applies
4	4	Equipment grouping	Applies
5	5	Temperatures	Applies
6.1	6.1	Requirements for all equipment – General	Applies
6.2	6.2	Requirements for all equipment – Mechanical strength of equipment	Applies
6.3	6.3	Requirements for all equipment – Opening times	Excluded
6.4	6.4	Requirements for all equipment – Circulating currents	Excluded
6.5	6.5	Requirements for all equipment – Gasket retention	Applies
6.6	6.6	Requirements for all equipment – Electromagnetic and ultrasonic energy radiating equipment	Applies
7	7	Non-metallic enclosures and non-metallic parts of enclosures	Applies
8	8	Metallic enclosures and metallic parts of enclosures	Applies
9	9	Fasteners	Applies
10	10	Interlocking devices	Applies
11	11	Bushings	Excluded
12	12	Materials used for cementing	Applies
13	13	Ex components	Applies
14	14	Connection facilities and terminal compartments	Applies
15	15	Connection facilities for earthing or bonding conductors	Excluded
16	16	Entries into enclosures	Applies
17	17	Supplementary requirements for rotating electrical machines	Excluded
18	18	Supplementary requirements for switchgear	Excluded
19	19	Supplementary requirements for fuses	Excluded
20	20	Supplementary requirements for plugs and socket outlets and connectors	Applies
21	21	Supplementary requirements for luminaires	Excluded
22	22	Supplementary requirements for caplights and handlights	Applies
23	23	Equipment incorporating cells and batteries	Modified
24	24	Documentation	Applies
25	25	Compliance of prototype or sample with documents	Applies
26.1	26.1	Type tests – General	Applies

I.S. EN 60079-35-1:2011

60079-35-1 © IEC:2011

– 9 –

Clause of IEC 60079-0			IEC 60079-0 clause application
Ed. 5.0 ^a (2007)	Ed. 6.0 ^a (2011)	Clause/subclause title (normative)	
26.2	26.2	Type tests – Test configuration	Applies
26.3	26.3	Type tests – Tests in explosive test mixtures	Applies
26.4	26.4	Type tests – Tests of enclosures	Modified
26.5.1	26.5.1	Thermal tests – Temperature measurement	Applies
26.5.2	26.5.2	Thermal tests – Thermal shock test	Applies
26.5.3	26.5.3	Thermal tests – Small component ignition test	Applies
26.6	26.6	Torque tests for bushings	Excluded
26.7	26.7	Non-metallic enclosures or non-metallic parts of enclosures	Applies
26.8	26.8	Thermal endurance to heat	Applies
26.9	26.9	Thermal endurance to cold	Applies
26.10	26.10	Resistance to light	Excluded
26.11	26.11	Resistance to chemical agents for Group I electrical equipment	Applies
26.12	26.12	Earth continuity	Excluded
26.13	26.13	Surface resistance of parts of enclosures of non-metallic materials	Applies
26.14	NR	Charging tests	Applies
26.15	26.14	Measurement of capacitance	Applies
NR	26.15	Verification of ratings of ventilating fans	Excluded
NR	26.16	Alternative qualification of elastomeric sealing O-rings	Applies
27	27	Routine tests	Applies
28	28	Manufacturer's responsibility	Applies
29	29	Marking	Modified
30	30	Instructions	Applies
<p>Applies – This requirement of IEC 60079-0 is applied without change.</p> <p>Excluded – This requirement of IEC 60079-0 does not apply.</p> <p>Modified – This requirement of IEC 60079-0 is modified as detailed in this standard.</p> <p>NR – No requirements.</p>			
<p>^a The clause number in this table is shown for information only. The applicable requirements of IEC 60079-0 are identified by the clause title which is normative. This table was written against the specific requirements of the sixth edition of IEC 60079-0:2011. The clause numbers for the previous edition are shown for information only. This is to enable the General requirements of the fifth edition of IEC 60079-0:2007 to be used where necessary with this part of IEC 60079. Where there were no requirements (indicated by NR) or there is a conflict between requirements, the later edition requirements take precedence.</p>			

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-