



NSAI
Standards

Irish Standard
I.S. EN 62217:2013

Polymeric HV insulators for indoor and outdoor use - General definitions, test methods and acceptance criteria (IEC 62217:2012 (EQV))

I.S. EN 62217:2013

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<p><i>This document replaces:</i> EN 62217:2006</p>	<p><i>This document is based on:</i> EN 62217:2013 EN 62217:2006</p>	<p><i>Published:</i> 8 March, 2013 10 March, 2006</p>
<p>This document was published under the authority of the NSAI and comes into effect on:</p> <p>13 March, 2013</p>		<p>ICS number: 29.080.10</p>
<p>NSAI 1 Swift Square, Northwood, Santry Dublin 9</p>	<p>T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie</p>	<p>Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie</p>
<p>Údarás um Chaighdeáin Náisiúnta na hÉireann</p>		

English version

**Polymeric HV insulators for indoor and outdoor use -
General definitions, test methods and acceptance criteria
(IEC 62217:2012)**

Isolateurs polymériques à haute tension
pour utilisation à l'intérieur
ou à l'extérieur -
Définitions générales, méthodes d'essai et
critères d'acceptation
(CEI 62217:2012)

Hochspannungs-Polymerisolatoren für
Innenraum- und Freiluftanwendung -
Allgemeine Begriffe, Prüfverfahren und
Annahmekriterien
(IEC 62217:2012)

This European Standard was approved by CENELEC on 2012-11-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 36/321/FDIS, future edition 2 of IEC 62217, prepared by IEC TC 36 "Insulators" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62217:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-09-08
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-11-01

This document supersedes EN 62217:2006.

EN 62217:2013 includes the following significant technical change with respect to EN 62217:2006:

EN 62217:2006 included two other alternative tracking and erosion tests (a 5 000 hour multi-stress test and a tracking wheel test) which were based on tests developed by CIGRE and utilities. These tests are no longer given as normative alternatives following the results of a study/questionnaire by TC 36 on the relative merits of all three tracking and erosion tests. The 5 000 hour multi-stress test and a tracking wheel test are described in IEC/TR 62730:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62217:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

ISO 3274

NOTE Harmonized as EN ISO 3274.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-471	2007	International Electrotechnical Vocabulary - Part 471: Insulators	-	-
IEC 60060-1	-	High-voltage test techniques - Part 1: General definitions and test requirements	EN 60060-1	-
IEC 60068-2-11	-	Environmental testing - Part 2: Tests - Test Ka: Salt mist	EN 60068-2-11	-
IEC 60507	-	Artificial pollution tests on high-voltage insulators to be used on a.c. systems	EN 60507	-
IEC 60695-11-10	-	Fire hazard testing - Part 11-10: Test flames - 50 W horizontal and vertical flame test methods	EN 60695-11-10	-
IEC 60721-1	-	Classification of environmental conditions - Part 1: Environmental parameters and their severities	EN 60721-1	-
IEC/TS 60815-1	-	Selection and dimensioning of high-voltage insulators intended for use in polluted conditions - Part 1: Definitions, information and general principles	-	-
ISO 868	-	Plastics and ebonite - Determination of indentation hardness by means of a durometer (Shore hardness)	EN ISO 868	-
ISO 4287	-	Geometrical Product Specifications (GPS) - Surface texture: Profile method - Terms, definitions and surface texture parameters	EN ISO 4287	-
ISO 4892-1	-	Plastics - Methods of exposure to laboratory light sources - Part 1: General guidance	EN ISO 4892-1	-
ISO 4892-2	-	Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc lamps	EN ISO 4892-2	-

This page is intentionally left BLANK.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope and object.....	7
2 Normative references	7
3 Terms and definitions	8
4 Identification.....	10
5 Environmental conditions	10
6 Information on transport, storage and installation	11
7 Classification of tests.....	11
7.1 Design tests	11
7.2 Type tests	12
7.3 Sample tests	12
7.4 Routine tests	12
8 General requirements for insulator test specimens	12
9 Design tests	13
9.1 General.....	13
9.2 Tests on interfaces and connections of end fittings.....	13
9.2.1 General	13
9.2.2 Test specimens.....	13
9.2.3 Reference voltage and temperature for verification tests	13
9.2.4 Reference dry power frequency test	13
9.2.5 Product specific pre-stressing	13
9.2.6 Water immersion pre-stressing	14
9.2.7 Verification tests	14
9.3 Tests on shed and housing material.....	15
9.3.1 Hardness test	15
9.3.2 Accelerated weathering test	15
9.3.3 Tracking and erosion test – 1 000 h salt fog test – Procedure.....	16
9.3.4 Flammability test.....	18
9.4 Tests on the core material	18
9.4.1 Porosity Test (Dye penetration test)	18
9.4.2 Water diffusion test.....	19
Annex A (informative) Difference between the tracking and erosion and accelerated ageing test on polymeric insulators	23
Annex B (informative) Recommended application of tests	24
Annex C (informative) Explanation of the concept of classes for the design tests	25
Bibliography	26
Figure 1 – Examples of test specimen for core material	19
Figure 2 – Example of boiling container for the water diffusion test	20
Figure 3 – Electrodes for the voltage test	21
Figure 4 – Voltage test circuit.....	22

I.S. EN 62217:2013

62217 © IEC:2012

– 3 –

Table 1 – Normal environmental conditions.....	11
Table 2 – Initial NaCl content of the water as a function of the specimen dimensions.....	17
Table 3 – Flammability requirements	18

INTERNATIONAL ELECTROTECHNICAL COMMISSION

POLYMERIC HV INSULATORS FOR INDOOR AND OUTDOOR USE – GENERAL DEFINITIONS, TEST METHODS AND ACCEPTANCE CRITERIA

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62217 has been prepared by IEC technical committee 36: Insulators.

This second edition cancels and replaces the first edition published in 2005. This edition constitutes a technical revision.

This edition includes a significant technical change with respect to the previous edition.

The first edition of IEC 62217 (2005) included two other alternative tracking and erosion tests (a 5 000 hour multi-stress test and a tracking wheel test) which were based on tests developed by CIGRE and utilities. These tests are no longer given as normative alternatives following the results of a study/questionnaire by TC 36 on the relative merits of all three tracking and erosion tests. The 5 000 hour multi-stress test and a tracking wheel test are described in IEC/TR 62730 (2012).

The text of this standard is based on the following documents:

FDIS	Report on voting
36/321/FDIS	36/324/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

Polymeric insulators consist either of one insulating material (resin insulators) or two or several insulating materials (composite insulators). The insulating materials are generally cross-linked organic materials synthesised from carbon or silicon chemistry and form the insulating body. Insulating materials can be composed from organic materials containing various inorganic and organic ingredients, such as fillers and extenders. End fittings are often used at the ends of the insulating body to transmit mechanical loads. Despite these common features, the materials used and the construction details employed by different manufacturers may be widely different.

The tests given in this standard are those which are, in general, common to a great majority of insulator designs and materials, whatever their final application. They have been regrouped in this standard to avoid repetition in the relevant product standards and drift between procedures as the various product standards are drafted or revised.

The majority of these tests have been grouped together as "Design tests", to be performed only once for insulators of the same design. The design tests are intended to eliminate insulator designs, materials or manufacturing technologies which are not suitable for high-voltage applications. The influence of time on the electrical properties of the complete polymeric insulator and its components (core material, housing, interfaces etc.) has been considered in specifying the design tests in order to ensure a satisfactory lifetime under normal operating and environmental conditions.

Pollution tests, according to IEC 60507 or IEC 61245, are not included in this document, the applicability of their methodology to composite insulators not having been proven and still requiring study by CIGRE. The results of such pollution tests performed on insulators made of polymeric materials do not correlate with experience obtained from service. Specific pollution tests for polymeric insulators are still under consideration.

The 1 000 hour salt-fog tracking and erosion test given in this second edition of IEC 62217 is considered as a screening test intended to reject materials or designs which are inadequate. This test is not intended to predict long term performance for insulator designs under cumulative service stresses. For more information, see Annex C. The first edition of IEC 62217 (2005) included two other alternative tracking and erosion tests (a 5 000 hour multi-stress test and a tracking wheel test) which were based on tests developed by CIGRE and utilities. These tests are no longer given as normative alternatives following the results of a study/questionnaire by TC 36 on the relative merits of all three tracking and erosion tests. The 5 000 hour multi-stress test and a tracking wheel test are described in IEC/TR 62730 (2012).

Composite insulators are used in both a.c. and d.c. applications. In spite of this fact a specific tracking and erosion test procedure for d.c. applications as a design test has not yet been defined and accepted. The 1 000 hour a.c. tracking and erosion test described in this standard is used to establish a minimum requirement for the tracking resistance of the housing material.

IEC Guide 111 has been followed wherever possible during the preparation of this standard.

POLYMERIC HV INSULATORS FOR INDOOR AND OUTDOOR USE – GENERAL DEFINITIONS, TEST METHODS AND ACCEPTANCE CRITERIA

1 Scope and object

This International Standard is applicable to polymeric insulators whose insulating body consists of one or various organic materials. Polymeric insulators covered by this standard include both solid core and hollow insulators. They are intended for use on HV overhead lines and in indoor and outdoor equipment.

The object of this standard is

- to define the common terms used for polymeric insulators;
- to prescribe common test methods for design tests on polymeric insulators;
- to prescribe acceptance or failure criteria, if applicable;

These tests, criteria and recommendations are intended to ensure a satisfactory life-time under normal operating and environmental conditions (see Clause 5). This standard shall only be applied in conjunction with the relevant product standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-471:2007, *International Electrotechnical Vocabulary – Part 471: Insulators*

IEC 60060-1, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60068-2-11, *Environmental testing – Part 2: Tests. Test KA: Salt mist*

IEC 60507, *Artificial pollution tests on high-voltage insulators to be used on a.c. systems*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60721-1, *Classification of environmental conditions – Part 1: Environmental parameters and their severities*

IEC 60815-1, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 1: Definitions, information and general principles*

ISO 868, *Plastics and ebonite – Determination of indentation hardness by means of a durometer (Shore hardness)*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-