

Irish Standard I.S. EN 61968-100:2013

Application integration at electric utilities - System interfaces for distribution management -- Part 100: Implementation profiles (IEC 61968 -100:2013 (EQV))

© CENELEC 2013 No copying without NSAI permission except as permitted by copyright law.

Dublin 9

Incorporating amendments/corrigenda issued since publication:	

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:		<i>This document</i> EN 61968-100:20		<i>Publish</i> 1 Nove	<i>ned:</i> mber, 2013
This document was publish under the authority of the 4 November, 2013		omes into effect on:			ICS number: 33.200
NSAI 1 Swift Square, Northwood, Santry	F +353	3 1 807 3800 3 1 807 3838 dards@nsai.ie	Sales: T +35318 F +35318		

W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

W NSALie

EUROPEAN STANDARD

EN 61968-100

NORME EUROPÉENNE EUROPÄISCHE NORM

November 2013

ICS 33.200

English version

Application integration at electric utilities System interfaces for distribution management Part 100: Implementation profiles

(IEC 61968-100:2013)

Intégration d'applications pour les services électriques - Interfaces système pour la gestion de distribution - Partie 100: Profils de mise en œuvre (CEI 61968-100:2013)

Integration von Anwendungen in Anlagen der Elektrizitätsversorgung - Systemschnittstellen für Netzführung - Teil 100: Implementations-Profile (IEC 61968-100:2013)

This European Standard was approved by CENELEC on 2013-08-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

EN 61968-100:2013

- 2 -

Foreword

The text of document 57/1358/FDIS, future edition 1 of IEC 61968-100, prepared by IEC/TC 57, "Power systems management and associated information exchange" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61968-100:2013.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2014-05-30
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2016-08-30

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61968-100:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61968-9	NOTE	Harmonised as EN 61968-9.
IEC 61968-13	NOTE	Harmonised as EN 61968-13.
IEC 61970-452	NOTE	Harmonised as EN 61970-452.
IEC 61970-453	NOTE	Harmonised as EN 61970-453.
IEC 62361-100	NOTE	Harmonised as EN 62361-100.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-300	-	International Electrotechnical Vocabulary - Electrical and electronic measurements and measuring instruments - Part 311: General terms relating to measurements - Part 312: General terms relating to electrical measurements - Part 313: Types of electrical measuring instruments - Part 314: Specific terms according to the type of instrument	-	-
IEC 61968-1	-	Application integration at electric utilities - System interfaces for distribution management - Part 1: Interface architecture and general requirements	EN 61968-1	-
IEC/TS 61968-2	-	Application integration at electric utilities - System interfaces for distribution management - Part 2: Glossary	-	-
IEC 61968-11	-	Application integration at electric utilities - System interfaces for distribution management - Part 11: Common information model (CIM) extensions for distribution	EN 61968-11	-
IEC 61970-301	-	Energy management system application program interface (EMS-API) - Part 301: Common information model (CIM) base	EN 61970-301 ¹⁾	-
IEC 61970-552	-	Energy Management System Application Program Interface (EMS-API) - Part 552: CIMXML Model Exchange Format	EN 61970-552 ¹⁾	-
ISO 8601	-	Data elements and interchange formats - Information interchange - Representation of dates and times	-	-

_

¹⁾ At draft stage.

This is a free page sample. Access the full version online.

I.S. EN 61968-100:2013

This page is intentionally left BLANK.

- 2 -

61968-100 © IEC:2013

CONTENTS

FO	REWC	RD		6		
INT	RODU	JCTION	l	8		
1	Scop	e		9		
2	Normative References1					
3	Term	s, defin	itions and abbreviations	. 10		
	3.1	Terms	and definitions	. 10		
	3.2		viations			
	3.3		nology for common integration technologies			
		3.3.1	General			
		3.3.2	Enterprise Service Bus (ESB)			
		3.3.3	Java Messaging Service (JMS)			
		3.3.4	Service-Oriented Architecture (SOA)			
		3.3.5	Event-Driven Architecture (EDA)			
		3.3.6	Simple Object Access Protocol (SOAP)			
		3.3.7	Web Services (WS)	.13		
		3.3.8	Web Services Definition Language (WSDL)			
		3.3.9	XML Schema (XSD)			
		3.3.10	Representational State Transfer (REST)			
		3.3.11	Queue			
		3.3.12	Topic			
		3.3.13	Message Destination			
		3.3.14	Request			
		3.3.15	Response			
		3.3.16	Query			
		3.3.17	Transaction			
			Event			
4	Use (
	4.1		al			
	4.2		request/reply			
	4.3		st/reply using an ESB			
	4.4	•	i			
	4.5		actions			
	4.6		ck			
	4.7		ers			
	4.8		ex messaging			
	4.9	•	stration			
			ation-level use cases			
5			Patterns			
•	5.1		al			
	5.2		and server perspectives			
	5.2	5.2.1	General			
		5.2.1	Basic web service pattern			
		5.2.2	Basic JMS request/reply pattern			
		5.2.3	Event listeners			
		5.2.4	Asynchronous request/reply pattern			
	5.3		erspective			
	5.5	Dus pe	:iopeouve	. 21		

61	968-	100	⊘	ı⊏ı	· · 2	113
nı	Mno-		(C)	1 – 1		J I .

- 3 -

		5.3.1	General	27
		5.3.2	ESB messaging pattern using JMS	28
		5.3.3	ESB messaging patterns using web service request	29
		5.3.4	ESB request handling to web service	29
		5.3.5	ESB request handling via adapter	30
		5.3.6	Custom integration patterns	31
6	Mess	age org	ganization	32
	6.1	Genera	al	32
	6.2	IEC 61	968 messages	32
		6.2.1	General	32
		6.2.2	Verbs	33
		6.2.3	Nouns	34
		6.2.4	Payloads	35
	6.3	Commo	on message envelope	36
		6.3.1	General	36
		6.3.2	Message header structure	37
		6.3.3	Request message structures	40
		6.3.4	Response Message Structures	43
		6.3.5	Event message structures	48
		6.3.6	Fault message structures	49
	6.4	Payloa	d structures	50
	6.5	Strong	ly-typed payloads	53
	6.6	_	message envelope	
	6.7		st processing	
	6.8	Event	processing	56
	6.9		ge correlation	
	6.10		ex transaction processing using OperationSet	
			General	
		6.10.2	OperationSet Element	59
		6.10.3	Patterns	61
		6.10.4	OperationSet example	63
	6.11	Repres	sentation of time	65
	6.12	Other of	conventions and best practices	65
	6.13	Techni	cal interoperability	65
	6.14	Service	e level agreements	66
	6.15	Auditin	ig, monitoring and management	66
7	Paylo	oad spec	cifications	66
8	Interf	ace spe	ecifications	70
	8.1	•	al	
	8.2		ation-level specifications	
	8.3		ervice interfaces	
	0.0	8.3.1	General	
		8.3.2	WSDL Structure	
		8.3.3	Document style SOAP binding	
		8.3.4	Strongly-typed web services	
	8.4		On ongry typed web services	
	∪. ⊣r	8.4.1	General	
		8.4.2	Topic and queue naming	
		843	IMS message fields	77 78

-4-

61968-100 © IEC:2013

9 Security	78
10 Version control	79
Annex A (normative) XML schema for common message envelope	81
Annex B (normative) Verbs	91
Annex C (normative) Procedure for strongly typed WSDL generation	93
Annex D (normative) Generic WSDL	106
Annex E (informative) AMQP	108
Annex F (informative) Payload Compression Example	109
Annex G (informative) XMPP	111
Bibliography	112
Figure 1 – Overview of Scope	
Figure 2 – Simple Request/Reply	16
Figure 3 – Request/reply using intermediaries	17
Figure 4 – Events	18
Figure 5 – Point-to-Point (One Way) Pattern	19
Figure 6 – Transaction Example	19
Figure 7 – Callbacks	20
Figure 8 – Use of Adapters	21
Figure 9 – Complex messaging	22
Figure 10 – Application-level use case example	23
Figure 11 – Basic request/reply using web services	24
Figure 12 – Basic request/reply using JMS	25
Figure 13 – Event listeners using JMS	26
Figure 14 – Asynchronous request/reply pattern	27
Figure 15 – ESB content-based routing	28
Figure 16 – ESB with smart proxy and content-based routing	29
Figure 17 – ESB with proxies, routers and adapters	30
Figure 18 – ESB Integration to non-compliant resources	31
Figure 19 – Messaging between clients, servers and an ESB	33
Figure 20 – Example payload schema	35
Figure 21 – Common message envelope	37
Figure 22 – Common message header structure	39
Figure 23 – Request message structure	41
Figure 24 – XML for example RequestMessage	42
Figure 25 – Example 'Get <noun>' profile</noun>	43
Figure 26 – ResponseMessage structure	44
Figure 27 – Reply message states	45
Figure 28 – Error structure	46
Figure 29 – XML for example ResponseMessage	47
Figure 30 – XML example of payload compression	47
Figure 31 – XML example for error ResponseMessage	48
Figure 32 EventMessage structure	10

61968-100 © IEC:2013

- 5 -

Figure 33 – XML example for EventMessage	49
Figure 34 – Fault message structure	50
Figure 35 – Message payload container – Generic	51
Figure 36 – Message payload container – Type specific example	54
Figure 37 - SOAP bindings	54
Figure 38 – SOAP envelope example for strong typing	55
Figure 39 – Message OperationSet Element	58
Figure 40 – OperationSet details	60
Figure 41 – Transactional Request/Response (non-OperationSet)	61
Figure 42 – Published events (non-OperationSet)	62
Figure 43 – Transactional Request/Response (OperationSet)	62
Figure 44 – Published event (OperationSet)	63
Figure 45 – Information Models, Profiles and Messages	67
Figure 46 – Contextual Profile Design in CIMTool	67
Figure 47 – Example message payload schema	68
Figure 48 – Example payload XML schema	69
Figure 49 – Example message XML	70
Figure 50 – Example complex business process	72
Figure 51 – WSDL structure	73
Figure 52 – Web service usage example	76
Figure 53 – Example Organization of Topics and Queues	77
Figure C.1 – Process for WSDL Generation	93
Figure C.2 –Example sequence diagram	94
Figure C.3 – WSDL folder structure	94
Figure C.4 – WSDL type definitions	95
Figure D.1 – Generic WSDL structure	106
Table 1 – Verbs and their Usage	34
Table 2 – Payload usages	53
Table B.1 - Normative definitions of verbs	91

-6-

61968-100 © IEC:2013

INTERNATIONAL ELECTROTECHNICAL COMMISSION

APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

Part 100: Implementation profiles

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
 consensus of opinion on the relevant subjects since each technical committee has representation from all
 interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61968-100 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/1358/FDIS	57/1382/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61968 series, published under the general title *Application integration at electric utilities – System interfaces for distribution management*, can be found on the IEC website.

61968-100 © IEC:2013

-7-

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

- 8 -

61968-100 © IEC:2013

INTRODUCTION

This part of IEC 61968 defines a set of implementation profiles for IEC 61968 using technologies commonly used for enterprise integration. More specifically, this document describes how message payloads defined by parts 3-9 of IEC 61968 are conveyed using web services and the Java Messaging System. Guidance is also provided with respect to the use of Enterprise service Bus (ESB) technologies. The goal is to provide details that would be sufficient to enable implementations of IEC 61968 to be interoperable. In addition, this document is intended to describe integration patterns and methodologies that can be leveraged using current and future integration technologies.

The IEC 61968 series of standards is intended to facilitate *inter-application integration* as opposed to *intra-application integration*. Intra-application integration is aimed at programs in the same application system, usually communicating with each other using middleware that is embedded in their underlying runtime environment, and tends to be optimised for close, real-time, synchronous connections and interactive request/reply or conversation communication models. IEC 61968, by contrast, is intended to support the inter-application integration of a utility enterprise that needs to connect disparate applications that are already built or new (legacy or purchased applications), each supported by dissimilar runtime environments. Therefore, these interface standards are relevant to loosely coupled applications with more heterogeneity in languages, operating systems, protocols and management tools. This series of standards, which are intended to be implemented with middleware services that exchange messages among applications, will complement, not replace utility data warehouses, database gateways, and operational stores.

This standard is based upon the EPRI Technical Report 1018795 and other contributed works.

The IEC 61968 series, taken as a whole, defines interfaces for the major elements of an interface architecture for distribution systems within a utility enterprise. Part 1: Interface Architecture and General Recommendations, identifies and establishes requirements for standard interfaces based on an Interface Reference Model (IRM). Parts 3 through 9 of IEC 61968 define interfaces relevant to each of the major business functions described by the Interface Reference Model.

As described in IEC 61968, there are a variety of distributed application components used by the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping, meter reading, meter control and facilities management. This set of standards is limited to the definition of interfaces and is implementation independent. It provides for interoperability among different computer systems, platforms, and programming languages. Methods and technologies used to implement functionality conforming to these interfaces are considered outside of the scope of these standards; only the interface itself is specified in these standards.

61968-100 © IEC:2013

_ 9 _

APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

Part 100: Implementation profiles

1 Scope

This part of IEC 61968 specifies an implementation profile for the application of the other parts of IEC 61968 using common integration technologies, including JMS and web services. This International Standard also provides guidance with respect to the use of Enterprise Service Bus (ESB) technologies. This provides a means to derive interoperable implementations of IEC 61968-3 to IEC 61968-9. At the same time, this International Standard can be leveraged beyond information exchanges defined by IEC 61968, such as for the integration of market systems or general enterprise integration.

Figure 1 attempts to provide an overview of scope, where IEC 61968 compliant messages are conveyed using web services or JMS. Through the use of an ESB integration layer, the initiator of an information exchange could use web services, where the receiver could use JMS, and vice versa. The integration layer also provides support for one to many information exchanges using publish/subscribe integration patterns and key functionality such as delivery guarantees.




Figure 1 - Overview of Scope

The scope of this document specifically includes the following:

- integration patterns that support IEC 61968 information exchanges
- design of interfaces for use of strongly typed web services
- design of interfaces for use of generically typed web services
- design of interfaces using JMS

– 10 **–**

61968-100 © IEC:2013

- definition of standard design artefacts and related templates
- recognition that technologies other than JMS and web services may be used for integration leveraging this standard (with some specific examples and associated recommendations described in appendices)

This profile can also be applied to integration problems outside the scope of IEC 61968.

It is important to note that other implementation profiles can potentially be defined for IEC 61968, and that this is not intended to be the only possible implementation profile. In addition, this profile can be adapted to meet specific needs of specific integration projects.

It is also not within the scope of this document to prescribe those implementation details as required for security.

2 Normative References

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-300, International Electrotechnical Vocabulary – Electrical and electronic measurements and measuring instruments – Part 311: General terms relating to measurements – Part 312: General terms relating to electrical measurements – Part 313: Types of electrical measuring instruments – Part 314: Specific terms according to the type of instrument

IEC 61968-1, Application integration at electric utilities – System interfaces for distribution management – Part 1: Interface architecture and general recommendations

IEC/TS 61968-2, Application integration at electric utilities – System interfaces for distribution management – Part 2: Glossary

IEC 61968-11, Application integration at electric utilities – System interfaces for distribution management – Part 11: Common information model (CIM) extensions for distribution

IEC 61970-301, Energy management system application program interface (EMS-API) – Part 301: Common information model (CIM) base

IEC 61970-552, Energy management system application program interface (EMS-API) – Part 552: CIM XML Model Exchange Format

ISO 8601, Data elements and interchange formats – Information interchange – Representation of dates and times

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this specification, the terms and definitions given in IEC 60050-300, IEC/TS 61968-2, IEC 62051, IEC 62055-31 apply.

3.2 Abbreviations

The following terms and abbreviations are used within this document:



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation