



NSAI
Standards

Irish Standard
I.S. EN 16603-10-04:2015

Space engineering - Space environment

I.S. EN 16603-10-04:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 16603-10-04:2015

Published:

2015-01-28

This document was published under the authority of the NSAI and comes into effect on:

2015-02-19

ICS number:

49.140

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 16603-10-04

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2015

ICS 49.140

Supersedes EN 14092:2002

English version

Space engineering - Space environment

Ing?ierie spatiale - Environnement spatial

Raumfahrttechnik - Raumfahrtumweltbedingungen

This European Standard was approved by CEN on 28 December 2013.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



**CEN-CENELEC Management Centre:
Avenue Marnix 17, B-1000 Brussels**

Table of contents

Foreword	12
Introduction	13
1 Scope	14
2 Normative references	15
3 Terms, definitions and abbreviated terms	17
3.1 Terms defined in other standards	17
3.2 Terms specific to the present standard	17
3.3 Abbreviated terms.....	26
4 Gravity	29
4.1 Introduction and description	29
4.1.1 Introduction	29
4.1.2 Gravity model formulation	29
4.1.3 Third body gravitation.....	31
4.1.4 Tidal effects.....	31
4.2 Requirements for model selection and application	31
4.2.1 General requirements for gravity models.....	31
4.2.2 Selection and application of gravity models.....	32
5 Geomagnetic fields	33
5.1 Introduction and description	33
5.1.1 The geomagnetic field and its sources	33
5.1.2 The internal field	33
5.1.3 External field: ionospheric components.....	34
5.1.4 External magnetic field: magnetospheric components.....	34
5.1.5 Models of the internal and external geomagnetic fields	34
5.2 Requirements for model selection and application	36
5.2.1 The internal field	36
5.2.2 The external field	36
5.3 Tailoring guidelines.....	37

6 Natural electromagnetic radiation and indices	38
6.1 Introduction and description	38
6.1.1 Introduction	38
6.1.2 Electromagnetic radiation and indices	38
6.2 Requirements	41
6.2.1 Electromagnetic radiation	41
6.2.2 Reference index values	42
6.2.3 Tailoring guidelines	42
6.3 Tables	43
7 Neutral atmospheres	45
7.1 Introduction and description	45
7.1.1 Introduction	45
7.1.2 Structure of the Earth's atmosphere	45
7.1.3 Models of the Earth's atmosphere	45
7.1.4 Wind model of the Earth's homosphere and heterosphere	46
7.2 Requirements for atmosphere and wind model selection	47
7.2.1 Earth atmosphere	47
7.2.2 Earth wind model	48
7.2.3 Models of the atmospheres of the planets and their satellites	48
8 Plasmas	49
8.1 Introduction and description	49
8.1.1 Introduction	49
8.1.2 Ionosphere	49
8.1.3 Plasmasphere	50
8.1.4 Outer magnetosphere	50
8.1.5 Solar wind	51
8.1.6 Magnetosheath	51
8.1.7 Magnetotail	51
8.1.8 Planetary environments	52
8.1.9 Induced environments	52
8.2 Requirements for model selection and application	52
8.2.1 General	52
8.2.2 Ionosphere	53
8.2.3 Auroral charging environment	53
8.2.4 Plasmasphere	54
8.2.5 Outer magnetosphere	54
8.2.6 The solar wind (interplanetary environment)	55

EN 16603-10-04:2015 (E)

8.2.7	Other plasma environments	55
8.2.8	Tables	56
9	Energetic particle radiation	57
9.1	Introduction and description	57
9.1.1	Introduction	57
9.1.2	Overview of energetic particle radiation environment and effects	57
9.2	Requirements for energetic particle radiation environments	60
9.2.1	Trapped radiation belt fluxes	60
9.2.2	Solar particle event models	62
9.2.3	Cosmic ray models	63
9.2.4	Geomagnetic shielding	63
9.2.5	Neutrons	63
9.2.6	Planetary radiation environments	64
9.3	Preparation of a radiation environment specification	64
9.4	Tables	65
10	Space debris and meteoroids	66
10.1	Introduction and description	66
10.1.1	The particulate environment in near Earth space	66
10.1.2	Space debris	66
10.1.3	Meteoroids	67
10.2	Requirements for impact risk assessment and model selection	67
10.2.1	General requirements for meteoroids and space debris	67
10.2.2	Model selection and application	68
10.2.3	The MASTER space debris and meteoroid model	69
10.2.4	The meteoroid model	69
10.2.5	Impact risk assessment	70
10.2.6	Margins and worst case fluxes	71
11	Contamination	72
11.1	Introduction and description	72
11.1.1	Introduction	72
11.1.2	Description of molecular contamination	72
11.1.3	Transport mechanisms	73
11.1.4	Description of particulate contamination	73
11.1.5	Transport mechanisms	74
11.2	Requirements for contamination assessment	74
Annex A	(normative) Natural electromagnetic radiation and indices	75

A.1	Solar activity values for complete solar cycle	75
A.2	Tables.....	76
Annex B (normative) Energetic particle radiation		80
B.1	Historical dates of solar maximum and minimum	80
B.2	GEO model (IGE-2006)	80
B.3	ONERA MEOv2 model	80
B.4	FLUMIC model	81
B.4.1	Overview.....	81
B.4.2	Outer belt ($L > 2,5 R_e$)	81
B.4.3	Inner belt ($L < 2,5 R_e$)	82
B.5	NASA worst case GEO spectrum	83
B.6	ESP solar proton model specification.....	83
B.7	Solar ions model.....	84
B.8	Geomagnetic shielding (Størmer theory)	84
B.9	Tables.....	85
Annex C (normative) Space debris and meteoroids.....		97
C.1	Flux models	97
C.1.1	Meteoroid velocity distribution	97
C.1.2	Flux enhancement and altitude dependent velocity distribution.....	97
C.1.3	Earth shielding and flux enhancement from spacecraft motion.....	99
C.1.4	Meteoroid streams	100
C.2	Tables.....	102
Annex D (informative) Gravitation		105
D.1	Gravity models: background	105
D.2	Guidelines for use.....	106
D.3	Availability of models	108
D.4	Tables.....	108
D.5	Figures	109
Annex E (informative) Geomagnetic fields.....		110
E.1	Overview of the effects of the geomagnetic field.....	110
E.2	Models of the internal geomagnetic field.....	110
E.3	Models of the external geomagnetic field.....	111
E.4	Magnetopause boundary	112
E.5	Geomagnetic coordinate system – B and L	112
E.6	Tables.....	115
E.7	Figures	117

EN 16603-10-04:2015 (E)

Annex F (informative) Natural electromagnetic radiation and indices	119
F.1 Solar spectrum	119
F.2 Solar and geomagnetic indices – additional information	119
F.2.1 E10.7	119
F.2.2 F10.7.....	119
F.2.3 S10.7	120
F.2.4 M10.7.....	120
F.3 Additional information on short-term variation.....	120
F.4 Useful internet references for indices.....	121
F.5 Earth electromagnetic radiation	121
F.5.1 Earth albedo.....	121
F.5.2 Earth infrared	122
F.6 Electromagnetic radiation from other planets.....	123
F.6.1 Planetary albedo	123
F.6.2 Planetary infrared.....	123
F.7 Activity indices information.....	123
F.8 Tables.....	123
F.9 Figures	124
Annex G (informative) Neutral atmospheres.....	127
G.1 Structure of the Earth’s atmosphere	127
G.2 Development of models of the Earth’s atmosphere.....	127
G.3 NRLMSISE-00 and JB-2006 - additional information	128
G.4 The GRAM series of atmosphere models.	129
G.5 Atmosphere model uncertainties and limitations	129
G.6 HWM93 additional information.....	129
G.7 Planetary atmospheres models.....	130
G.7.1 Jupiter	130
G.7.2 Venus.....	130
G.7.3 Mars.....	131
G.7.4 Saturn	131
G.7.5 Titan.....	131
G.7.6 Neptune	131
G.7.7 Mercury.....	131
G.8 Reference data	132
G.9 Tables.....	133
G.10 Figures	138
Annex H (informative) Plasmas.....	142

H.1	Identification of plasma regions.....	142
H.2	Plasma effects on spacecraft.....	142
H.3	Reference data.....	143
H.3.1	Introduction.....	143
H.3.2	Ionosphere.....	143
H.3.3	Plasmasphere.....	143
H.3.4	Outer magnetosphere.....	144
H.3.5	Magnetosheath.....	144
H.3.6	Magnetotail and distant magnetosheath.....	144
H.3.7	Planetary environments.....	145
H.3.8	Induced environments.....	145
H.4	Tables.....	146
H.5	Figures.....	149
Annex I (informative) Energetic particle radiation.....		150
I.1	Trapped radiation belts.....	150
I.1.1	Basic data.....	150
I.1.2	Tailoring guidelines: orbital and mission regimes.....	150
I.1.3	Existing trapped radiation models.....	151
I.1.4	The South Atlantic Anomaly.....	153
I.1.5	Dynamics of the outer radiation belt.....	154
I.1.6	Internal charging.....	154
I.2	Solar particle event models.....	154
I.2.1	Overview.....	154
I.2.2	ESP model.....	155
I.2.3	JPL models.....	155
I.2.4	Spectrum of individual events.....	156
I.2.5	Event probabilities.....	157
I.2.6	Other SEP models.....	157
I.3	Cosmic ray environment and effects models.....	158
I.4	Geomagnetic shielding.....	158
I.5	Atmospheric albedo neutron model.....	158
I.6	Planetary environments.....	159
I.6.1	Overview.....	159
I.6.2	Existing models.....	159
I.7	Interplanetary environments.....	160
I.8	Tables.....	160
I.9	Figures.....	162

EN 16603-10-04:2015 (E)

Annex J (informative) Space debris and meteoroids	168
J.1 Reference data	168
J.1.1 Trackable space debris	168
J.1.2 Reference flux data for space debris and meteoroids.....	168
J.2 Additional information on flux models.....	169
J.2.1 Meteoroids	169
J.2.2 Space debris flux models	170
J.2.3 Model uncertainties	172
J.3 Impact risk assessment	172
J.3.1 Impact risk analysis procedure	172
J.3.2 Analysis complexity.....	173
J.3.3 Damage assessment	173
J.4 Analysis tools.....	174
J.4.1 General.....	174
J.4.2 Deterministic analysis	174
J.4.3 Statistical analysis.....	174
J.5 Tables.....	175
J.6 Figures	179
Annex K (informative) Contamination modelling and tools.....	182
K.1 Models.....	182
K.1.1 Overview.....	182
K.1.2 Sources.....	182
K.1.3 Transport of molecular contaminants	184
K.2 Contamination tools	186
K.2.1 Overview.....	186
K.2.2 COMOVA: COnTamination MOdelling and Vent Analysis	186
K.2.3 ESABASE: OUTGASSING, PLUME-PLUMFLOW and CONTAMINE modules	186
K.2.4 TRICONTAM.....	187

Figures

Figure D-1 : Graphical representation of the EIGEN-GLO4C geoid (note: geoid heights are exaggerated by a factor 10 000).....	109
Figure E-1 : The IGRF-10 field strength (nT, contour level = 4 000nT, at 2005) and secular variation (nT yr ⁻¹ , contour level = 20 nT yr ⁻¹ , valid for 2005), at geodetic altitude 400 km with respect to the WGS-84 reference ellipsoid).....	117
Figure E-2 : The general morphology of model magnetospheric field lines, according to the Tsyganenko 1989 model, showing the seasonal variation, dependent on rotation axis tilt	118

Figure F-1 : Solar spectral irradiance (in red, AM0 (Air Mass 0) is the radiation level outside of the Earth's atmosphere (extraterrestrial), in blue, AM1,5 is the radiation level after passing through the atmosphere 1,5 times, which is about the level at solar zenith angle 48,19°, an average level at the Earth's surface (terrestrial)).....	124
Figure F-2 : Daily solar and geomagnetic activity indices over the last two solar cycles	125
Figure F-3 : Monthly mean solar and geomagnetic activity indices over the last two solar cycles	126
Figure G-1 : Temperature profile of the Earth's atmosphere.....	138
Figure G-2 : Variation of the JB-2006 mean air density with altitude for low, moderate, high long and high short term solar and geomagnetic activities	139
Figure G-3 : Variation of the NRLMSISE-00 mean atomic oxygen with altitude for low, moderate and high long solar and geomagnetic activities	140
Figure G-4 : Variation of the NRLMSISE-00 mean concentration profile of the atmosphere constituents N_2 , O , O_2 , He , Ar , H , N and anomalous O with altitude for moderate solar and geomagnetic activities ($F10.7 = F10.7_{avg} = 140$, $A_p = 15$).....	141
Figure H-1 : Profile of electron density for solar magnetic local time = 18hr, solar magnetic latitude=0, $K_p = 0$ and 9 from the GCPM for 1/1/1999.....	149
Figure I-1 : Contour plots of the proton and electron radiation belts.....	162
Figure I-2 : Electron (a) and proton (b) omnidirectional fluxes, integral in energy, on the geomagnetic equator for various energy thresholds	163
Figure I-3 : Integral omnidirectional fluxes of protons (>10 MeV) and electrons (>10 MeV) at 400 km altitude showing the inner radiation belt's "South Atlantic anomaly" and, in the case of electrons, the outer radiation belt encountered at high latitudes	164
Figure I-4 : Comparison of POLE with AE8 (flux vs. Energy) for 15 year mission (with worst case and best case included).....	165
Figure I-5 : Comparison of ONERA/GNSS model from 0,28 MeV up to 1,12 MeV (best case, mean case and worst case) with AE8 (flux vs. Energy) for 15 yr mission (with worst case & best case).....	165
Figure I-6 : Albedo neutron spectra at 100 km altitude at solar maximum.....	166
Figure I-7 : Albedo neutron spectra at 100 km altitude at solar minimum.....	166
Figure I-8 : Jupiter environment model (proton & electron versions).....	167
Figure J-1 : Time evolution of the number of trackable objects in orbit (as of September 2008).....	179
Figure J-2 : Semi-major axis distribution of trackable objects in LEO orbits (as of September 2008)	180
Figure J-3 : Distribution of trackable objects as function of their inclination (as of September 2008)	180
Figure J-4 : The HRMP velocity distribution for different altitudes from the Earth surface.	181

EN 16603-10-04:2015 (E)

Tables

Table 6-1: Conversion from K_p to a_p	43
Table 6-2: Electromagnetic radiation values	43
Table 6-3: Reference fixed index values	43
Table 6-4: Reference index values for variations of a_p	43
Table 8-1: Worst-case bi-Maxwellian environment	56
Table 8-2: Solar wind parameters	56
Table 9-1: Standard field models to be used with AE8 and AP8	65
Table A-1 : Solar cycle 23 solar activity indices averaged over 30-day (1 month) intervals	76
Table B-1 : Minima and maxima of sunspot number cycles	85
Table B-2 : IGE 2006 GEO average model – electron flux ($\text{kev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year.	86
Table B-3 IGE 2006 GEO upper case model - maximum electron flux ($\text{kev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year.	87
Table B-4 : MEOv2 average case model - average electron flux ($\text{Mev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year.	89
Table B-5 : MEOv2 upper case model - maximum electron flux ($\text{Mev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year.	89
Table B-6 : Worst case spectrum for geostationary orbits	90
Table B-7 : Values of the parameters for the ESP model	90
Table B-8 : Values to scale fluence from >100 MeV to >300 MeV	91
Table B-9 : CREME-96 solar ion worst 5-minute fluxes in an interplanetary environment	91
Table B-10 : CREME-96 solar ion worst day fluxes in an interplanetary environment	93
Table B-11 : CREME-96 solar ion worst week fluxes in an interplanetary environment	95
Table C-1 : Normalized meteoroid velocity distribution	102
Table C-2 : The annual meteor streams	103
Table D-1 : Degree power attenuation for an orbit at 25 000 km altitude	108
Table D-2 : Coefficients of the EIGEN-GL04C model up to degree and order 8×8	109
Table E-1 : IGRF-10 data for epoch 1960-2010	115
Table E-2 : Sibeck et al. Magnetopause model	116
Table F-1 : Reference values for average planetary albedo and infra-red radiation	123
Table G-1 : Altitude profiles of the atmosphere constituents N_2 , O, O_2 , He, Ar, H, N and anomalous O for low solar and geomagnetic activities (NRLMSISE-00 model - $F10.7 = F10.7_{avg} = 65$, $A_p = 0$)	133

Table G-2 : Altitude profiles of the atmosphere constituents N ₂ , O, O ₂ , He, Ar, H, N and anomalous O for mean solar and geomagnetic activities (NRLMSISE-00 model - $F10.7 = F10.7_{avg} = 140$, $A_p = 15$).....	134
Table G-3 : Altitude profiles of the atmosphere constituents N ₂ , O, O ₂ , He, Ar, H, N and anomalous O for high long term solar and geomagnetic activities (NRLMSISE-00 model - $F10.7 = F10.7_{avg} = 250$, $A_p = 45$)	135
Table G-4 : Altitude profiles of total density ρ [kg m ⁻³] for low, moderate, high long and high short term solar and geomagnetic activities (JB-2006 model).....	136
Table H-1 : Regions encountered by different mission types	146
Table H-2 : Main engineering concerns due to space plasmas.....	147
Table H-3 : Ionospheric electron density profiles derived from IRI-2007 for date 01/01/2000, lat=0, long=0.....	147
Table H-4 : Profile of densities for solar magnetic local time = 18hr, solar magnetic latitude=0, Kp = 5,0 from the GCPM for 1/1/1999.....	148
Table H-5 : Typical plasma parameters at geostationary orbit	148
Table H-6 : Typical magnetosheath plasma parameters	148
Table H-7 : Typical plasma parameters around L2	148
Table H-8 : Worst-case environments for eclipse charging near Jupiter and Saturn	149
Table H-9 : Photoelectron sheath parameters	149
Table H-10 : Some solar UV photoionization rates at 1 AU	149
Table I-1 : Characteristics of typical radiation belt particles	160
Table I-2 : Recommended updated values of the parameters of the JPL model	160
Table I-3 : Proton fluence levels for energy, mission duration and confidence levels from the ESP model with the NASA parameters from Table B-7.	161
Table I-4 : Parameters for the fit to the peak fluxes from the October 1989 events.....	161
Table J-1 : Approximate flux ratios for meteoroids for 400 km and 800 km altitudes.....	175
Table J-2 : Cumulative number of impacts, N , to a randomly oriented plate for a range of minimum particle sizes using the MASTER-2005 model.....	175
Table J-3 : Cumulative number of impacts, N , to a randomly oriented plate for a range of minimum particle sizes using the MASTER-2005 model.....	176
Table J-4 : Cumulative number of impacts, N , to a randomly oriented plate for a range of minimum particle sizes using the MASTER-2005 model.....	177
Table J-5 : Cumulative number of impacts, N , to a randomly oriented plate for a range of minimum particle masses	178
Table J-6 : Parameters (appearing in Eq. (C-15) to account for modified meteoroid fluxes encountered by spacecraft in circular Earth orbits at various altitudes ...	179

Foreword

This document (EN 16603-10-04:2015) has been prepared by Technical Committee CEN/CLC/TC 5 "Space", the secretariat of which is held by DIN.

This standard (EN 16603-10-04:2015) originates from ECSS-E-ST-10-04C.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2015, and conflicting national standards shall be withdrawn at the latest by July 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document supersedes EN 14092:2002.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This standard forms part of the System Engineering branch (ECSS-E-10) of the Engineering area of the ECSS system. As such it is intended to assist in the consistent application of space environment engineering to space products through specification of required or recommended methods, data and models to the problem of ensuring best performance, problem avoidance or survivability of a product in the space environment.

The space environment can cause severe problems for space systems. Proper assessment of the potential effects is part of the system engineering process as defined in ECSS-E-ST-10. This is performed in the early phases of a mission when consideration is given to e.g. orbit selection, mass budget, thermal protection, and component selection policy. As the design of a space system is developed, further engineering iteration is normally necessary with more detailed analysis.

In this Standard, each component of the space environment is treated separately, although synergies and cross-linking of models are specified. Informative annexes are provided as explanatory background information associated with each clause.

1 Scope

This standard applies to all product types which exist or operate in space and defines the natural environment for all space regimes. It also defines general models and rules for determining the local induced environment.

Project-specific or project-class-specific acceptance criteria, analysis methods or procedures are not defined.

The natural space environment of a given item is that set of environmental conditions defined by the external physical world for the given mission (e.g. atmosphere, meteoroids and energetic particle radiation). The induced space environment is that set of environmental conditions created or modified by the presence or operation of the item and its mission (e.g. contamination, secondary radiations and spacecraft charging). The space environment also contains elements which are induced by the execution of other space activities (e.g. debris and contamination).

This standard may be tailored for the specific characteristic and constraints of a space project in conformance with ECSS-S-ST-00.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-