

Irish Standard I.S. EN ISO 17718:2014

Wholemeal and flour from wheat (Triticum aestivum L.) - Determination of rheological behaviour as a function of mixing and temperature increase (ISO 17718:2013)

© CEN 2015 No copying without NSAI permission except as permitted by copyright law.

I.S. EN ISO 17718:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN ISO 17718:2014 *Published:* 2014-12-17

| 67.060 |
|---|
| |
| TE: If blank see CEN/CENELEC cover page |
| |
| Sales: |
| T +353 1 857 6730 |
| F +353 1 857 6729 |
| W standards.ie |
| |
| |

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN ISO 17718

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2014

ICS 67.060

English Version

Wholemeal and flour from wheat (Triticum aestivum L.) -Determination of rheological behaviour as a function of mixing and temperature increase (ISO 17718:2013)

Farine et mouture complète de blé tendre (Triticum aestivum L.) - Détermination du comportement rhéologique des pâtes en fonction du pétrissage et de l'augmentation de la température (ISO 17718:2013) Weizenvollkorn- und Weizenmehl (Triticum aestivum L.) -Bestimmung der rheologischen Eigenschaften als Funktion von Kneten und Temperaturanstieg (ISO 17718:2013)

This European Standard was approved by CEN on 16 December 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Ref. No. EN ISO 17718:2014 E

This is a free page sample. Access the full version online. I.S. EN ISO 17718:2014

EN ISO 17718:2014 (E)

| Contents | Page |
|----------|------|
| Foreword | |

Foreword

The text of ISO 17718:2013 has been prepared by Technical Committee ISO/TC 34 "Food products" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 17718:2014 by Technical Committee CEN/TC 338 "Cereal and cereal products" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2015, and conflicting national standards shall be withdrawn at the latest by June 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 17718:2013 has been approved by CEN as EN ISO 17718:2014 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

INTERNATIONAL STANDARD

ISO 17718

First edition 2013-05-01

Wholemeal and flour from wheat (*Triticum aestivum* L.) — Determination of rheological behaviour as a function of mixing and temperature increase

*Farine et mouture complète de blé tendre (*Triticum aestivum *L.) — Détermination du comportement rhéologique en fonction du pétrissage et de l'augmentation de la température*



Reference number ISO 17718:2013(E) ISO 17718:2013(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Page

Contents

| Forew | vord | iv |
|--|---|-------------|
| Introd | duction | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Principle | |
| 5 | Reagent | 2 |
| 6 | Equipment | 2 |
| 7 | Sampling | |
| 8 | Procedure 8.1 General 8.2 Sample milling 8.3 Determination of flour moisture content 8.4 Preparation of the device 8.5 Preparation of the test | |
| 9 | Expression of results | 5 |
| 10 | Precision 10.1 Interlaboratory tests 10.2 Repeatability limits, r 10.3 Reproducibility limits, R 10.4 Critical difference, dc 10.5 Uncertainty, u | 5 6 7 |
| 11 | Test report | 7 |
| Annex A (informative) Mixolab®1) parameters location 9 | | |
| Annex B (informative) Results of the interlaboratory test on flour and milled wheat samples1 | | |
| Biblio | ography | |

ISO 17718:2013(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 17718 was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 4, *Cereals and pulses*.

Introduction

The behaviour of dough is dependent on numerous parameters. Some of these parameters, such as water absorption, dough development time, and kneading stability, are linked to the quality and quantity of the proteins, while other parameters, such as gelatinization, gelling stability, and retrogradation, are linked to the properties of the starch.

The Mixolab^{®1}) measures the torque between two mixing arms during kneading while varying the inbowl temperature, making it possible to gain in-depth information on samples and thus gain a better understanding of the characteristics of tested wheat or flours. This is a free page sample. Access the full version online. $I.S.\ EN\ ISO\ 17718:2014$

Wholemeal and flour from wheat (*Triticum aestivum* L.) — Determination of rheological behaviour as a function of mixing and temperature increase

1 Scope

This International Standard specifies the determination of rheological behaviour as a function of mixing and temperature increase. It is applicable to all wholemeal and flour samples from industrial or laboratory milling of wheat (*Triticum aestivum* L.).

NOTE Wheat can be milled in the laboratory according to the methods described in ISO 27971^[5] or in BIPEA guidance document BY.102.D.9302.^[2]

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 712, Cereals and cereal products — Determination of moisture content — Reference method

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

water absorption

volume of water required to obtain a dough with a maximum consistency of $(1,10 \pm 0,05)$ Nm

Note 1 to entry: Water absorption is expressed in millilitres per 100 g of flour with a moisture content of 14 % mass fraction.

3.2

```
time T1
```

time required for the dough to reach the target consistency C1 of (1,10 \pm 0,05) Nm

Note 1 to entry: Development time is expressed in minutes.

```
3.3
```

```
stability
```

calculated time during which the dough achieves a consistency higher than C1 – 11 % × C1

4 Principle

Dough behaviour is determined as it is subjected to a combined kneading and temperature treatment during a constant temperature phase, followed by a heating phase, then held at high temperature, and subsequently cooled. Water is added to flour to achieve a maximum dough consistency of (1,10 \pm 0,05) Nm during the first constant temperature phase.

The dough is first kneaded between two mixing arms rotating in opposite directions at 80 r/min, at a starting temperature of 30 °C. The torque that the dough creates between the two mixing arms is recorded. Kneading then continues while temperature is increased to 90 °C at a rate of 4 °C/min. The



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation