This is a free page sample. Access the full version online.



Irish Standard I.S. EN 12428:2013

Industrial, commercial and garage doors -Thermal transmittance - Requirements for the calculation

© CEN 2013

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 12428:2000				
<i>This document is based or</i> EN 12428:2013	n: Published: 21 February, 2013			
This document was publis under the authority of the and comes into effect on: 21 February, 2013	e NSAI		<u>ICS number:</u> 91.060.50	
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie		
Údarás um Chaighdeáin Náisiúnta na hÉireann				

EUROPEAN STANDARD NORME EUROPÉENNE

EN 12428

EUROPÄISCHE NORM

January 2013

ICS 91.060.50

Supersedes EN 12428:2000

English Version

Industrial, commercial and garage doors - Thermal transmittance - Requirements for the calculation

Portes et portails équipant les locaux industriels, commerciaux et les garages - Transmission thermique -Exigences pour les calculs Tore - Wärmedurchgangskoeffizient - Anforderungen an die Berechnung

This European Standard was approved by CEN on 1 December 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2013 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 12428:2013: E

EN 12428:2013 (E)

Contents

Page

Forew	ord	3
Introd	uction	4
1	Scope	5
1.1	General	5
1.2	Exclusions	
2	Normative references	5
3	Terms, definitions, symbols and units	6
3.1	Terms and definitions	
3.2	Symbols and units	6
3.3	Subscripts	
3.4	Superscripts	7
4	Geometrical characteristics	7
5	Calculation	8
5.1	General principle	
5.2	Boundaries	
5.3	Cavities	9
5.4	Point bridges and hardware components	9
5.5	Calculation method1	D
Annex	A (informative) Thermal insulation related to buildings (energy efficiency)1	1
Bibliog	graphy1	4

Foreword

This document (EN 12428:2013) has been prepared by Technical Committee CEN/TC 33 "Doors, windows, shutters, building hardware and curtain walling", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2013, and conflicting national standards shall be withdrawn at the latest by July 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12428:2000.

- This European Standard shows updated procedures for the calculation of thermal transmittance, including different types of glazing, frames and/or panels.
- Symbols and units have been added to Clause 3.
- Clauses 4 and 5 have been revised.
- Clause 4 now includes descriptions and definition about the geometrical characteristics.
- Clause 5 now defines the calculation method including information about boundaries, cavities, point bridges and the calculation method.
- New Annex A informs about energy efficiency.

This document is one of a series of performance standards identified within the product standard EN 13241-1.

European Standards as well as relevant national regulations and standards will enable the actual exposure levels to be determined for the individual locations of the products.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 12428:2013 (E)

Introduction

Industrial, commercial and garage doors often contain different kinds of materials, joined in different ways, and can exhibit numerous variations of geometrical shape and thermal conductivity values. Thermal bridges around the door or gate perimeter and between door or gate elements affect the thermal transmittance of the complete door or gate in a significant way.

The result of calculations, carried out following the procedures specified in this paper, can be used for comparison of the thermal transmittance of different types of industrial, commercial and garage doors or as part of the input data for calculating the heat consumption of a building.

The standard EN ISO 10077 (all parts) describes a calculation method suitable for windows and pedestrian doors. Although this method basically applies to vertical windows, references to some parts of this method have been made concerning boundary conditions and the treatment of cavities.

EN ISO 12631 specifies a procedure for calculating the thermal transmittance of curtain wall structures. The principles of the single assessment method have been used in this paper.

1 Scope

1.1 General

This European Standard specifies a method for calculating the thermal transmittance of industrial, commercial and garage doors in a closed position.

The doors are intended for installation in areas in the reach of people, for which the main intended uses are giving safe access for goods, vehicles and persons in industrial, commercial or residential premises.

The doors may be manually or power operated.

This document applies to all doors provided in accordance with EN 13241-1.

The calculation can include different types of glazing, frames with or without thermal breaks, and different types of opaque panels and thermal bridge effects at the edge of the panel or joint between the glazed area, the frame area and the panel area.

This paper does not include the effects of solar radiation, heat transfer caused by air leakage, calculation of condensation, additional heat transfer at the corners and edges of the door connections to the main building structure, or thermal effects between the door and the main building structure.

1.2 Exclusions

It does not apply to:

- lock gates and dock gates;
- doors on lifts;
- doors on vehicles;
- armoured doors;
- doors mainly for the retention of animals;
- theatre textile curtains;
- horizontally moving doors less than 2,5 m wide and 6,25 m² area, designed principally for pedestrian use;
- revolving doors of any size;
- doors outside the reach of people (such as crane gantry fences);
- railway barriers;
- barriers used solely for vehicles.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation