



NSAI
Standards

Irish Standard
I.S. EN 124-3:2015

Gully tops and manhole tops for vehicular and pedestrian areas - Part 3: Gully tops and manhole tops made of steel or aluminium alloys

I.S. EN 124-3:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 124-3:2015

Published:

2015-06-10

This document was published under the authority of the NSAI and comes into effect on:

2015-07-02

ICS number:

93.080.30

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 124-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2015

ICS 93.080.30

Supersedes EN 124:1994

English Version

Gully tops and manhole tops for vehicular and pedestrian areas - Part 3: Gully tops and manhole tops made of steel or aluminium alloys

Dispositifs de couronnement et de fermeture pour les zones
de circulation utilisées par les piétons et les véhicules -
Partie 3: Dispositifs de couronnement et de fermeture en
acier ou alliage d'aluminium

Aufsätze und Abdeckungen für Verkehrsflächen - Teil 3:
Aufsätze und Abdeckungen aus Stahl oder
Aluminiumlegierungen

This European Standard was approved by CEN on 12 March 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword.....	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Materials	6
4.1 General.....	6
4.2 Steel	7
4.2.1 General.....	7
4.2.2 Hot dip galvanizing.....	7
4.3 Stainless steel.....	7
4.4 Aluminium alloy	8
4.5 Cover fillings	8
5 Requirements	8
5.1 Design and performance requirements.....	8
5.2 Covers with fillings	10
5.3 Material-specific characteristics for gully tops and manhole tops made of mild steel or aluminium alloys.....	10
5.3.1 Reaction to fire.....	10
5.3.2 Durability	11
5.3.3 Dangerous substances	11
5.4 Additional requirements for gully tops and manhole tops made of steel or aluminium alloys.....	11
5.4.1 Fabrication.....	11
5.4.2 Deflection under load	12
6 Testing	12
6.1 General.....	12
6.2 Testing of deflection under load	12
7 Assessment and verification of constancy of performance - AVCP	12
7.1 General.....	12
7.2 Type testing.....	12
7.2.1 General.....	12
7.2.2 Test samples, testing and compliance criteria.....	13
7.2.3 Test reports	15
7.2.4 Shared other party results	15
7.3 Factory production control (FPC)	16
7.3.1 General.....	16
7.3.2 Requirements	16
7.3.3 Product specific requirements	21
7.3.4 Initial inspection of factory and of FPC.....	21
7.3.5 Continuous surveillance of FPC	22
7.3.6 Procedure for modifications.....	22
7.3.7 One-off products and products produced in very low quantity	22
8 Designation	23
9 Marking	25
Annex A (normative) Test of deflection under load.....	26
A.1 Test samples	26

A.2	Deflection test load, F_D	26
A.3	Apparatus	26
A.4	Procedure	26
A.5	Observations and reporting	27
Annex ZA	(informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation	28
ZA.1	Scope and relevant characteristics	28
ZA.2	Procedures for AVCP of gully tops and manhole tops made of steel or aluminium alloys	30
ZA.3	CE marking and labelling	34
	Bibliography	36

EN 124-3:2015 (E)**Foreword**

This document (EN 124-3:2015) has been prepared by Technical Committee CEN/TC 165 “Wastewater engineering”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2015 and conflicting national standards shall be withdrawn at the latest by March 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Together with EN 124-1:2015, EN 124-2:2015, EN 124-4:2015, EN 124-5:2015 and EN 124-6:2015, this document will supersede EN 124:1994.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of the Regulation (EU) No. 305/2011.

For relationship with EU Regulation(s), see informative Annex ZA, which is an integral part of this document.

EN 124, *Gully tops and manhole tops for vehicular and pedestrian areas*, consists of the following parts:

- *Part 1: Definitions, classification, general principles of design, performance requirements and test methods;*
- *Part 2: Gully tops and manhole tops made of cast iron;*
- *Part 3: Gully tops and manhole tops made of steel or aluminium alloys;*
- *Part 4: Gully tops and manhole tops made of steel reinforced concrete;*
- *Part 5: Gully tops and manhole tops made of composite materials;*
- *Part 6: Gully tops and manhole tops made of polypropylene (PP), polyethylene (PE) or unplasticized poly(vinyl chloride) (PVC-U).*

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard is applicable to gully tops and manhole tops made of mild steel, stainless steel and aluminium alloys whether in combination with concrete or not, with a clear opening up to and including 1 000 mm for covering gullies, manholes and inspection chambers for installation in areas subjected to pedestrian and/or vehicular traffic.

It is applicable to manhole tops and gully tops for use in

- areas which can only be used by pedestrians and pedal cyclists (at least class A 15),
- pedestrian areas and comparable areas, car parks or car parking decks (at least class B 125),
- the area of kerbside channels of roads which, when measured from the kerb edge, extends a maximum of 0,5 m into the carriageway and a maximum of 0,2 m into the pedestrian area (at least class C 250),
- carriageways of roads (including pedestrian streets), hard shoulders and parking areas, for all types of road vehicles (at least class D 400),
- areas imposing high wheel loads, e.g. docks, aircraft pavements (at least class E 600),
- areas imposing particularly high wheel loads, e.g. aircraft pavements (class F 900).

This European Standard is not applicable in isolation but only in combination with EN 124-1 and gives guidance for combinations of covers/gratings made of steel or aluminium alloys with frames according to EN 124-2 and EN 124-4, EN 124-5 or EN 124-6.

Fabrication of manhole tops and gully tops in accordance with this standard is limited to cold forming, mechanical crimping or welding together component parts made of metal plate, strip or bar or rolled or extruded metal sections.

This European Standard is not applicable to:

- manhole tops and gully tops made of aluminium tread plates for use in carriageways of roads (class D 400) and areas imposing high wheel loads (Classes E 600 and F 900);
- concave gratings for class D 400 installed in carriageways of roads or hard shoulders and concave gratings for classes F 900 and E 600;
- gratings/covers as part of prefabricated drainage channels according to EN 1433;
- floor and roof gullies in buildings which are specified in EN 1253 (all parts); and
- surface boxes.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 124-1:2015, *Gully tops and manhole tops for vehicular and pedestrian areas — Part 1: Definitions, classification, general principles of design, performance requirements and test methods*

EN 124-2:2015, *Gully tops and manhole tops for vehicular and pedestrian areas — Part 2: Gully tops and manhole tops made of cast iron*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-