



NSAI
Standards

Irish Standard
I.S. EN 13201-2:2015

Road lighting - Part 2: Performance requirements

© CEN 2016 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 13201-2:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 13201-2:2015

Published:

2015-12-23

*This document was published
under the authority of the NSAI
and comes into effect on:*

2016-01-11

ICS number:

93.080.40

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 13201-2:2015 is the adopted Irish version of the European Document EN 13201-2:2015, Road lighting - Part 2: Performance requirements

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 13201-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2015

ICS 93.080.40

Supersedes EN 13201-2:2003

English Version

Road lighting - Part 2: Performance requirements

Eclairage public - Partie 2: Exigences de performance

Straßenbeleuchtung - Teil 2: Güteermkmale

This European Standard was approved by CEN on 6 June 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	3
Introduction	4
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	6
4 Requirements for motorized traffic	8
5 Requirements for conflict areas	10
6 Requirements for pedestrians and pedal cyclists	11
6.1 General requirements	11
6.2 Additional requirements.....	12
7 Appearance and environmental aspects	13
Annex A (informative) Installed classes for glare restriction and control of obtrusive light.....	15
Annex B (informative) Lighting of pedestrian crossings	19
Annex C (informative) Evaluation of disability glare for C and P classes.....	20
Bibliography.....	21

European foreword

This document (EN 13201-2:2015) has been prepared by Technical Committee CEN/TC 169 “Light and lighting”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2016 and conflicting national standards shall be withdrawn at the latest by June 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13201-2:2003.

In comparison with EN 13201-2:2003, the following significant changes have been made:

- restructuring of the document;
- addition of an introduction including background information;
- updating of terms and definitions;
- combination of several classes;
- replacement of the abbreviation TI with the symbol f_{TI} ;
- change of several class designations;
- change of the designations of the luminous intensity classes;
- addition of a new informative Annex C on evaluation of disability glare for C and P classes.

This document EN 13201-2 has been worked out by the Joint Working Group of CEN/TC 169 “Light and lighting” with CEN/TC 226 - “Road Equipment”, the secretariat of which is held by AFNOR.

EN 13201, *Road lighting* is a series of documents that consists of the following parts:

- *Part 1: Guidelines on selection of lighting classes* [Technical Report];
- *Part 2: Performance requirements* [present document];
- *Part 3: Calculation of performance*;
- *Part 4: Methods of measuring lighting performance*;
- *Part 5: Energy performance indicators*.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 13201-2:2015 (E)**Introduction**

A lighting class is defined by a set of photometric requirements aiming at the visual needs of certain road users in certain types of road areas and environment. The needs can vary at different periods during the night and also in different seasons of the year, thus the recommendations may vary during these periods.

The purpose of introducing lighting classes is to make it easier to develop and use road lighting products and services in CEN member countries. The lighting classes have been defined with consideration of road lighting standards in these countries and the lighting classes defined in CIE 115:2010 (2nd Edition) aiming at harmonization of requirements where possible. However, specific circumstances concerned with the road layout, use and national approaches based on traditional, climatic or other conditions could require different values of the uniformities. Not all the classes describe in this standard should be applied in a given country.

The M classes are intended for drivers of motorized vehicles for use on traffic routes, and in some countries also residential roads, allowing medium to high driving speeds.

The main lighting criteria of these classes are based on the road surface luminance of the carriageway and include the average luminance, the overall uniformity and the longitudinal uniformity for the dry road surface condition. Additional criteria relate to disability glare quantified by the Threshold Increment TI and the lighting of the surrounding areas quantified by the Edge Illuminance Ratio EIR. An additional criterion, used in some countries, is the overall uniformity of luminance in a wet condition.

The C classes are also intended for drivers of motorized vehicles, but for use on conflict areas such as shopping streets, road intersections of some complexity, roundabouts and queuing areas, where the conventions for road surface luminance calculations do not apply or are impracticable. The lighting criteria are based on the horizontal illuminance and are expressed by the average and the overall uniformity. These classes have applications also for pedestrians and pedal cyclists.

The P classes or the HS classes are intended for pedestrians and pedal cyclists on footways, cycleways, emergency lanes and other road areas lying separately or along the carriageway of a traffic route, and for residential roads, pedestrian streets, parking places, schoolyards, etc.

The lighting criteria of the P classes are based on the horizontal illuminance on the road area and are expressed by the average and the minimum illuminance.

The lighting criteria of the HS classes are based on the hemispherical illuminance of the road area and are expressed by the average hemispherical illuminance and the overall uniformity of this illuminance.

The SC classes are intended as an additional class in situations where public lighting is necessary for the identification of persons and objects and in road areas with a higher than normal crime risk.

The EV classes are intended as an additional class in situations where vertical surfaces need to be seen in such road areas as toll stations, interchange areas, etc.

The requirements of the lighting classes reflect the category of road user in question or the type of road area. Thus the M classes are based on the road surface luminance, while the C, P and HS classes are based on the illuminance of the road area. The SC classes are based on semi-cylindrical illuminance, while the EV classes are based on the vertical plane illuminance.

Each series of lighting classes presents decreasing requirements in their order and form steps of lighting level.

The specified lighting levels are maintained levels which are defined as the design levels reduced by a maintenance factor to allow for depreciation (refer to 3.10). The required maintenance factor, or a maintenance regime that allows deduction of the maintenance factor, should be included in tender specifications.

It should be taken into account that the light output of some light sources is sensitive to temperature. As photometric data are generally published considering a reference temperature of 25 °C, a correction factor should be considered for these light sources, if ambient temperatures are different.

Environmental aspects of road lighting are considered in Clause 7 in terms of day time appearance, night time appearance and light emitted in directions, where it is neither necessary nor desirable. The purpose is to highlight criteria that can be included in tender specifications or similar, where relevant.

Installed luminous intensity classes for the restriction of disability glare and control of obtrusive light G*1, G*2, G*3, G*4, G*5 and G*6 are introduced in the informative Annex A. The use of G* classes is mentioned in Clause 5 for conflict areas and in Clause 7 on appearance and environmental aspects.

Installed glare index classes for the restriction of discomfort glare D0, D1, D2, D3, D4, D5 and D6 are introduced in the informative Annex A as well. These classes are intended mainly for road areas lighted for the benefit of pedestrians and pedal cyclists.

Additional items considered in the Annex A are the use of installed luminous intensity classes and obtrusive lighting.

Local lighting of pedestrian crossings is considered in the informative Annex B. The intention of local lighting is to attract the attention of drivers of motorized vehicles to the presence of the pedestrian crossing and to illuminate pedestrians in or at the crossing area.

For the C and P classes, disability glare conditions considering the TI are described in the informative Annex C.

All photometric quantities are based on photopic photometry.

From an energy efficiency and environmental perspective a lighting installation should have a lighting level that matches the minimum required value of the relevant lighting class, and should meet all other relevant requirements, for instance uniformity, lighting of surrounding areas or additional classes (SC or EV). In that sense, the lighting levels specified in the tables are target values for minimum maintained levels.

Maximum lighting levels may be provided in tender specifications or national regulations.

When designing new road lighting installations, all the lighting requirements specified in Clauses 4, 5 and 6 are relevant, and also requirements on environmental aspects as considered in Clause 7, should be complied with.

When modifying the optical components or the geometry of existing lighting installations (for instance by changing the luminaires), it should be attempted to comply with all requirements. However, this may be highly impractical or expensive in some cases, while deviations from one or more of the requirements may lead to more practicable and less expensive solutions. In such cases, decisions should only be taken after careful consideration of all the aspects.

EN 13201-2:2015 (E)

1 Scope

This part of this European Standard defines *performance requirements which are specified as* lighting classes for road lighting aiming at the visual needs of road users, and it considers environmental aspects of road lighting.

NOTE Installed luminous intensity classes for the restriction of disability glare and control of obtrusive light and installed glare index classes for the restriction of discomfort glare are defined in the informative Annex A. Lighting of pedestrian crossings is discussed in the informative Annex B. Disability glare evaluation for conflict areas (C classes) and pedestrian and pedal cyclists (P classes) is discussed in the informative Annex C.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13201-3, *Road lighting — Part 3: Calculation of performance*

EN 13201-4, *Road lighting — Part 4: Methods of measuring lighting performance*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

average road surface luminance (of a carriageway of a road)

\bar{L}

luminance of the road surface averaged over the carriageway

Note 1 to entry: Unit is candelas per square metre ($\text{cd}\cdot\text{m}^2$).

3.2

longitudinal uniformity (of road surface luminance of a carriageway)

U_l

lowest of the ratios determined for each driving lane of the carriageway as the ratio of the lowest to the highest road surface luminance found in a line in the centre along the driving lane

3.3

threshold increment TI (of an object at the road surface)

f_{TI}

percentage increase of contrast of an object that is needed to make it stay at threshold visibility in presence of disability glare generated by luminaires of a road lighting installation.

Note 1 to entry: TI is a measure of the effect of disability glare, described as an equivalent veiling luminance caused by scattering of light in the human eye. TI values are calculated in accordance with EN 13201-3 by means of an equation for the equivalent veiling luminance which represents a young person. When setting requirements for the limitation of the TI, or when evaluating calculated TI values, it should be taken into account that the scattering in the eye tends to increase with the age of the person. The increase is individual and may be low for some, by a factor of two for others and can be high for persons suffering from untreated cataract conditions.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-