This is a free page sample. Access the full version online.



Irish Standard I.S. EN 1047-2:2009+A1:2013

Secure storage units - Classification and methods of test for resistance to fire -Part 2: Data rooms and data container

© CEN 2013

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda/National Annexes issued since publication: EN 1047-2:2009/A1:2013

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 1047-2:2009					
<i>This document is based or</i> EN 1047-2:2009+A1:2013 EN 1047-2:2009	<i>n: Published:</i> 25 February, 2013 26 August, 2009				
This document was publis under the authority of the and comes into effect on: 25 February, 2013	e NSAI		ICS number: 13.220.40 13.310 35.020		
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie			
Údarás um Chaighdeáin Náisiúnta na hÉireann					

EUROPEAN STANDARD

EN 1047-2:2009+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2013

ICS 13.220.40; 13.310; 35.020

Supersedes EN 1047-2:2009

English Version

Secure storage units - Classification and methods of test for resistance to fire - Part 2: Data rooms and data container

Unités de stockage en lieu sûr - Classification et méthodes d'essai de résistance au feu - Partie 2: Conteneurs et chambres réfractaires Wertbehältnisse - Klassifizierung und Methoden zur Prüfung des Widerstandes gegen Brand - Teil 2: Datensicherungsräume und Datensicherungscontainer

This European Standard was approved by CEN on 23 July 2009 and includes Amendment 1 approved by CEN on 10 December 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Forewo	ord	3
Introdu	iction	4
1	Scope	5
2	Normative references	6
3	Terms and definitions	7
4	Requirements and classification	9
5	Test specimens, technical documentation, material samples, physical fittings and correlation	10
5.1	Data room type A test specimens	10
5.2	Data room type B test specimens	
5.3 5.4	Data container test specimens Test specimen with floor constructions other than according to 5.1, 5.2 and 5.3	
5.5	Test specimen for walls and/or ceiling constructions different from those specified in 5.1,	
5.0	5.2 and 5.3	
5.6 5.7	Test specimen – other construction variants Technical documentation of the test specimens	
5.8	Material samples	
5.9	Fire-retarding sealings	
5.10	Correlation of test specimen and technical documentation	15
6	Test methods	
6.1	General	
6.2 6.3	Test apparatus Preparation of test specimens	
6.3 6.4	Preparation of test specimens Preparation of furnace	
6.5	Conditioning including air conditioning	
6.5.1	Data room	
6.5.2	Data containers	-
6.5.3	Wall and floor panels (data rooms, data containers)	
6.6 6.6.1	Test procedure Fire endurance test	
6.6.2	Impact test	
6.6.3	Comparison tests of respectively floor constructions, alternative wall and ceiling	
	constructions and other construction variants	
6.6.4	Examinations	
6.7	Test report	
7	Labelling	33
Bibliog	raphy	34

Foreword

This document (EN 1047-2:2009+A1:2013) has been prepared by Technical Committee CEN/TC 263 "Secure storage of cash, valuables and data media", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2013, and conflicting national standards shall be withdrawn at the latest by August 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 10 December 2012.

This document supersedes At EN 1047-2:2009 (At.

The start and finish of text introduced or altered by amendment is indicated in the text by tags \square \square .

Part 1 of this Standard has been published as:

 EN 1047-1, Secure storage units — Classification and methods of test for resistance to fire — Part 1: Data cabinets and diskette inserts.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The testing conditions given in this European Standard provide a basis for simulating fires to determine, in a reproducible way, the fire resistance of data rooms and data containers.

The values for the maximum temperature increase in protection classes R60D and C60D specified in accordance with Table 2 in this European Standard relate to the relatively short time of high temperature exposure occurring during a fire test; in general, they are not experienced by data media and systems hardware stored in data rooms and data containers in the normal and correct way.

EN 1363-1 establishes the general principles for determining the fire resistance of various elements of construction when subjected to standard fire exposure conditions. Alternative and additional procedures to meet special requirements are given in EN 1363-2. The development of the temperatures and the relative humidity in the interior of a data room and data container cannot be measured under the standard series EN 1363.

The sensitivity of media (see 3.5) and hardware systems (see 3.6) to temperature and humidity requires additional protection with regard to excessively high temperatures and relative humidity, proof of which cannot be furnished through type tests in accordance with the European Standards EN 1363-1 and EN 1363-2. This additional protection requires a series of product solutions, the performance of which is type tested and certified on the basis of the standard series EN 1047.

EN 1047-1 covers the type testing of data cabinets as freestanding units.

EN 1047-2 covers the type testing of data rooms and data containers. For wall, ceiling and floor elements type tested within the framework of this system test, proof of an additional protection can be furnished in accordance with the European Standards EN 1363-1 and EN 1363-2.

1 Scope

This part of the European Standard EN 1047 specifies requirements for data rooms and data containers. It includes a method of test for the determination of the ability of data rooms and data containers to protect temperature and humidity sensitive data media (see 3.5) and hardware systems (see 3.6) from the effects of fire. A test method for measuring the resistance to mechanical stress (impact test) provided by data rooms type B and data containers is also specified.

Requirements are also specified for test specimens, the technical documentation of the test specimens, materials specimens, physical fittings, the correlation of test specimens with the technical documentation and the preparation for type testing as well as test procedures.

In addition, a scheme to classify data rooms and data containers from the test results is given (see Table 2).

As well as providing protection against fire, correctly installed data rooms and data containers offer protection against impacts caused by failure during fire of components and objects external to the data room or data container.

Data rooms and data containers having the same design, protection and construction features (type and thickness of construction and protective materials, rebate geometry, lockings, doors, etc.) will only be given the same protection classification as that of the test specimen if the tolerances are within the ranges specified in Table 1.

NOTE This European Standard does not regulate the use of data rooms in the meaning of the building laws of the respective countries. In the construction of data rooms, the respective national requirements should be considered.

		Minimum	Maximum
Data rooms	type A and type B		
	internal height	- 50 %	+ 50%
	internal width	- 70 %	no limit ¹⁾
	internal length	- 70 %	no limit ¹⁾
Data contair	pers		
Data contai		50.0/	
	internal height	- 50 %	increase not permitted
	internal width	- 15 %	+ 50 % ³⁾
	internal length	- 15 %	+ 50 %
Door openir	ngs (clear opening dimensions)		
	height	- 50 %	increase not permitted
	width	- 25 %	increase not permitted
Compact thickness of walls, the ceiling, floor and door		- 3 % ²⁾	no limit
Openings	(outside dimensions) e.g. openings	no limit	+ 15 %

Table 1 — Permitted differences between the series products and the test specimen

¹⁾ For the type test, load bearing structures may be installed in the test specimen. Proof of an existing load bearing structure in the fire endurance test (see 6.6.1) is required if the dimensions of the series product differ from those of the test specimen.

²⁾ Deviations from the tolerance (- 3 % for walls, ceiling, floor and door) are only allowed upon permission by the certification body and/or testing laboratory.

³⁾ Enlargement of the internal width of the data container (maximum + 50 %) in connection with the installation of additional wall panels is only allowed upon permission by the certification body and/or testing laboratory respectively.

2 Normative references

(A) The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. (A)

EN 206-1, Concrete — Part 1: Specification, performance, production and conformity

A1) deleted text (A1



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation