



NSAI
Standards

Irish Standard
I.S. EN 61280-2-2:2012

Fibre optic communication subsystem test procedures - Part 2-2: Digital systems - Optical eye pattern, waveform and extinction ratio measurement

I.S. EN 61280-2-2:2012

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 61280-2-2:2012

Published:

2012-12-14

*This document was published
under the authority of the NSAI
and comes into effect on:*

2013-02-12

ICS number:

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 61280-2-2:2012 is the adopted Irish version of the European Document EN 61280-2-2:2012, Fibre optic communication subsystem test procedures - Part 2-2: Digital systems - Optical eye pattern, waveform and extinction ratio measurement

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61280-2-2

December 2012

ICS 33.180.01

Supersedes EN 61280-2-2:2008

English version

**Fibre optic communication subsystem test procedures -
Part 2-2: Digital systems -
Optical eye pattern, waveform and extinction ratio measurement
(IEC 61280-2-2:2012)**

Procédures d'essai des sous-systèmes
de télécommunications à fibres optiques -
Partie 2-2: Systèmes numériques -
Mesure du diagramme de l'oeil optique,
de la forme d'onde et du taux d'extinction
(CEI 61280-2-2:2012)

Prüfverfahren für Lichtwellenleiter-
Kommunikationsundersysteme -
Teil 2-2: Digitale Systeme -
Messung des optischen
Augendiagramms, der Wellenform
und des Extinktionsverhältnisses
(IEC 61280-2-2:2012)

This European Standard was approved by CENELEC on 2012-11-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 86C/1043/CDV, future edition 4 of IEC 61280-2-2, prepared by SC 86C "Fibre optic systems and active devices" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61280-2-2:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-08-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-11-29

This document supersedes EN 61280-2-2:2008.

EN 61280-2-2:2012 includes the following significant technical changes with respect to EN 61280-2-2:2008:

- additional definitions;
- clarification of test procedures.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61280-2-2:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60825-1	NOTE	Harmonised as EN 60825-1.
IEC 61281-1	NOTE	Harmonised as EN 61281-1.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61280-2-3	-	Fibre optic communication subsystem test procedures - Part 2-3: Digital systems - Jitter and wander measurements	EN 61280-2-3	-

This page is intentionally left blank

INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 61280-2-2
Edition 4.0 2012-10


FIBRE OPTIC COMMUNICATION SUBSYSTEM TEST PROCEDURES –

Part 2-2: Digital systems – Optical eye pattern, waveform and extinction ratio measurement

CORRIGENDUM 1


Figure 11 – Mask margins at different sample population sizes

Replace the existing Figure 11 with the following new Figure 11



IEC

(a) Mask margin with ~ 100 000 samples tested at a 1:10 000 hit ratio: 75 %



(b) Mask margin (76 %) with over 1 million samples and a 1:10 000 hit ratio

Figure 11 – Mask margins at different sample population sizes



IEC 61280-2-2

Edition 4.0 2012-10

INTERNATIONAL STANDARD



**Fibre optic communication subsystem test procedures –
Part 2-2: Digital systems – Optical eye pattern, waveform and extinction ratio
measurement**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 61280-2-2

Edition 4.0 2012-10

INTERNATIONAL STANDARD



**Fibre optic communication subsystem test procedures –
Part 2-2: Digital systems – Optical eye pattern, waveform and extinction ratio
measurement**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

U

ICS 33.180.01

ISBN 978-2-83220-420-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Apparatus.....	7
4.1 General.....	7
4.2 Reference receiver definition.....	8
4.3 Time-domain optical detection system	8
4.3.1 Overview	8
4.3.2 Optical-to-electrical (O/E) converter.....	9
4.3.3 Linear-phase low-pass filter.....	9
4.3.4 Oscilloscope.....	10
4.4 Overall system response	11
4.5 Oscilloscope synchronization system.....	11
4.5.1 General	11
4.5.2 Triggering with a clean clock	12
4.5.3 Triggering using a recovered clock	12
4.5.4 Triggering directly on data	13
4.6 Pattern generator	14
4.7 Optical power meter	14
4.8 Optical attenuator.....	14
4.9 Test cord.....	14
5 Signal under test	14
6 Instrument set-up and device under test set-up	14
7 Measurement procedures	15
7.1 Overview	15
7.2 Extinction ratio measurement	15
7.2.1 Configure the test equipment.....	15
7.2.2 Measurement procedure.....	15
7.2.3 Extinction ratio calculation	16
7.3 Eye amplitude	17
7.4 Optical modulation amplitude (OMA) measurement using the square wave method.....	17
7.4.1 General	17
7.4.2 Oscilloscope triggering	17
7.4.3 Amplitude histogram, step 1	17
7.4.4 Amplitude histogram, step 2	18
7.4.5 Calculate OMA	18
7.5 Contrast ratio (for RZ signals)	18
7.6 Jitter measurements	18
7.7 Eye width	19
7.8 Duty cycle distortion (DCD)	19
7.9 Crossing percentage	20
7.10 Eye height.....	21

7.11	Q-factor/signal-to-noise ratio (SNR).....	21
7.12	Rise time.....	21
7.13	Fall time	22
8	Eye-diagram analysis using a mask.....	23
8.1	Eye mask testing using the 'no hits' technique.....	23
8.2	Eye mask testing using the 'hit-ratio' technique	24
9	Test result	26
9.1	Required information	26
9.2	Available information	26
9.3	Specification information	26
	Bibliography.....	27
	Figure 1 – Optical eye pattern, waveform and extinction ratio measurement configuration.....	8
	Figure 2 – Oscilloscope bandwidths commonly used in eye pattern measurements.....	10
	Figure 3 – PLL jitter transfer function and resulting observed jitter transfer function.....	13
	Figure 4 – Histograms centred in the central 20 % of the eye used to determine the mean logic one and 0 levels, b_1 and b_0	16
	Figure 5 – OMA measurement using the square wave method	18
	Figure 6 – Construction of the duty cycle distortion measurement.....	20
	Figure 7 – Construction of the crossing percentage measurement	21
	Figure 8 – Construction of the risetime measurement with no reference receiver filtering	22
	Figure 9 – Illustrations of several RZ eye-diagram parameters.....	23
	Figure 10 – Basic eye mask and coordinate system	24
	Figure 11 – Mask margins at different sample population sizes.....	26
	Table 1 – Frequency response characteristics	11

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE OPTIC COMMUNICATION SUBSYSTEM TEST PROCEDURES –

Part 2-2: Digital systems – Optical eye pattern, waveform and extinction ratio measurement

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61280-2-2 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics.

This fourth edition cancels and replaces the third edition published in 2008 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) additional definitions;
- b) clarification of test procedures.

The text of this standard is based on the following documents:

CDV	Report on voting
86C/1043/CDV	86C/1074/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61280 series, published under the general title *Fibre optic communication subsystem test procedures*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

FIBRE OPTIC COMMUNICATION SUBSYSTEM TEST PROCEDURES –

Part 2-2: Digital systems – Optical eye pattern, waveform and extinction ratio measurement

1 Scope

The purpose of this part of IEC 61280 is to describe a test procedure to verify compliance with a predetermined waveform mask and to measure the eye pattern and waveform parameters such as rise time, fall time, modulation amplitude and extinction ratio.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61280-2-3, *Fibre optic communication subsystem test procedures – Part 2-3: Digital systems – Jitter and wander measurements*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

amplitude histogram

graphical means to display the power or voltage population distribution of a waveform

3.2

contrast ratio

ratio of the nominal peak amplitude to the nominal minimum amplitude of two adjacent logical '1's when using return-to-zero transmission

3.3

duty cycle distortion

DCD

measure of the balance of the time width of a logical 1 bit to the width of a logical 0 bit, indicated by the time between the eye diagram nominal rising edge at the average or 50 % level and the eye diagram nominal falling edge at the average or 50 % level

3.4

extinction ratio

ratio of the nominal 1 level to the nominal 0 level of the eye diagram

3.5

eye diagram

type of waveform display that exhibits the overall performance of a digital signal by superimposing all the acquired samples on a common time axis one unit interval in width

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-