

Irish Standard I.S. EN 62215-3:2013

Integrated circuits - Measurement of impulse immunity -- Part 3: Non-synchronous transient injection method (IEC 62215-3:2013 (EQV))

© CENELEC 2013 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:		

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	This document EN 62215-3:201:		<i>hed:</i> ber, 2013
This document was publisl under the authority of the 8 October, 2013	ned NSAI and comes into effect on:		ICS number: 31.200
NSAI 1 Swift Square, Northwood, Santry	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie	Sales: T +353 1 857 6730 F +353 1 857 6729	

W standards.ie

W NSAl.ie

Dublin 9

Údarás um Chaighdeáin Náisiúnta na hÉireann

**EUROPEAN STANDARD** 

EN 62215-3

NORME FUROPÉENNE **EUROPÄISCHE NORM** 

October 2013

ICS 31.200

English version

# Integrated circuits -Measurement of impulse immunity -Part 3: Non-synchronous transient injection method

(IEC 62215-3:2013)

Circuits intégrés -Mesure de l'immunité aux impulsions -Partie 3: Méthode d'injection de transitoires non synchrones (CEI 62215-3:2013)

Integrierte Schaltungen -Messung der Störfestigkeit gegen Impulse -Teil 3: Asynchrones Transienteneinspeisungs-Verfahren (IEC 62215-3:2013)

This European Standard was approved by CENELEC on 2013-08-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

# **CENELEC**

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

EN 62215-3:2013

- 2 -

### **Foreword**

The text of document 47A/881/CDV, future edition 1 of IEC 62215-3, prepared by SC 47A "Integrated circuits" of IEC/TC 47 "Semiconductor devices" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62215-3:2013.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2014-05-21
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2016-08-21

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

### **Endorsement notice**

The text of the International Standard IEC 62215-3:2013 was approved by CENELEC as a European Standard without any modification.

EN 62215-3:2013

# Annex ZA

(normative)

# Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050	Series	International Electrotechnical Vocabulary (IEV)	-	-
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-5 + corr. October	2005 2009	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2006
IEC 62132-4	2006	Integrated circuits - Measurement of electromagnetic immunity, 150 kHz to 1 GHz - Part 4: Direct RF power injection method	EN 62132-4 Z	2006
ISO 7637-2	2011	Road vehicles - Electrical disturbances from conduction and coupling - Part 2: Electrical transient conduction along supply lines only	-	-

This is a free page sample. Access the full version online.

I.S. EN 62215-3:2013

This page is intentionally left BLANK.

## **-2-**

62215-3 © IEC:2013

## CONTENTS

FO	REWORD	4
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	General	8
5	Coupling networks	9
	5.1 General on coupling networks	
	5.2 Supply injection network	
	5.2.1 Direct injection	
	5.2.2 Capacitive coupling	
	5.3 Input injection	10
	5.4 Output injection	11
	5.5 Simultaneous multiple pin injection	
6	IC configuration and evaluation	12
	6.1 IC configuration and operating modes	12
	6.2 IC monitoring	13
	6.3 IC performance classes	
7	Test conditions	14
	7.1 General	14
	7.2 Ambient electromagnetic environment	
	7.3 Ambient temperature	
	7.4 IC supply voltage	
8	Test equipment	
	8.1 General requirements for test equipment	
	8.2 Cables	
	8.3 Shielding	
	8.4 Transient generator	
	8.5 Power supply	
	8.6 Monitoring and stimulation equipment	
0	8.7 Control unit	
9	·	
	9.1 General	
10	9.2 EMC test board	
10	·	
	10.1 Test plan	
	10.3 Characterization of coupled impulses	
	10.4 Impulse immunity measurement	
	10.5 Interpretation and comparison of results	
	10.6 Transient immunity acceptance level	
11	Test report	
	ex A (informative) Test board recommendations	
	ex B (informative) Selection hints for coupling and decoupling network values	
	ex C (informative) Industrial and consumer applications	
HII	ex D (informative) Vehicle applications	∠9

## 62215-3 © IEC:2013

- 3 -

Figure 1 – Typical pin injection test implementation	9
Figure 2 – Supply pin direct injection test implementation	10
Figure 3 – Supply pin capacitive injection test implementation	10
Figure 4 – Input pin injection test implementation	11
Figure 5 – Output pin injection test implementation	12
Figure 6 – Multiple pin injection test implementation	12
Figure 7 – Test set-up diagram	15
Figure 8 – Example of the routing from the injection port to a pin of the DUT	16
Figure A.1 – Typical EMC test board topology	22
Figure A.2 – Example of implementation of multiple injection structures	23
Table A.1 – Position of vias over the board	19
Table C.1 – Definition of pin types	26
Table C.2 – Test circuit values	27
Table C.3 – Example of IC impulse test level (IEC 61000-4-4)	28
Table D.1 – IC pin type definition	29
Table D.2 – Transient test level 12 V (ISO 7637-2)	30
Table D.3 – Transient test level 24 V (ISO 7637-2)	31
Table D.4 – Example of transient test specification	32

**-4-**

62215-3 © IEC:2013

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# INTEGRATED CIRCUITS – MEASUREMENT OF IMPULSE IMMUNITY –

### Part 3: Non-synchronous transient injection method

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62215-3 has been prepared by subcommittee 47A: Integrated circuits, of IEC technical committee 47: Semiconductor devices.

The text of this standard is based on the following documents:

CDV	Report on voting
47A/881/CDV	47A/890/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62215 series, published under the general title *Integrated circuits* – *Measurement of impulse immunity* can be found on the IEC website.

62215-3 © IEC:2013

– 5 –

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**-** 6 **-**

62215-3 © IEC:2013

# INTEGRATED CIRCUITS – MEASUREMENT OF IMPULSE IMMUNITY –

### Part 3: Non-synchronous transient injection method

### 1 Scope

This part of IEC 62215 specifies a method for measuring the immunity of an integrated circuit (IC) to standardized conducted electrical transient disturbances. The disturbances, not necessarily synchronized to the operation of the device under test (DUT), are applied to the IC pins via coupling networks. This method enables understanding and classification of interaction between conducted transient disturbances and performance degradation induced in ICs regardless of transients within or beyond the specified operating voltage range.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary (IEV)* (available at <a href="http://www.electropedia.org">http://www.electropedia.org</a>)

IEC 61000-4-4:2012, Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test

IEC 61000-4-5:2005, Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test

IEC 62132-4:2006, Integrated circuits – Measurement of electromagnetic immunity 150 kHz to 1 GHz – Part 4: Direct RF power injection method

ISO 7637-2:2011, Road vehicles – Electrical disturbances from conduction and coupling – Part 2: Electrical transient conduction along supply lines only

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-131 and IEC 60050-161, some of which have been added for convenience, as well as the following apply.

#### 3.1

### auxiliary equipment

equipment not under test but is indispensable for setting up all the functions and assessing the correct performance (operation) of the equipment under test (EUT) during its exposure to the disturbance

### 3.2

### burst

sequence of a limited number of distinct impulses or an oscillation of limited duration



This is a free preview	<ul> <li>Purchase the entire</li> </ul>	e publication at the link below:
------------------------	---	----------------------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation