

Irish Standard I.S. EN ISO 11665-5:2015

Measurement of radioactivity in the environment -Air: radon-222 - Part 5: Continuous measurement method of the activity concentration (ISO 11665-5:2012)

© CEN 2015 No copying without NSAI permission except as permitted by copyright law.

#### I.S. EN ISO 11665-5:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

Published:

EN ISO 11665-5:2015

2015-09-16

This document was published under the authority of the NSAI and comes into effect on:

ICS number:

2015-10-05

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

#### National Foreword

I.S. EN ISO 11665-5:2015 is the adopted Irish version of the European Document EN ISO 11665-5:2015, Measurement of radioactivity in the environment -Air: radon-222 - Part 5: Continuous measurement method of the activity concentration (ISO 11665-5:2012)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

**EUROPEAN STANDARD** 

**EN ISO 11665-5** 

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

September 2015

ICS 17.240

# **English Version**

# Measurement of radioactivity in the environment -Air: radon-222 - Part 5: Continuous measurement method of the activity concentration (ISO 11665-5:2012)

Mesurage de la radioactivité dans l'environnement -Air: radon 222 - Partie 5: Méthode de mesure en continu de l'activité volumique (ISO 11665-5:2012) Ermittlung der Radioaktivität in der Umwelt - Luft: Radon-222 - Teil 5: Kontinuierliches Messverfahren für die Aktivitätskonzentration (ISO 11665-5:2012)

This European Standard was approved by CEN on 12 June 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

# EN ISO 11665-5:2015 (E)

Contents	Page
European foreword	

EN ISO 11665-5:2015 (E)

# **European foreword**

The text of ISO 11665-5:2012 has been prepared by Technical Committee ISO/TC 85 "Nuclear energy, nuclear technologies, and radiological protection" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 11665-5:2015 by Technical Committee CEN/TC 430 "Nuclear energy, nuclear technologies, and radiological protection" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2016, and conflicting national standards shall be withdrawn at the latest by March 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 11665-5:2012 has been approved by CEN as EN ISO 11665-5:2015 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. I.S. EN ISO 11665-5:2015

# INTERNATIONAL STANDARD

ISO 11665-5

First edition 2012-07-15

# Measurement of radioactivity in the environment — Air: radon-222 —

# Part 5:

# Continuous measurement method of the activity concentration

Mesurage de la radioactivité dans l'environnement — Air: radon 222 — Partie 5: Méthode de mesure en continu de l'activité volumique





# **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Con	tents	Page
Forew	vord	iv
Introd	luction	<b>v</b>
1	Scope	1
2	Normative references	1
3 3.1 3.2	Terms, definitions and symbols  Terms and definitions  Symbols	1
4	Principle	2
5	Equipment	3
6 6.1 6.2 6.3	Sampling Sampling objective Sampling characteristics Sampling conditions	3 3
7	Detection	4
8 8.1 8.2 8.3	Measurement Procedure Influence quantities Calibration	4 4
9 9.1 9.2 9.3 9.4	Expression of results Radon activity concentration Standard uncertainty Decision threshold and detection limit Limits of the confidence interval	5 5 5
10	Test report	5
Anne	x A (informative) Measurement method using a vented ionization chamber and a current ionization chamber	7
Biblio	graphy	13

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 11665-5 was prepared by Technical Committee ISO/TC 85, *Nuclear energy, nuclear technologies, and radiological protection*, Subcommittee SC 2, *Radiological protection*.

ISO 11665 consists of the following parts, under the general title *Measurement of radioactivity in the environment — Air: radon-222*:

- Part 1: Origins of radon and its short-lived decay products and associated measurement methods
- Part 2: Integrated measurement method for determining average potential alpha energy concentration of its short-lived decay products
- Part 3: Spot measurement method of the potential alpha energy concentration of its short-lived decay products
- Part 4: Integrated measurement method for determining average activity concentration using passive sampling and delayed analysis
- Part 5: Continuous measurement method of the activity concentration
- Part 6: Spot measurement method of the activity concentration
- Part 7: Accumulation method for estimating surface exhalation rate
- Part 8: Methodologies for initial and additional investigations in buildings

The following parts are under preparation:

- Part 9: Method for determining exhalation rate of dense building materials
- Part 10: Determination of diffusion coefficient in waterproof materials using activity concentration measurement

## Introduction

Radon isotopes 222, 220 and 219 are radioactive gases produced by the disintegration of radium isotopes 226, 224 and 223, which are decay products of uranium-238, thorium-232 and uranium-235 respectively, and are all found in the earth's crust. Solid elements, also radioactive, followed by stable lead are produced by radon disintegration<sup>[1]</sup>.

When disintegrating, radon emits alpha particles and generates solid decay products, which are also radioactive (polonium, bismuth, lead, etc.). The potential effects on human health of radon lie in its solid decay products rather than the gas itself. Whether or not they are attached to atmospheric aerosols, radon decay products can be inhaled and deposited in the bronchopulmonary tree to varying depths according to their size.

Radon is today considered to be the main source of human exposure to natural radiation. The UNSCEAR (2006) report<sup>[2]</sup> suggests that, at the worldwide level, radon accounts for around 52 % of global average exposure to natural radiation. The radiological impact of isotope 222 (48 %) is far more significant than isotope 220 (4 %), while isotope 219 is considered negligible. For this reason, references to radon in this part of of ISO 11665 refer only to radon-222.

Radon activity concentration can vary by one to multiple orders of magnitude over time and space. Exposure to radon and its decay products varies tremendously from one area to another, as it depends firstly on the amount of radon emitted by the soil and the building materials in each area and, secondly, on the degree of containment and weather conditions in the area where individuals are exposed.

The values commonly found in the continental environment are usually between a few becquerels per cubic metre and several thousand becquerels per cubic metre. Activity concentrations of one becquerel per cubic metre or less can be observed in the oceanic environment. Radon activity concentrations inside houses can vary from several tens of becquerels per cubic metre to several hundreds of becquerels per cubic metre<sup>[3]</sup>. Activity concentrations can reach several thousands of becquerels per cubic metre in very confined spaces.

The activity concentration of radon-222 in the atmosphere can be measured by spot, continuous and integrated measurement methods with active or passive air sampling (see ISO 11665-1). This part of ISO 11665 deals with continuous measurement methods for radon-222.

NOTE The origin of radon-222 and its short-lived decay products in the atmospheric environment and other measurement methods are described generally in ISO 11665-1.

This is a free page sample. Access the full version online. I.S. EN ISO 11665-5:2015

# **Measurement of radioactivity in the environment — Air:** radon-222 —

## Part 5:

# Continuous measurement method of the activity concentration

## 1 Scope

This part of ISO 11665 describes continuous measurement methods for radon-222. It gives indications for continuous measuring of the temporal variations of radon activity concentration in open or confined atmospheres.

This part of ISO 11665 is intended for assessing temporal changes in radon activity concentration in the environment, in public buildings, in homes and in work places, as a function of influence quantities such as ventilation and/or meteorological conditions.

The measurement method described is applicable to air samples with radon activity concentration greater than 5 Bg/m<sup>3</sup>.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11665-1, Measurement of radioactivity in the environment — Air: radon-222 — Part 1: Origins of radon and its short-lived decay products and associated measurement methods

ISO 11929, Determination of the characteristic limits (decision threshold, detection limit and limits of the confidence interval) for measurements of ionizing radiation — Fundamentals and application

ISO/IEC 17025, General requirements for the competence of testing and calibration laboratories

IEC 61577-1, Radiation protection instrumentation — Radon and radon decay product measuring instruments — Part 1: General principles

IEC 61577-2, Radiation protection instrumentation — Radon and radon decay product measuring instruments — Part 2: Specific requirements for radon measuring instruments

## 3 Terms, definitions and symbols

#### 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 11665-1 apply.

#### 3.2 Symbols

For the purposes of this document, the symbols given in ISO 11665-1 and the following apply.

- C activity concentration, in becquerels per cubic metre
- $C^*$  decision threshold of the activity concentration, in becquerels per cubic metre



**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation